

An Explanation of the aspects of this CAP Events Terms list rationale.

The font used is Leelawadee, to reduce cc
See note 73

1) There are four basic modes of distribution of these messages:

A) Broadcast radio and Television.

B) WEA (Wireless Emergency Alerts, a cell broadcast technology).

C) CAP messages to others e.g. alerting providers, jurisdictions with their distribution using SMS messaging, ETN (Emergency Telephone Notification), email and others.

D) Some countries are using SMS messaging, but this is a message per recipient method and people may not be signed up or the volume of messages may result in extreme delays or overload with messages lost.

E) Satellite radio and TV. These distributions cover large areas. There may be a considerable amount of alert messages, so a prioritization scheme for delivery is important. This would be better than a First-In-First-Out queue.

F) Cable and Fiber radio and TV. These systems have the receivers within the design control of the company. The improvements here (e.g. prioritization) are things they could incorporate to improve the user experience. The SCTE has a transmission standard that could carry CAP messages.

2) The methods of distribution are changing. Integration with other standards such as ATSC 3.0 A/331, the basis of AWARN/AEA. Digital radio (HD Rad

A) Broadcasting is increasingly using digital radio, which makes possible data distribution and selective distribution. TV is almost completely digital. Both currently override the program audio without selective distribution. TV is moving to using the LDM (Layered Division Multiplexing) modulation that includes a high power, low data rate content that has greater range to TV antennas or to small antennas in cellphones. This LDM would carry the alerting audio and data.

B) WEA is moving to LTE and 5G transmission and from a 90 character limit to a 360 character (USA) or 700 character (Canada, with 2 languages). The recommendation I made for the European Commissions' DRM 2020 was to have 740 characters, and allow 2 or more languages with each language having at the beginning <lngEAS> first language code and the EAS 3 character code then each language division a <///lng> the language code followed by the language. Switzerland may find that most messages could carry three languages. There are P and C codes in the WEA column. Others MAY be included for example based on priority levels.

3) Implications of changes

The A) with LDM being received by mobiles provides for two possible sources of messages. Currently there is no coding to recognize the two versions of the same origin message. This can contribute to alert fatigue, a serious problem. So WEA SHOULD include at least the EAS 3 character code if not the messageID.

4) Broadcasting message delivery

Almost all radio stations and all TV stations have their program content playout or transmission switching under the control of an automation system. Currently the automation system has no control of the emergency message encoder/decoder. The only mode of message insertion is either overriding the program content, or waiting for an operator to manually control the automation and insert the message. With many radio stations and some TV stations being unmanned, the manual insertion becomes unavailable. As the legal requirement is to only deliver the Emergency Activation Notification and Required Monthly Tests, a number of broadcasters avoid the unwanted overrides and not transmit them. Having selective message delivery only to selected recipients, and a prioritization scheme for each Event Term makes possible an acceptable automation solution.

Automation systems time all the content. With TV the time increments are normally in multiples of 15 seconds. This includes live events. Announcers may have teleprompters, but are also trained to compose the text and deliver it with timing which should be accurate to within about a second. This may be news on location. This looks simple when you watch it, but not really. Exceptions are Daylight Saving time change, leap seconds and Emergency Alerts at present. The former have prearranged content schedule change. Emergency Alerts, if they are not timed to the 15 second multiple SHOULD have some suitable filler material to play out for the rest of the time duration. Priority 1 and 2 being override, may not be accompanied with a duration value, but these also SHOULD be timed. Radio broadcast may operate with smaller timing increments, perhaps 5 seconds, depending on the automation system and playlist timing input. Both priorities without Override for most messages and selective message delivery are very important for the improved system to be considerably better than the current EAS, which is really unacceptable to broadcasters currently. 3 & 4 have a 7 minute override timeout, 5 & 6 have a 14 minute override timeout, 7 & 8 have a 21 minute override timeout, 9 has a 28 minute override timeout. Having CAP priority as URGENT reduces the number by one, except for 1.

The Pacific Tsunami Warning Center issues tsunami warnings. Some of these are assessed as;
EVALUATION

* AN EARTHQUAKE WITH A PRELIMINARY MAGNITUDE OF 6.7 OCCURRED IN
THE RYUKYU ISLANDS, JAPAN AT 1551 UTC ON SATURDAY JUNE 13
2020.

* BASED ON ALL AVAILABLE DATA... THERE IS NO TSUNAMI THREAT
FROM THIS EARTHQUAKE.

RECOMMENDED ACTIONS

* NO ACTION IS REQUIRED. These SHALL be relayed as STATEMENT if relevant.

Because of the unacceptability of EAS to consumer electronics manufacturers, there has been manufactured a range of radio receivers called "Public Alert certified" which are available on the internet, but are generally not available in electronics stores. The added feature cost is significant compared with the benefit, which is an issue to consider.

Warnings would have a higher priority than an advisory, and even lower would be a statement. This is the reverse of the number value as described below. This means there are more terms to provide for that distinction. Sometimes Statements are used for "Return OK or All Clear" messages. These are important. The term Watch is only used once, so for simplification and translation accuracy, this word would be replaced with Advisory.

NOT FOR
Standard, but FYI.
Priority scheme is
very important.

5) Message reception user interface

With a prioritization scheme that is simple to understand, it then can also be made use of by recipients. The scheme operates like a "Alert Volume Control" with 1 being the least, for the most important alerts, to 9 being the most alerts. Then 0 is for special cases such as School Closing (e.g. winter storm) that are only transmitted by selected radio stations, or advertisements variations. The default setting in the receiver would be a 5. Most people would leave this as it is.

NOT FOR
Standard, but FYI.
Priority scheme is
very important.

6) Comments and deletions of Event Terms

The terms that are equivalent, but for different categories e.g. Health, Safety, would be merged with combined categories.

Some terms are for Press Release purposes e.g. Multiple Alarm Fire. This is explained in Wikipedia. Normally these are the statement version of an alert. Coastal Flood and Storm Surge are essentially the same thing, so are placed next to each other.

Sinkhole and karst are essentially the same thing but the word selected varies by country, so both are kept next to each other.

Dam burst, flash flood and lahar have different causes, but the effect is about the same. So they are kept together. As Flash Floods cause a significant loss of life, a Flash Flood Emergency is added as a D message for future selective delivery.

The term water hazard applies to potable water, so potable is added.

Earthquake and missile countdowns are triggered by seismometer networks or ABM radar, but both would make use of the same counting code in the receivers.

10 "delete" items remain which may have a comment added.

Arbitrary Sorting

This column may be removed. However the CAP Language table with language to column reference would need reindexing

Importance of valuable public information

According to Daniel Aldrich and Michinori Watanabe at <https://www.npr.org/2011/07/04/137526401/the-key-to-disaster-survival-friends-and-neighbors> and Eric Auf de Heide "Common Misconceptions about Disasters: Panic, the "Disaster Syndrome," and Looting https://www.atsdr.cdc.gov/emergency_response/common_misconceptions.pdf. The rescue of individuals by neighbors, relatives and friends in a disaster appears to be in the range of 40% to 80%. The balance being by First Responders. Therefore information to assist this public effort can be very valuable for a low cost. One form of such assistance can be by push publishing of helpful information files. In the Notes+ section is a list of file types that could be push published by digital radio or TV to computers or cellphones. In a disaster there is quite likely to be a shortage of First Responders. If EDXL-DE is used, other file types may also be distributed.

Term Values Flexibility

The values assigned to the Event Terms are recommendations. The values MAY be modified based on actual experience and the observation of errors. After ITU adoption, this MAY be for a national or international region version. The changes SHOULD NOT have any effect on receiver processing.

Templates and TTS (Text To Speech)

Having adequate detail in the Event Terms list would assist in the preparation of message templates that can be populated with details. Also such message templates may include phonetic characters to assist pronunciation of messages which are originated with TTS. That is important as there may not be announcers available in an emergency.

Items at the right

The rightmost columns have a number of functions.
There are Notes, which are on a separate sheet
There are Pix which are icons on the notes sheet
There is an explanation of fire weather condition relating to Event Terms on another sheet

Broadcast alerts may be Analog or Digital-only. O means Override, the former Analog-only mode where the original EAS only had the option to override program content. Opt-out may be possible. D means that the alert is carried separately from the program content and the alert can be opt-in selection. The authorization level is noted, and is a suggestion for a subject to be addressed. A good default scheme would be helpful and countries or regions would be free to implement their detailed version.

Heartbeat	<p>This is a regular (6 second default) message identifying whether the broadcaster is transmitting full or partial digital alerting capability. Also information as to adjacent stations carrying the same capability, content and their callsign, frequency and location. This enables the receiver processor to select the best alert message delivery station when the user is listening to another source like satellite or a player. Alerting is still possible then. As a driver takes a long trip, the radio can automatically tune to another station when the original station signal fades out.</p> <p>About 85% of radio listeners are in vehicles. They may have navigation so the latitude and longitude of the receiver can be used for selectivity and such automatic selection of another station.</p>		
Unexplained Reason Terms	<p>A number of terms that have been in use in EAS are directions that do not give a reason for acting. The text may do so, or may not. The Emergency Manager may consider that this is not information to be provided at this time. These terms are;</p> <p>curfew (home or hotel)</p> <p>evacuation immediate</p> <p>evacuation rapidly</p> <p>local area emergency</p> <p>protective clothing required</p> <p>return OK</p> <p>shelter immediately</p> <p>shelter in-place</p> <p>state or province activation</p>	<p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p> <p>safety hazard</p>	<p>Safety</p> <p>Safety</p> <p>Safety</p> <p>Safety</p> <p>Safety</p> <p>Safety</p> <p>Safety</p> <p>Safety</p> <p>Safety</p>
Yellow Alert, hit & run driver	<p>Some States have implemented legislation for hit & run alerts. These may be displayed as yellow alert.</p>	<p>safety hazard</p>	<p>Safety</p>
Travel Advisory Terms	<p>These are numbered 1-4 as used by the U.S. State Department. A term 5 is added as desirable in the current pandemic. Also ATC0 has been used in the past and that is provided for here.</p>	<p>health issue or safety hazard</p>	<p>health/Safety</p>
Volcanic Explosivity Index	<p>or Risk index which is used in New Zealand. This is explained in Wikipedia. For definition flexibility 0 to 9 are provided.</p>		
Nuclear INES	<p>This is explained in Wikipedia</p>		
Diseases			

76	Mercalli earthquake alert 1-9	earthquake	earthquake alert- #1	alert
84	Mercalli earthquake alert 1-9	earthquake	earthquake alert- #9	alert
88.1		earthquake	earthquake emergency local- area- statement	
56		civil issue/concern, nt	railway, train	statement
172		infrastructure issue	accident	
280		state, province	state or province Information on emergency	
89		earthquake	warning	warning
69		infrastructure issue		advisory
133	CET-249 old number	hazardous weather	statement	statement

	177	CET-232 old number	infrastructure issue	traffic advisory	advisory
	187	CET-141 old number	marine	pest	
	275	CET-141 old number	special marine		warning
	185	CET-141 old number	marine	disease	
	278	CET-249 old number	special weather		statement
Not deleted but similar to another					
	172	CET-177 (similar to other CET-177) old number	infrastructure issue	railway, train accident	

Sort WARNING

Performing a sort on a column of the terms MAY result in columns on the right not being sorted, but just left as is. This was observed using Windows 10 with Office365 Excel with a 32 GB memory. The columns beyond MY had to be hand sorted.

nfusion.

io, DAB, DAB+ and DRM).

				CET-257
				CET-258
				CET-259
				CET-260
				CET-261
				CET-262
				CET-263
				CET-264
				CET-266
				CET-267

)

CET-268

Safety RGA [refugee](#)

CET-269

(delete)
(delete)
:

Safety LEA lawWatc
Transport ABS h
Civ CIS [balloA](#)
civil

(delete if
not used
for
Modified
Mercalli
Intensity)
(delete if
not used
for
Modified
Mercalli
Intensity)

Geo

EQ1

[eq1](#)

EQ9

Geo

[eq9](#)

EQE

(delete)

Geo

[eqEmerg](#)

(delete)

Safety

LAS

localSt

(delete)

train

Transport

RWA

train

(if legal within coun

Civil,

Safety

SIE

[statle](#)
earthqua
ke
damOver
flow,
(damBre
ach)
[hazWea](#)

(see 88)

Geo

EQW

(delete)

Infra
Met

DBA
HZS

(delete, see traffic	Transpor t	TFA	traffic marinePe
(delete see 144)	Env	MPW	st spclMari
(delete, see 189, 190)	Met	SMW	ne marineDi
(delete see 143)	Transport	MDW	seas
(delete)	Met	SPT	StormAd
(delete?) train	Transpor t	RWA	train

[illegible]

OET-004	A	air quality	health hazard	Environmental, Health	
OET-005	AS	air search	safety hazard	Meteorological	
OET-006	SA	air stagnation	air hazard	Meteorological	
OET-007	C	aircraft crash	aviation hazard	Transport	
OET-008	I	aircraft incident	aviation hazard	Transport	
OET-009	P	airport closure	aviation hazard	Transport	
OET-010	S	airspace closure	aviation hazard	Transport	

e.g. volcanic gas	AQA	airQuality	<div><div></div><div>Expected</div><div>Severe</div><div>Likely</div></div>	<div><div>Risque grave de qualité de l'air (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) attendue (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Risque grave de qualité de l'air (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) attendue (<i>Date</i>) (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Recherche aérienne sévère observée dans (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) attendu (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Recherche aérienne sévère observée dans (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) attendu (<i>Date</i>) (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Stagnation modérée de l'air observée en (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) attendu (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Stagnation modérée de l'air observée en (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) attendu (<i>Date</i>) (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Crash d'avion extrême observé en (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) immédiatement (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div> <div><div>Crash d'avion extrême observé en (<i>Short_Area</i> [<i>City</i>] [<i>County</i>] [<i>State</i>]).</div><div>(Recommended Action) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'à (<i>hh:mm</i>) (<i>am/pm</i>).</div></div>	<div><div>Le (<i>Official, Government, Agency</i>) risque grave de qualité de l'air est (<i>City</i>) [<i>County</i>] [<i>State</i>]. A (<i>Incident_Time</i>) (<i>Day</i>), (<i>Describe the incident, hazard and its consequences</i>). Cela a des répercussions sur les (<i>Area</i>) [<i>City</i>] [<i>County</i>] [<i>State</i>] y compris (<i>Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.</i>). Les gens d'autres régions de (<i>Area</i>) [<i>City</i>] [<i>County</i>] ne sont pas touchés pour le moment.</div><div>Le (<i>Official, Government, Agency</i>) a une recherche aérienne sévère observée dans (<i>City</i>) [<i>County</i>] [<i>State</i>]. A (<i>Incident_Time</i>) (<i>Day</i>), (<i>Describe the incident, hazard and its consequences</i>). Cela peut s'attendre à avoir un impact sur les (<i>Area</i>) [<i>City</i>] [<i>County</i>] [<i>State</i>] y compris (<i>Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.</i>). Les gens d'autres régions de (<i>Area</i>) [<i>City</i>] [<i>County</i>] ne sont pas touchés pour le moment.</div><div>Le (<i>Official, Government, Agency</i>) a une stagnation modérée de l'air observée dans (<i>City</i>) [<i>County</i>] [<i>State</i>]. Attendu à (<i>Date</i>) (<i>Incident_Time</i>) (<i>Day</i>), (<i>Describe the incident, hazard and its consequences</i>). Cela a des répercussions sur les (<i>Area</i>) [<i>City</i>] [<i>County</i>] [<i>State</i>], y compris (<i>Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.</i>). Les gens d'autres régions de (<i>Area</i>) [<i>City</i>] [<i>County</i>] ne sont pas touchés pour le moment.</div><div>Le (<i>Official, Government, Agency</i>) a observé une alerte d'incident s'il y a eu un incident (<i>City</i>) [<i>County</i>] [<i>State</i>]. A (<i>Incident_Time</i>) (<i>Day</i>), (<i>Describe the incident, hazard and its consequences</i>). Cela affecte les gens (<i>Area</i>) [<i>City</i>] [<i>County</i>] [<i>State</i>], y compris (<i>Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.</i>). Les gens dans d'autres régions de (<i>Area</i>) [<i>City</i>] [<i>County</i>] ne sont pas affectés pour le moment.</div><div>Le (<i>Official, Government, Agency</i>) a une fermeture sévère de l'aéroport observée en (<i>City</i>) [<i>County</i>] [<i>State</i>]. A (<i>Incident_Time</i>) (<i>Day</i>), (<i>Describe the incident, hazard and its consequences</i>). Cela peut avoir un impact sur les (<i>Area</i>) [<i>City</i>] [<i>County</i>] [<i>State</i>], y compris (<i>Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.</i>). Les gens dans d'autres régions de (<i>Area</i>) [<i>City</i>] [<i>County</i>] ne sont pas affectés pour le moment.</div><div>Le (<i>Official, Government, Agency</i>) a une grave fermeture de l'espace aérien dans (<i>City</i>) [<i>County</i>] [<i>State</i>]. A (<i>Incident_Time</i>) (<i>Day</i>), (<i>Describe the incident, hazard and its consequences</i>). Cela peut avoir un impact sur les (<i>Area</i>) [<i>City</i>] [<i>County</i>] [<i>State</i>], y compris (<i>Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.</i>). Les gens dans d'autres régions de (<i>Area</i>) [<i>City</i>] [<i>County</i>] ne sont pas affectés pour le moment.</div></div> <td><div><div>Pour votre sécurité personnelle, vous devez immédiatement (<i>Recommended actions and extended instructions</i>). Le tableau de l'indice de la qualité de l'air (AQI) (à gauche) fournit de plus amples renseignements.</div><div>L'alerte reste en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire.</div><div>Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div></div><div><div>Pour votre sécurité personnelle, vous devez attendre à (<i>Recommended actions and extended instructions</i>). La recherche aérienne demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter l'emplacement de l'accident. (<i>Recommended actions and extended instructions</i>). L'avertissement d'écrasement de l'avion demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter le lieu de l'incident (<i>Recommended actions and extended instructions</i>). L'état d'incident de l'avion demeure en vigueur jusqu'à nouvel ordre. De plus, le vol de drones est interdit dans ce domaine. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter l'aéroport (<i>location</i>) (<i>Recommended actions and extended instructions</i>). L'avis de fermeture de l'aéroport demeure en vigueur jusqu'à nouvel ordre. De plus, le vol de drones est interdit dans ce domaine. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter l'emplacement de l'aéroport. En outre, le vol de drones est interdit dans ce domaine. (<i>Recommended actions and extended instructions</i>). La fermeture de l'espace aérien demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div></div><td><div>qualité de l'air</div><div>danger pour la santé</div><div>Environm ental, Health</div></td><td><div>recherche aérienne</div><div>danger pour la sécurité</div><div>Meteoro logical</div></td><td><div>la stagnation de l'air</div><div>danger aérien</div><div>Meteoro logical</div></td><td><div>accident d'avion</div><div>danger aérien</div><div>Transport</div></td><td><div>Incident d'aéronef</div><div>danger aérien</div><div>Transport</div></td><td><div>fermeture de l'aéroport</div><div>danger aérien</div><div>Transport</div></td><td><div>fermeture de l'espace aérien</div><div>danger aérien</div><div>Transport</div></td></td>	<div><div>Pour votre sécurité personnelle, vous devez immédiatement (<i>Recommended actions and extended instructions</i>). Le tableau de l'indice de la qualité de l'air (AQI) (à gauche) fournit de plus amples renseignements.</div><div>L'alerte reste en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire.</div><div>Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div></div> <div><div>Pour votre sécurité personnelle, vous devez attendre à (<i>Recommended actions and extended instructions</i>). La recherche aérienne demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter l'emplacement de l'accident. (<i>Recommended actions and extended instructions</i>). L'avertissement d'écrasement de l'avion demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter le lieu de l'incident (<i>Recommended actions and extended instructions</i>). L'état d'incident de l'avion demeure en vigueur jusqu'à nouvel ordre. De plus, le vol de drones est interdit dans ce domaine. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter l'aéroport (<i>location</i>) (<i>Recommended actions and extended instructions</i>). L'avis de fermeture de l'aéroport demeure en vigueur jusqu'à nouvel ordre. De plus, le vol de drones est interdit dans ce domaine. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div><div>Pour votre sécurité personnelle, vous devez immédiatement éviter l'emplacement de l'aéroport. En outre, le vol de drones est interdit dans ce domaine. (<i>Recommended actions and extended instructions</i>). La fermeture de l'espace aérien demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (<i>Message_Duration</i>), ou plus tôt si nécessaire. Pour plus d'informations, consultez (<i>www.Official_Web_Site.gov</i>), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (<i>9, 1, 1</i>), sauf en cas d'urgence grave.</div></div> <td><div>qualité de l'air</div><div>danger pour la santé</div><div>Environm ental, Health</div></td> <td><div>recherche aérienne</div><div>danger pour la sécurité</div><div>Meteoro logical</div></td> <td><div>la stagnation de l'air</div><div>danger aérien</div><div>Meteoro logical</div></td> <td><div>accident d'avion</div><div>danger aérien</div><div>Transport</div></td> <td><div>Incident d'aéronef</div><div>danger aérien</div><div>Transport</div></td> <td><div>fermeture de l'aéroport</div><div>danger aérien</div><div>Transport</div></td> <td><div>fermeture de l'espace aérien</div><div>danger aérien</div><div>Transport</div></td>	<div>qualité de l'air</div> <div>danger pour la santé</div> <div>Environm ental, Health</div>	<div>recherche aérienne</div> <div>danger pour la sécurité</div> <div>Meteoro logical</div>	<div>la stagnation de l'air</div> <div>danger aérien</div> <div>Meteoro logical</div>	<div>accident d'avion</div> <div>danger aérien</div> <div>Transport</div>	<div>Incident d'aéronef</div> <div>danger aérien</div> <div>Transport</div>	<div>fermeture de l'aéroport</div> <div>danger aérien</div> <div>Transport</div>	<div>fermeture de l'espace aérien</div> <div>danger aérien</div> <div>Transport</div>
-------------------	-----	------------	---	---	--	--	---	---	---	---	---	--	---

[illegible]

OET-036		chemical fire	Fire	CBRNE: Fire	F
OET-037		chemical hazard	.	CBRNE	F
OET-037	T	chemical hazard; toxic spill	.	CBRNE	F
OET-038		child abduction	criminal activity	Safety; Security	
OET-039	C	civil; curfew (home or hotel)	safety hazard	Civil	
OET-039	CEM	civil	civil issue	Security	
OET-039	R	civil; refugee	civil	Safety	

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

[illegible]

OET-052		dam break	flood
OET-053		dam issue	infrastructure issue
OET-054	P	dangerous animal	civil issue
OET-054	S	dangerous animal	civil issue
OET-055		dangerous person threat	criminal activity
OET-056		debris flow; lahar demonstration; error or dummy test code	geophysical
OET-057	EEE		testing & system

[illegible]

OET-068	C	earthquake countdown	earthquake	Geophysical		countdown series processing in receiver software to enable reception of aftershock alert before previous series times out.	Enn	eqCount	⊗ Immediate	⊗ Extreme	⊗ Observed	(Incident,Time) Avertissement de tremblement de terre! Des ondes de choc sont attendues dans votre région sélectionnée dans environ (nnmss).	(Date) (Incident,Time) Avertissement de tremblement de terre! Des ondes de choc sont attendues dans votre région sélectionnée dans environ (nnmss).	terre! Des ondes de choc sont attendues dans votre zone sélectionnée en environ (nnmss). Les récepteurs avec le logiciel d'alerte améliorée peuvent donner un compte à rebours. Les récepteurs radio utilisent Envà 8.9 minutes et 200 à 999 pour un total de 89.8 minutes ou il s'agit de multiples de 6 secondes. Since, le temps est renms.)	Se couvrir si à l'intérieur. Si l'extérieur s'assoit ou s'agenouille dans un endroit sûr. Ralentissez prudemment si vous conduisez. Dn compte à rebours commence à jouer à partir du logiciel récepteur en fonction de la valeur de compte à rebours requis. (www.Official_Web_Site.gov)	compte à rebours du tremblement de terre	tremblement de terre	Geophys ical
OET-068	F	earthquake alerting finished	earthquake	Geophysical			EQ0	eqfin	⊗ Past	⊗ Minor	⊗ Observed	2. [No text to users for this message]	[No text to users for this message]	[No text to users for this message] (Date) (Incident,Time) logged)		alerte sismique terminée tremblement de terre, peut être l'alerte de la zone d'épicentre de la séquence des comptes à rebours	tremblement de terre	Geophys ical
OET-068	X	earthquake, may be epicenter area alert of sequence of countdowns	earthquake	Geophysical	F	warning	EQW	earthquake	⊗ Immediate	⊗ Extreme	⊗ Observed	(Incident,Time) Tremblement de terre observé! Couvrez-vous maintenant ou ralentissez si vous 1 conduisez! Immédiatement extrême.	(Date) (Incident,Time) Tremblement de terre observé! Couvrez-vous maintenant ou ralentissez si vous conduisez! Immédiatement extrême.	(Incident,Time) Tremblement de terre observé! Couvrez-vous maintenant! (Official_Government_Agency). <seemsCode>note74>	Se couvrir si à l'intérieur. Si l'extérieur s'assoit ou s'agenouille dans un endroit sûr. Ralentissez prudemment si vous conduisez. (www.Official_Web_Site.gov)		tremblement de terre	Geophys ical
OET-069		electronic infrastructure issue	infrastructure issue	Infrastructure			EIA	elecInfA	⊗ Expected	⊗ Moderate	⊗ Observed	Attendu (Incident,Time) Un problème modéré d' infrastructure électronique observé à (location) 5 dans (Short_Area) (City) (County) (State).	Attendu (Date) (Incident,Time) Un problème modéré d'infrastructure électronique observé à (location) dans (Short_Area) (City) (County) (State).	Attendu (Incident,Time) Un problème modéré d' infrastructure électronique observé à (location) dans (Short_Area) (City) (County) (State). (Official_Government_Agency). (Incident,Time) Un grave danger civil observé est immédiatement (location) dans (Short_Area) (City) (County) (State). (Official_Government_Agency) a une menace extrême d'intervention d'urgence/Alerte bleue observée au niveau d'un policier ou d'un premier intervenant en (City) (State). Les autorités disent (Suspect's Name) est recherché pour le meurtre criminel d'un (Agency) policier/premier intervenant. Le suspect est un (Age)-ans, (Gender) avec (Hair Color) cheveux. (Hair Style) portait un (Shirt Description) (Pants Description), et (Other). Le suspect peut voyager dans un (Year) (Color) (Make) (Model) avec (Tag,State) plaque d'immatriculation, (Tag, Number) avec des espaces, qui a été vu pour la dernière fois titre (Direction and Street/City Location). (Long, detailed descriptions of the suspect or vehicle are difficult for audio listeners to follow. Only the most visible attributes are included in the physical descriptions for EAS alerts. Include supplemental details, cautions, etc. only if very important for public safety. Additional details, including extended physical descriptions, can be	(www.Official_Web_Site.gov)	problème d' infrastructure électronique	problème d' infrastructure	Infrastru cture
OET-070		emergency responder incident	criminal activity	Safety	D	Civil Danger War	CDW	civilWarn	⊗ Immediate	⊗ Severe	⊗ Observed	(Incident,Time) Un grave danger civil observé est immédiatement (location) dans (Short_Area) (City) (County) (State). 2. (Count) (State).	(Date) (Incident,Time) Un grave danger civil observé est immédiatement (location) dans (Short_Area) (City) (County) (State).	(Incident,Time) Un problème modéré d' infrastructure électronique observé à (location) dans (Short_Area) (City) (County) (State). (Official_Government_Agency) a une menace extrême d'intervention d'urgence/Alerte bleue observée au niveau d'un policier ou d'un premier intervenant en (City) (State). Les autorités disent (Suspect's Name) est recherché pour le meurtre criminel d'un (Agency) policier/premier intervenant. Le suspect est un (Age)-ans, (Gender) avec (Hair Color) cheveux. (Hair Style) portait un (Shirt Description) (Pants Description), et (Other). Le suspect peut voyager dans un (Year) (Color) (Make) (Model) avec (Tag,State) plaque d'immatriculation, (Tag, Number) avec des espaces, qui a été vu pour la dernière fois titre (Direction and Street/City Location). (Long, detailed descriptions of the suspect or vehicle are difficult for audio listeners to follow. Only the most visible attributes are included in the physical descriptions for EAS alerts. Include supplemental details, cautions, etc. only if very important for public safety. Additional details, including extended physical descriptions, can be	Ne vous approchez pas d'un suspect. N'attirez pas leur attention. Faites rapport de vos observations à la police. (www.Official_Web_Site.gov)	incident d'intervention d'urgence	activité criminelle	Safety
OET-071	I	emergency responder threat	criminal activity	Safety		police/first responder killed blue alert	BLU	blueAl	⊗ Immediate	⊗ Extreme	⊗ Observed	Immédiate (Incident,Time) (City), (State) Menace d'intervention d'urgence extrême/alerte bleue observée pour le suspect dans le meurtre de la police et du premier intervenant. Véhicule (Tag,Number) (Tag,State) (Year) (Color) (Make) 3. (Model)	Immédiate (Date) (Incident,Time) (City), (State) Menace d'intervention d'urgence extrême/alerte bleue observée pour le suspect dans le meurtre de la police et du premier intervenant. Véhicule (Tag,Number) (Tag,State) (Year) (Color) (Make) (Model)	Le (Official, Government, Agency) a un conducteur hit and run / alerte jaune observée dans (Tag, State) Plaque d'immatriculation (Tag,Number) (location) (City) (County) (State) (City) (County) (State) (Incident,Time) attendu jusqu'à (hh:mm) (Details).	Ne vous approchez pas d'un suspect. N'attirez pas leur attention. Faites rapport de vos observations à la police. (www.Official_Web_Site.gov)	menace d'intervention d'urgence	activité criminelle	Safety
OET-071	E	emergency hit & run driver yellow alert	criminal activity	Safety		hit & run driver	YLW	yeloAl	⊗ Expected	⊗ Severe	⊗ Observed	Un grave délit de fuite conducteur / alerte jaune observée dans (Tag,State) Plaque d'immatriculation (Tag,Number) (location) (City) (County) (State) (City) (County) (State) (Incident,Time) attendu jusqu'à (hh:mm) (Details).	Un grave délit de fuite conducteur / alerte jaune observée dans (Tag,State) Plaque d'immatriculation (Tag,Number) (location) (City) (County) (State) (City) (County) (State) (Incident,Time) attendu jusqu'à (hh:mm) (Details).	Le (Official, Government, Agency) a un conducteur hit and run / alerte jaune observée dans (Tag, State) Plaque d'immatriculation (Tag,Number) (location) (City) (County) (State) (City) (County) (State) (Incident,Time) attendu jusqu'à (hh:mm) (Details).	Ne vous approchez pas d'un suspect. N'attirez pas leur attention. Faites rapport de vos observations à la police. (www.Official_Web_Site.gov)	urgence: pilote hit & run; alerte jaune	activité criminelle	Safety
OET-072		emergency support facilities	infrastructure issue	Infrastructure			PES	emergFacility	⊗ Expected	⊗ Severe	⊗ Likely	Un grand nombre d'installations publiques de soutien d'urgence sont (Short_Area) (City) (County) (State). (Description & Recommended Action) attendu à (Incident,Time) jusqu'à (hh:mm) (amp;pm).	Un grand nombre d'installations publiques de soutien d'urgence sont (Short_Area) (City) (County) (State). (Description & Recommended Action) attendu (Date) (Incident,Time) jusqu'à (hh:mm) (amp;pm).	(Incident,Time) Le (Official, Government, Agency) dispose d'installations publiques de soutien d'urgence sévères pour (Short_Area) (City) (County) (State). (Description & Recommended Action) attendu jusqu'à (hh:mm) (amp;pm).	C'est pour votre information en cas d'urgence. (www.Official_Web_Site.gov)	installations de soutien d'urgence	problème d' infrastructure	Infrastru cture
OET-073		emergency support services	infrastructure issue	Infrastructure			PSV	emengSupport	⊗ Immediate	⊗ Severe	⊗ Likely	Un service public d'aide d'urgence sévère est immédiatement pour (Short_Area) (City) (County) (State). (Description & Recommended Action) Immédiatement (Incident,Time) jusqu'à (hh:mm) à (amp;pm).	Un service public d'aide d'urgence sévère est immédiatement pour (Short_Area) (City) (County) (State). (Description & Recommended Action) Immédiatement (Incident,Time) jusqu'à (hh:mm) (amp;pm).	(Incident,Time) Le (Official, Government, Agency) dispose immédiatement d'un service public de soutien d'urgence sévère (hh:mm) pour (Short_Area) (City) (County) (State). (Description & Recommended Action) Immédiatement jusqu'à (hh:mm) (amp;pm). Le (Official, Government, Agency) a un autre numéro d'urgence en raison d'un (S, I, I) panne téléphonique immédiate grave dans (City) (State) À (Incident,Time) (Day). (Describe the incident, hazard and its consequences). Les zones touchées (Area) (City) (County) (State) inclure (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.) Les gens dans d'autres régions de (Area) (City) (County) ne sont pas affectés par le moment.	C'est pour votre information en cas d'urgence. (www.Official_Web_Site.gov)	services de soutien d'urgence	problème d' infrastructure	Infrastru cture
OET-074		emergency telephone outage	infrastructure issue	Infrastructure		(maybe different number from 911)	TOE	911Service	⊗ Immediate	⊗ Severe	⊗ Observed	(Incident,Time) Immédiate (S, I, I) grave panne de téléphone observée dans (Short_Area) (City) (County) (State). (Alternative, Emergency, Number) pour l'urgence seulement.	(Date) (Incident,Time) Immédiate (S, I, I) grave panne de téléphone observée dans (Short_Area) (City) (County) (State). (Alternative, Emergency, Number) pour l'urgence seulement.	Les gens dans d'autres régions de (Area) (City) (County) ne sont pas affectés par ce problème téléphonique. Ils devraient continuer d'utiliser leur numéro d'urgence normal pour signaler une situation d'urgence grave.	Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (Alternative, Emergency, Number), sauf pour une urgence grave.	panne téléphonique d'urgence	problème d' infrastructure	Infrastru cture
OET-075	P	animal pest	health issue	Environmental			ASW	animalPest	⊗ Expected	⊗ Severe	⊗ Observed	(Incident,Time) Ravageurs animaux graves observés dans (Short_Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) s (amp;pm) (Day).	(Date) (Incident,Time) Ravageurs animaux graves observés dans (Short_Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) (amp;pm) (Day).	Le (Official, Government, Agency) a un ravageur animal sévère observé dans (Area) (City) (State). À (Incident,Time) (Day). (Describe the incident, hazard and its consequences). Cela a un impact sur les personnes (Area) (City) (County) (State), y compris (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.) Les gens dans d'autres régions de (Area) (City) (County) ne sont pas affectés par le moment.	Pour l'urgence des ravageurs animaux, vous devez vous attendre à (Recommended actions and extended instructions). L'urgence du ravageur animal reste en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (Message, Duration), ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (S, I, I), sauf en cas d'urgence grave.	ravageur animal	problème de santé environnemental	

[illegible]

[illegible]

[illegible]

OET-130	E	missing vulnerable person	safety hazard	Safety	
OET-130	S	missing: found vulnerable person	safety hazard	Safety	
OET-130	M	missing person(s)	safety hazard	Safety	
OET-130	W	missing senior person	safety hazard	Safety	
OET-131		mobile service	utility issue	Infrastructure	
OET-132	1	rain < 30mm/12h	weather	Meteorological	E
OET-132	2	30mm < rain < 52mm/12h	weather	Meteorological	E
OET-132	3	rain > 52mm/12h	weather	Meteorological	E
OET-132	4	52mm < rain < 80mm/12h	weather	Meteorological	E
OET-132	5	rain > 100mm/3h or 50mm/h	weather	Meteorological	E


(e.g. intellectually handicapped)	MVS	missingVuPer	Expected	Severe	Likely	Attendu (Incident_Time) (City) (State) Disparition d'une personne vulnérable alerte sévère: À la recherche d'une plaque d'immatriculation (Tag_State) avec (Tag_Number) plaque d'immatriculation (Year) (Color) (Make) (Model) probablement.
(e.g. child, see also OET-038 child abduction)	FVS	foundVuPer	Past	Moderate	Observed	Passé (Incident_Time) (City) (County) (State) Annulation de l'alerte personne disparue (AMBER, Child_Person) trouvé dans (found_City found_State).
	MPS	missingPer	Expected	Severe	Likely	Attendu (Incident_Time) (City) (State) Alerte sévère à la personne disparue: À la recherche d'une plaque d'immatriculation (Tag_State) avec (Tag_Number) plaque d'immatriculation (Year) (Color) (Make) (Model) probablement.
	SIL	silver	Expected	Severe	Likely	Attendu (Incident_Time) (City) (County) (State) Personne âgée disparue alerte sévère: À la recherche d'une plaque d'immatriculation (Tag_State) avec (Tag_Number) plaque d'immatriculation (Year) (Color) (Make) (Model) probablement.
	MTS	Mobiles	Expected	Moderate	Observed	Attendu (Incident_Time) Un problème modéré de service de téléphonie mobile observé à (location) en (Short_Area) (City) (County) (State). Cela peut également affecter (R_L_I) service téléphonique.
	RA0	rain0	Expected	Moderate	Likely	(Incident_Time) (Probability=nr%) Il y a 1 problème une pluie modérée # 1.
	RA1	rain1	Expected	Severe	Likely	(Incident_Time) (Probability=nr%) Il y a 1 problème une pluie sévère # 2.
	RA2	rain2	Expected	Severe	Likely	(Incident_Time) (Probability=nr%) Il y a 1 problème une pluie sévère # 3.
	RA3	rain3	Expected	Extreme	Likely	(Incident_Time) (Probability=nr%) Il y a 1 problème une pluie sévère # 4.
	RA4	rain4	Expected	Severe	Likely	(Incident_Time) (Probability=nr%) Il y a 1 problème une pluie sévère # 5.

<p>une grave alerte aux personnes vulnérables disparues pour (City) (County) (State). On s'attend à ce que la personne vulnérable disparue soit en danger et se trouve peut-être dans cette région. Le nom de la personne vulnérable est (Name). (He/She) est un (Age)-Ans, (Gender) avec (Hair_Color) cheveux. (He/She) a été vu pour la dernière fois à (Shirt_Description), (Pants_Description), et (Other). (He/She) a été vu pour la dernière fois à (Location_Description) (if different from City_State_of_disappearance) à (Time) (Day).</p> <p> Ils voyagent probablement dans un (Year) (Color) (Make) (Model) avec (Tag_State) plaque d'immatriculation, (Tag_Number) (with spaces), qui a été vu pour la dernière fois titre (Direction and Street/City Location).</p> <p>(Long, detailed descriptions of the person, suspect or vehicle are difficult for audio listeners to follow. Only the most visible attributes are included in the physical descriptions for EAS alerts. See Department Of Justice caution about including personally sensitive information that has no bearing on locating an e.g. abducted child in an AMBER alert. Include supplemental details, cautions, etc. only if very important for public safety. Additional details, including extended physical descriptions, can be provided in associated law enforcement bulletins, press releases and web site.)</p> <p>(Official, Government, Agency) a annulé l'alerte AMBER/Personne disparue pour une (child abducted/person missing) en (City) (State). La (Child_Person) a été trouvé dans (found_City found_State) à (Time) (Day).</p> <p>(Incident_Time) Le (Official, Government, Agency) a une personne disparue alerte sévère pour (City) (County) (State). La personne disparue serait en danger et se trouverait peut-être dans cette région. Le nom des personnes est (Name). (He/She) est un (Age)-ans, (Gender) avec (Hair_Color) cheveux. (He/She) portait un (Shirt_Description), (Pants_Description), et (Other). (He/She) a été vu pour la dernière fois à (Location_Description) (if different from City_State_of_disappearance) à (Time) (Day). Ils peuvent voyager dans un (Year) (Color) (Make) (Model) avec (Tag_State) plaque d'immatriculation, (Tag_Number) (with spaces), qui a été vu pour la dernière fois titre (Direction and Street/City Location).</p> <p>(Long, detailed descriptions of the person, suspect or vehicle are difficult for audio listeners to follow. Only the most visible attributes are included in the physical descriptions for EAS alerts. See Department Of Justice caution about including personally sensitive information that has no bearing on locating an e.g. abducted child in an AMBER alert. Include supplemental details, cautions, etc. only if very important for public safety. Additional details, including extended physical descriptions, can be provided in associated law enforcement bulletins, press releases and web site.)</p> <p>(Official, Government, Agency) a une alerte senior manquante (ou argent) pour (City) (County) (State). On croit que l'ainé disparu est en danger et qu'il se trouve peut-être dans cette région. Le nom de l'ainé est (Name). (He/She) est un (Age)-ans, (Gender) avec (Hair_Color) cheveux. (He/She) portait un (Shirt_Description), (Pants_Description), et (Other). (He/She) a été vu pour la dernière fois à (Location_Description) (if different from City_State_of_disappearance) à (Time) (Day). Ils peuvent voyager dans un (Year) (Color) (Make) (Model) avec (Tag_State) plaque d'immatriculation, (Tag_Number) (with spaces), qui a été vu pour la dernière fois titre (Direction and Street/City Location).</p> <p>(Long, detailed descriptions of the person, suspect or vehicle are difficult for audio listeners to follow. Only the most visible attributes are included in the physical descriptions for EAS alerts. See Department Of Justice caution about including personally sensitive information that has no bearing on locating an e.g. abducted child in an AMBER alert. Include supplemental details, cautions, etc. only if very important for public safety. Additional details, including extended physical descriptions, can be provided in associated law enforcement bulletins, press releases and web site.)</p> <p>(Official, Government, Agency) a une pluie n° 1 modérée probablement attendue (Date) (Probability=nr%) Le (Official, Government, Agency) a une pluie #2 grave probablement prévu (Date) (Incident_Time) jusqu'à (hh:mm) (Day).</p> <p>(Official, Government, Agency) a une pluie #3 grave probablement prévu (Date) (Incident_Time) jusqu'à (hh:mm) (Day).</p> <p>(Probability=nr%) Le (Official, Government, Agency) a une pluie #4 grave probablement prévu (Date) (Incident_Time) jusqu'à (hh:mm) (Day).</p> <p>(Probability=nr%) Le (Official, Government, Agency) a une pluie #5 grave probablement prévu (Date) (Incident_Time) jusqu'à (hh:mm) (Day).</p>	<p>Si vous avez des informations sur l'emplacement de cette (man/woman), ou voir le véhicule, s'il vous plaît appeler le (Law_Enforcement_Agency) à /10-digit including area code telephone number without spaces) ou appelez (R_L_I) immédiatement. L'alerte aux personnes vulnérables disparues demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour en 6 heures, ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (R_L_I), sauf pour signaler une urgence grave; ou vous avez vu le véhicule ou le (man/woman).</p> <p>Aucune autre mesure n'a été demandée. (www.Official_Web_Site.gov)</p> <p>Si vous avez des informations sur l'emplacement de cette (man/woman), ou voir le véhicule, s'il vous plaît appeler le (Law_Enforcement_Agency) à /10-digit including area code telephone number without spaces) or ou appelez (R_L_I) immédiatement. L'alerte aux personnes vulnérables disparues demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour en 6 heures, ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (R_L_I), sauf pour signaler une urgence grave; ou vous avez vu le véhicule ou le (man/woman).</p> <p>Si vous avez des informations sur l'emplacement de cette (man/woman), ou voir le véhicule, s'il vous plaît appeler le (Law_Enforcement_Agency) à /10-digit including area code telephone number without spaces) ou appelez (R_L_I) immédiatement. L'alerte aux personnes vulnérables disparues demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour en 6 heures, ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (R_L_I), sauf pour signaler une urgence grave; ou vous avez vu le véhicule ou le (man/woman).</p> <p>Soyez conscient des méthodes alternatives d'appel (R_L_I). (www.Official_Web_Site.gov) lorsque vous consultez avec ces essuie-glaces allumés, allumez également vos lumières. (www.Official_Web_Site.gov) lorsque vous consultez avec ces essuie-glaces allumés, allumez également vos feux. Soyez attentif à l'eau qui peut causer une perte d'adhérence sur la route, et des inondations localisées. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p> <p>allumés, allumez également vos feux. Soyez attentif à l'eau qui peut provoquer une perte d'adhérence sur la route, et des inondations localisées. N'essayez pas de traverser des eaux profondes, faites demi-tour et prenez un autre chemin. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p> <p>allumés, allumez également vos feux. Soyez attentif à l'eau qui peut provoquer une perte d'adhérence sur la route, et des inondations localisées. N'essayez pas de traverser des eaux profondes, faites demi-tour et prenez un autre chemin. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p>	personne vulnérable disparue	danger pour la sécurité	Safety
disparue: personne vulnérable trouvée	danger pour la sécurité	Safety		
personnes disparues	danger pour la sécurité	Safety		
service mobile	problème d'utilité	Infrastru		
pluie < 30mm/12h	conditions météorologiques	Meteoro		
30mm < pluie < 52mm/12h	conditions météorologiques	Meteoro		
pluie > 52mm/12h	conditions météorologiques	Meteoro		
52mm < pluie < 80mm/12h	conditions météorologiques	Meteoro		
pluie > 100mm/3h ou 50mm/h	conditions météorologiques	Meteoro		

[illegible]

OET-138	O	oil spill	beach hazard, environmental	Environmental	F	OLW	oilWarn	Expected	Severe	Observed	Attendue (Incident, Time) Un déversement de pétrole grave est observé sur une plage à (Area) (City) (County) (State). Évitez de nager ou de s' baigner. Efficace jusqu'à ce que (EndDate) (hh:mm).	Attendue (Incident, Time) Un déversement de pétrole grave est observé sur une plage à (Area) (City) (County) (State). Évitez de nager ou de s' baigner. Efficace jusqu'à ce que (EndDate) (hh:mm).	Attendue (Incident, Time) Un déversement de pétrole grave est observé sur une plage à (Area) (City) (County) (State). Évitez de nager ou de s' baigner. Efficace jusqu'à ce que (EndDate) (hh:mm).	Éviter (location). (www.Official_Web_Site.gov)	Marée noire	risque de plage, environnemental	Environ mental
OET-139		over-water search	search	Rescue	D	SWS	waterSearch	Expected	Severe	Observed	(Incident, Time) Sévère sur l'eau Recherche observée dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 9 (am/pm).	(Date) (Incident, Time) Sévère sur l'eau Recherche observée dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) (am/pm).	(Incident, Time) Sévère sur l'eau Recherche observée dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 9 (am/pm).	sur la recherche de l'eau	chercher	Rescue	
OET-140		overland flood	flood	Meteorological		FLR	floodRun	Expected	Severe	Likely	(Incident, Time) De graves inondations par voie terrestre. (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 4 (am/pm).	(Date) (Incident, Time) De graves inondations par voie terrestre. (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) (am/pm).	(Incident, Time) De graves inondations par voie terrestre. (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 4 (am/pm).	inondation terrestre	inonder	Meteoro logical	
OET-141		overland search	search	Rescue		SLI	landSearch	Expected	Severe	Observed	(Incident, Time) Forte sur les recherches terrestres observées dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 9 (am/pm).	(Date) (Incident, Time) Forte sur les recherches terrestres observées dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) (am/pm).	(Incident, Time) Forte sur les recherches terrestres observées dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 9 (am/pm).	recherche terrestre	chercher	Rescue	
OET-142		pipeline rupture	utility issue	Infrastructure	F	PRA	pipeRupture	Expected	Severe	Observed	Attendu (Incident, Time) Une rupture grave de pipeline observée à (location) en (Short, Area) (City) (County) (State).	Attendu (Date) (Incident, Time) Une rupture grave de pipeline observée à (location) en (Short, Area) (City) (County) (State).	(Incident, Time) Le (Official, Government, Agency) a une rupture de pipeline grave observée à (location) dans (Short, Area) (City) (County) (State). Le (Official, Government, Agency) a une rupture de pipeline grave observée dans (City) (County) (State). À (Incident, Time) (Day), (Describe the incident, hazard and its consequences). On s'attend à ce que cela a un impact sur les (Area) (City) (County) (State), y compris (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate).	S'il vous plaît éviter cette zone. (www.Official_Web_Site.gov)	rupture de pipeline	problème d'utilité	Infrastru cture
OET-143	H	plant health issue	health issue (see OET-061 also for pest)	Health		(See OET-097) AGA	plantInfect	Expected	Moderate	Observed	(Incident, Time) Maladie végétale modérée observée dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 8 (am/pm).	(Date) (Incident, Time) Maladie végétale modérée observée dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) (am/pm).	(Incident, Time) Le (Official, Government, Agency) a une rupture de pipeline grave observée à (location) dans (Short, Area) (City) (County) (State). Le (Official, Government, Agency) a une rupture de pipeline grave observée dans (City) (County) (State). À (Incident, Time) (Day), (Describe the incident, hazard and its consequences). On s'attend à ce que cela a un impact sur les (Area) (City) (County) (State), y compris (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate).	Pour la maladie des plantes, vous devez vous attendre à (Recommended actions and extended instructions). L'urgence de la maladie des plantes demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (Message, Duration), ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (9, 1, 1), sauf en cas d'urgence grave.	problème de santé des végétaux	problème de santé	Health
OET-143	Q	plant quarantine	health issue	Health		PPA	plantPest	Expected	Severe	Observed	(Incident, Time) Grave problème de quarantaine végétale observé dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) 8 (am/pm).	(Date) (Incident, Time) Grave problème de quarantaine végétale observé dans (Short, Area) (City) (County) (State). (Recommended Action) attendu jusqu'à (hh:mm) (am/pm).	(Incident, Time) Le (Official, Government, Agency) a une rupture de pipeline grave observée à (location) dans (Short, Area) (City) (County) (State). Le (Official, Government, Agency) a une rupture de pipeline grave observée dans (City) (County) (State). À (Incident, Time) (Day), (Describe the incident, hazard and its consequences). On s'attend à ce que cela a un impact sur les (Area) (City) (County) (State), y compris (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate).	Pour la maladie des plantes, vous devez vous attendre à (Recommended actions and extended instructions). La question de la quarantaine végétale demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour dans (Message, Duration), ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (9, 1, 1), sauf en cas d'urgence grave.	quarantaine végétale	problème de santé	Health
OET-144	P	potable water warning	potable water hazard	Infra, Health		all fixed WTS	Water	Past	Moderate	Observed	(City) (County) (State) (Date) (Incident, Time) Le danger modéré pour l'eau potable est maintenant observé au-delà. Vérifiez la clarté et l'odeur au robinet. Filtrer ou bouillir s'il semble clair pour le reste de la journée, et courez jusqu'à ce qu'il devienne clair autrement.	(City) (County) (State) (Date) (Incident, Time) Le danger modéré pour l'eau potable est maintenant observé au-delà. Vérifiez la clarté et l'odeur au robinet. Filtrer ou bouillir s'il semble clair pour le reste de la journée, et courez jusqu'à ce qu'il devienne clair autrement.	(Date) (Incident, Time) Le danger modéré pour l'eau potable est maintenant observé au-delà. Vérifiez la clarté et l'odeur au robinet. Filtrer ou bouillir s'il semble clair pour le reste de la journée, et courez jusqu'à ce qu'il devienne clair autrement.	Le danger modéré pour l'eau potable est maintenant observé au-delà. Vérifiez la clarté et l'odeur au robinet. Filtrer ou bouillir s'il semble clair pour le reste de la journée, et courez jusqu'à ce qu'il devienne clair autrement. (www.Official_Web_Site.gov)	énoncé sur l'eau potable	danger d'eau potable	Infra, Health
OET-144	O	potable water warning	utility issue, water hazard	Infrastructure		BWW	boilDO	Immediate	Extreme	Observed	Immédiatement (Incident, Time) Un risque extrême d'eau potable est observé. Cela a des répercussions sur les (Area) (City) (County) (State). Faire bouillir toute l'eau potable immédiatement jusqu'à ce que (hh:mm) 6 (am/pm).	Immédiatement (Date) (Incident, Time) Un risque extrême d'eau potable est observé. Cela a des répercussions sur les (Area) (City) (County) (State). Faire bouillir toute l'eau potable immédiatement jusqu'à ce que (hh:mm).	(Date) (Incident, Time) Le danger modéré pour l'eau potable est maintenant observé au-delà. Vérifiez la clarté et l'odeur au robinet. Filtrer ou bouillir s'il semble clair pour le reste de la journée, et courez jusqu'à ce qu'il devienne clair autrement.	Pour votre sécurité, vous ne devriez pas utiliser, boire, cuisiner avec, se baigner ou vous laver à l'eau du robinet à moins d'être bouilli (Description of organization) l'approvisionnement public en eau jusqu'à nouvel ordre. L'eau potable extrême observée reste en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour en 3 heures, ou plus tôt si nécessaire. Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (9, 1, 1), sauf pour signaler une urgence grave.	avertissement concernant l'eau potable	problème d'utilité, risque d'eau	Infrastru cture

OET-145	L	power outage: advisory	infrastructure issue	Infrastructure		PDE	ElectricAd	⚠ Expected	⚠ Severe	⚠ Likely	Une grave panne de courant est observée (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) attendu (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Une grave panne de courant est observée (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) attendu (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a une panne de courant grave est susceptible de (<i>Short_Area</i> [City] [County] [State]) Attendu à (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>)	L'alimentation électrique peut être rétablie sans avertissement. Traitez tout le câblage électrique comme s'il était en direct. (<i>www.Official_Web_Site.gov</i>)	panne de courant: avertissement	problème d'infrastructure	Infrastru cture
OET-145	P	power outage	infrastructure issue	Infrastructure		POS	pwSt	⚠ Past	⚠ Moderate	⚠ Observed	Une panne de courant passée modérée est observée pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) à (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Une panne de courant passée modérée est observée pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) à (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a une déclaration de distribution ou de panne d'électricité passée modérée pour (<i>Short_Area</i> [City] [County] [State]) à (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>).	L'alimentation électrique peut être rétablie sans avertissement. Traitez tout le câblage électrique comme s'il était en direct. (<i>www.Official_Web_Site.gov</i>)	panne de courant	problème d'infrastructure	Infrastru cture
OET-145	I	power outage: warning	infrastructure issue	Infrastructure		PDW	Electric	⚠ Immediate	⚠ Severe	⚠ Observed	Une distribution d'énergie sévère est observée pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Une distribution d'énergie sévère est observée pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a une distribution d'énergie sévère observée dans (<i>Short_Area</i> [City] [County] [State]) à (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>)	L'alimentation électrique peut être rétablie sans avertissement. Traitez tout le câblage électrique comme s'il était en direct. (<i>www.Official_Web_Site.gov</i>)	panne de courant: avertissement	problème d'infrastructure	Infrastru cture
OET-146		power utility	utility issue	Infrastructure		PWW	ElectricLine	⚠ Immediate	⚠ Severe	⚠ Observed	Un grave problème de service public d'électricité observé est (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Un grave problème de service public d'électricité observé est (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a un grave problème de service public d'électricité observé dans (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>).	L'alimentation électrique peut être rétablie sans avertissement. Traitez tout le câblage électrique comme s'il était en direct. Ne touchez pas aux lignes électriques tombées. (<i>www.Official_Web_Site.gov</i>)	service public d'électricité	problème d'utilité	Infrastru cture
OET-147		practice	testing & system activity	Other	F	DMO	pDemo	⚠ Immediate	⚠ Moderate	⚠ Observed	Une alerte modérée à la pratique ou à la démonstration est observée (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Une alerte modérée à la pratique ou à la démonstration est observée (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	(<i>Incident_Time</i>) Le (<i>Official_Government_Agency</i>) a une pratique modérée ou une alerte de démonstration est observée pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Aucune action n'est nécessaire. (<i>www.Official_Web_Site.gov</i>)	s'entraîner	test et activité du système	Other
OET-148		product safety	safety hazard	Safety		PSS	product	⚠ Expected	⚠ Moderate	⚠ Observed	Une alerte modérée à la sécurité des produits est observée (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) attendu (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Une alerte modérée à la sécurité des produits est observée (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) attendu (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	(<i>Incident_Time</i>) Le (<i>Official_Government_Agency</i>) a une alerte modérée de sécurité des produits observée pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>). (<i>Official_Government_Agency</i>)	Si vous ou quelqu'un que vous connaissez n'utilisez pas ces produits, aucune autre action n'est nécessaire. (<i>www.Official_Web_Site.gov</i>)	sécurité des produits	danger pour la sécurité	Safety
OET-149		public facility	infrastructure issue	Infrastructure		PSF	facility	⚠ Immediate	⚠ Severe	⚠ Observed	Un incident grave d'établissement public est observé pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Un incident grave d'établissement public est observé pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a un grave incident d'installation publique observé dans (<i>Short_Area</i> [City] [County] [State]) (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>).	Évitez cette installation jusqu'à nouvel ordre. (<i>www.Official_Web_Site.gov</i>)	Installation publique	problème d'infrastructure	Infrastru cture
OET-150		public health	health issue	Health		PHW	hQuarantine	⚠ Immediate	⚠ Severe	⚠ Observed	Un incident grave de santé publique ou de quarantaine humaine est observé (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Un incident grave de santé publique ou de quarantaine humaine est observé (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a un grave incident de santé publique ou de quarantaine humaine observé dans (<i>Short_Area</i> [City] [County] [State]) (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>).	Évitez cette zone jusqu'à nouvel ordre. Voir aussi OET-097.Q. (<i>www.Official_Web_Site.gov</i>)	santé publique	problème de santé	Health
OET-151		public service issue	infrastructure issue	Infrastructure		PSA	publicServic	⚠ Immediate	⚠ Severe	⚠ Observed	Un grave problème de services publics est observé (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Un grave problème de services publics est observé (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Le (<i>Official_Government_Agency</i>) a un grave problème de services publics observé dans (<i>Short_Area</i> [City] [County] [State]) (<i>Incident_Time</i>) (<i>Day</i>). (<i>Describe the incident, hazard and its consequences</i>).	Évitez cette installation jusqu'à nouvel ordre. (<i>www.Official_Web_Site.gov</i>)	problème de service public	problème d'infrastructure	Infrastru cture
OET-152		public transit issue	infrastructure issue	Transport		PTR	transit	⚠ Immediate	⚠ Severe	⚠ Observed	Un incident grave de transport en commun est observé (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Un incident grave de transport en commun est observé (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	(<i>Incident_Time</i>) Le (<i>Official_Government_Agency</i>) a un incident grave de transport en commun observé dans (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement à (<i>fh:mm</i>) (<i>am/pm</i>).	(<i>Further, emergency, information</i>) (<i>www.Official_Web_Site.gov</i>)	problème de transport en commun	problème d'infrastructure	Transpor t
OET-153		pyroclastic flow	volcano hazard	Geophysical	F	VPW	pyroclasticF	⚠ Immediate	⚠ Extreme	⚠ Observed	Un débit pyroclastique extrême est observé pour (<i>Short_Area</i> [City] [County] [State]) Évaluez-vous avec la plus grande hâte possible! (<i>County</i>) [State]. (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Un débit pyroclastique extrême est observé pour (<i>Short_Area</i> [City] [County] [State]) Évaluez-vous avec la plus grande hâte possible! (<i>County</i>) [State]. (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	(<i>Incident_Time</i>) Le (<i>Official_Government_Agency</i>) a un débit pyroclastique extrême observé pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Évadez-vous avec la plus grande hâte possible! (<i>www.Official_Web_Site.gov</i>)	écoulement pyroclastique	danger de volcan	Geophys ical
OET-154		radiological fire	fire	CBRNE, fire		RHE	radiologicalE	⚠ Immediate	⚠ Severe	⚠ Observed	Il y a un grave incendie radiologique observé pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Il y a un grave incendie radiologique observé pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement (<i>Date</i>) (<i>Incident_Time</i>) jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	(<i>Incident_Time</i>) Le (<i>Official_Government_Agency</i>) a un grave incendie radiologique observé pour (<i>Short_Area</i> [City] [County] [State]) (<i>Description & Recommended Action</i>) immédiatement jusqu'au (<i>fh:mm</i>) (<i>am/pm</i>).	Comme la radioactivité peut être en forte concentration et peut être nocive, mais invisible, veuillez suivre l'action recommandée et éviter la zone. (<i>www.Official_Web_Site.gov</i>)	incendie radiologique	Feu	CBRNE, fire

OET-155		radio transmitter	safety hazard	Infrastructure	F	(note, radio blackout no longer used)	RFW	amiTW				<p>Il y a un grave problème d'émetteur radio observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Incident, Time) jusqu'au <i>(hh:mm) 5 (am/pm)</i>.</p>	<p>Il y a un grave problème d'émetteur radio observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>(Incident, Time) Le (Official, Government, Agency) a un grave problème d'émetteur radio observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>Comme les ondes radio en forte concentration peuvent être nocives, mais invisibles, veuillez suivre l'action recommandée. (www.Official_Web_Site.gov/http://arl.org/ef-exposure-calculator)</p>	émetteur radio	danger pour la sécurité	Infrastru- cure
OET-156	O	radioactive material release	radiological hazard	CBRNE	F	(e.g. into atmosphere or water)	RHA	radiological				<p>Il y a un rejet de matières radioactives extrêmes observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Incident, Time) jusqu'au <i>(hh:mm) 4 (am/pm)</i>.</p>	<p>Il y a un rejet de matières radioactives extrêmes observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>(Incident, Time) Le (Official, Government, Agency) a un rejet de matières radioactives extrêmes observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>Comme la radioactivité peut être en forte concentration et peut être nocive, mais invisible, veuillez suivre l'action recommandée. (www.Official_Web_Site.gov)</p>	rejet de matières radioactives	danger radiologique	CBRNE
OET-156	I	radiation	radiological hazard	CBRNE		(e.g. at a fixed lo-	RHW	radiological				<p>Il y a un rayonnement sévère observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement. (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>Il y a un rayonnement sévère observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement. (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>(Incident, Time) Le (Official, Government, Agency) a un rayonnement sévère observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>Comme la radioactivité peut être en forte concentration et peut être nocive, mais invisible, veuillez suivre l'action recommandée et éviter la zone. (www.Official_Web_Site.gov)</p>	radiation	danger radiologique	CBRNE
OET-156	P	radioactivity statement	radiological hazard	CBRNE		(e.g. all clear)	RHS	radSt				<p>(Incident, Time) Alerte à la radioactivité probable maintenant passé dans <i>(Short_Area) [City] [County] [State]</i>. Tout est clair. Reprendre l'activité.</p>	<p>(Date) (Incident, Time) Alerte à la radioactivité probable maintenant passé dans <i>(Short_Area) [City] [County] [State]</i>. Tout est clair. Reprendre l'activité.</p>	<p>(Incident, Time) Le (Official, Government, Agency) a la radioactivité probable maintenant passé dans <i>(City) [County] [State]</i>.</p>	<p>Vous pouvez reprendre l'activité normale en <i>(Area) [City] [County] [State]</i>. (www.Official_Web_Site.gov)</p>	déclaration de radioactivité	danger radiologique	CBRNE
OET-158	O	railway issue	infrastructure issue	Transport			RWI	railIncident				<p>Il y a un grave problème ferroviaire observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement. (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>Il y a un grave problème ferroviaire observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>(Official, Government, Agency) Il y a un grave problème ferroviaire observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>(Recommended_Actions)(www.Official_Web_Site.gov)</p>	problème ferroviaire	problème d'infrastructure	Transpor- t
OET-158	X	railway: train accident	infrastructure issue	Transport			RWA	train				<p>Un accident ferroviaire extrême a été observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement. (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>Un accident ferroviaire extrême a été observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'au <i>(hh:mm) (am/pm)</i>.</p>	<p>(Official, Government, Agency) Un accident ferroviaire extrême a été observé pour <i>(Short_Area) [City] [County] [State]</i>. (Description & Recommended Action) immédiatement jusqu'au <i>(hh:mm) (am/pm)</i>. (Probability=<nn%) Le (Official, Government, Agency) a une pluie modérée et probable #1 attendue. (Incident, Time)</p>	<p>Veuillez éviter la région à moins d'être un bénévole qui a de l'expérience en premiers intervenants. (www.Official_Web_Site.gov) Lorsque vous conduisez avec des essuie-glaces, allumez également vos lumières. (www.Official_Web_Site.gov)</p>	chemin de fer: accident de train	problème d'infrastructure	Transport
OET-159	rain 1 <30mm/12h	weather	Meteorological	E	(numerical value)	RAO	rain0				<p>(Incident, Time) (Probability=<nn%) Il y a une pluie modérée et probable #1 attendue.</p>	<p>(Date) (Incident, Time) (Probability=<nn%) Il y a une pluie modérée et probable #1 attendue.</p>	<p>(Official, Government, Agency) a une pluie modérée et probable #1 attendue efficace (Incident, Time)</p>		pluie >30mm/12h	conditions météorologiques	Meteoro- logical	
OET-159	30mm <rain 2 <52mm/12h	weather	Meteorological	E	(50mm China)(54mm EU)	RA1	rain1				<p>(Incident, Time) (Probability=<nn%) Il y a de fortes 5 pluies #2 attendues.</p>	<p>(Date) (Incident, Time) (Probability=<nn%) Il y a de fortes pluies #2 attendues.</p>	<p>(Probability=<nn%) Le (Official, Government, Agency) a une pluie probable et #2 attendue efficace (Incident, Time) jusqu'au <i>(hh:mm) [Day]</i>. (Probability=<nn%) Le (Official, Government, Agency) a une pluie probable et #3 attendue efficace (Incident, Time) jusqu'au <i>(hh:mm) [Day]</i>.</p>	<p>Lorsque vous conduisez avec des essuie-glaces, allumez également vos lumières. (www.Official_Web_Site.gov) Lorsque vous conduisez avec des essuie-glaces, allumez également vos lumières. Soyez vigilant s'il y a de l'eau qui peut causer une perte d'adhérence sur la route. (www.Official_Web_Site.gov)</p>	30mm < pluie <52mm/12h	(8-12 m 50 m) (EU 54 logical)	Meteoro- logical	
OET-159	rain > 52mm/12h	weather	Meteorological	E	(50mm China)(54mm EU)	RA2	rain2				<p>(Incident, Time) (Probability=<nn%) Il y a de fortes 5 pluies #3 attendues.</p>	<p>(Date) (Incident, Time) (Probability=<nn%) Il y a de fortes pluies #3 attendues.</p>	<p>(Official, Government, Agency) a une pluie probable et #3 attendue efficace (Incident, Time) jusqu'au <i>(hh:mm) [Day]</i>.</p>	<p>allumés, allumez également vos feux. Soyez attentif à l'eau qui peut provoquer une perte d'adhérence sur la route, et des inondations localisées. N'essayez pas de traverser les eaux de crue, faites demi-tour et prenez un autre chemin. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p>	pluie > 52mm/12h	(pluie m 50 m) (EU 5- logical)	Meteoro- logical	
OET-159	52mm <rain < 4 80mm/12h	weather	Meteorological	E	(numerical value)	RA3	rain3				<p>(Incident, Time) (Probability=<nn%) Il y a de fortes 5 pluies #4 attendues.</p>	<p>(Date) (Incident, Time) (Probability=<nn%) Il y a de fortes pluies #4 attendues.</p>	<p>(Probability=<nn%) Le (Official, Government, Agency) a émis une forte pluie probable et #4 efficacité prévue (Incident, Time) jusqu'au <i>(hh:mm) [Day]</i>.</p>	<p>allumés, allumez également vos feux. Soyez attentif à l'eau qui peut provoquer une perte d'adhérence sur la route, et des inondations localisées. N'essayez pas de traverser les eaux de crue, faites demi-tour et prenez un autre chemin. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p>	52mm < pluie < 80mm/12h	conditions météorologiques	Meteoro- logical	
OET-159	rain > 100mm/3h or 5 50mm/h	weather	Meteorological	E	(numerical value)	RA4	rain4				<p>(Incident, Time) (Probability=<nn%) Il y a une forte 5 pluie extrême #5 attendue.</p>	<p>(Date) (Incident, Time) (Probability=<nn%) Il y a une forte pluie extrême #5 attendue.</p>	<p>(Probability=<nn%) Le (Official, Government, Agency) a une extrême pluie abondante #5 efficacité prévue (Incident, Time) jusqu'au <i>(hh:mm) [Day]</i>.</p>	<p>allumés, allumez également vos feux. Soyez attentif à l'eau qui peut provoquer une perte d'adhérence sur la route, et des inondations localisées. N'essayez pas de traverser les eaux de crue, faites demi-tour et prenez un autre chemin. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p>	pluie > 100mm/3h ou 50mm/h	conditions météorologiques	Meteoro- logical	
OET-159	rainstorm	weather	Meteorological	E		RAA	Rainfall				<p>(Incident, Time) (Probability=<nn%) Il y a 5 probablément de fortes pluies attendues.</p>	<p>(Date) (Incident, Time) (Probability=<nn%) Il y a 5 probablément de fortes pluies attendues.</p>	<p>(Probability=<nn%) Le (Official, Government, Agency) a une forte tempête de pluie probable #4 efficacité prévue (Incident, Time) jusqu'au <i>(hh:mm) [Day]</i>.</p>	<p>Lorsque vous conduisez avec les essuie-glaces allumés, allumez également vos feux. Soyez attentif à l'eau qui peut provoquer une perte d'adhérence sur la route, et des inondations localisées. N'essayez pas de traverser les eaux de crue, faites demi-tour et prenez un autre chemin. Évitez les crues rapides ou turbulentes car elles sont dangereuses. (www.Official_Web_Site.gov)</p>	pluie torrentielle	conditions météorologiques	Meteoro- logical	
OET-160	rapid ice closing of water passage	ice issue	Transport	C		ILA	rpdCloseLead				<p>(Incident, Time) On observe une fermeture rapide sévère du passage de l'eau par la glace. Attendu 4 jusqu'à ce que <i>(hh:mm)</i>.</p>	<p>(Date) (Incident, Time) On observe une fermeture rapide sévère du passage de l'eau par la glace. Attendu jusqu'à ce que <i>(hh:mm)</i>.</p>	<p>Le (Official, Government, Agency) a une fermeture rapide sévère de la glace du passage de l'eau observée (Incident, Time) Attendu jusqu'à ce que <i>(hh:mm)</i>.</p>	<p>(www.Official_Web_Site.gov)</p>	fermeture rapide de la glace du passage de l'eau	problème de glace	Transpor- t	

[illegible]

DET-169	SPE	safety:shelter immediately	safety	Safety
DET-169	SPW	safety:shelter in- place	safety	Safety
DET-170		sandstorm	air hazard	Meteorological, Environment
DET-171		satellite:debris	space	Other
DET-172		satellite:service	utility issue	Infrastructure
DET-173		school:bus issue	infrastructure issue	Infrastructure
DET-174		school:closing	infrastructure issue	Infrastructure
DET-175		school: lockdown	infrastructure issue	Infrastructure

emergency (local only)	SPE	shelterInrm	Immediate	Extreme	Likely	Un abri extrême immédiatement d'urgence est probable dans (Short_Area) [City] [County] [State]. (Incident, Time) 1 Abri en place maintenant!	Un abri extrême immédiatement d'urgence est probable dans (Short_Area) [City] [County] [State]. (Date) (Incident, Time) Abri en place maintenant!	<p>Le (Official, Government, Agency) dispose d'un abri immédiat en place avertissement en raison d'une urgence extrême qui est susceptible dans le (Area) [City] [County] [State] zone.</p> <p>À (Incident, Time) [Day], (Describe the incident, hazard and its consequences).</p> <p>Cet avertissement a des ripercussions sur les (Area) [City] [County] [State] y compris (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.)</p> <p>Les gens dans d'autres régions de (Area) [City] [County] ne sont pas concernés pour le moment.</p>	<p>Dans la zone d'avertissement, vous devez immédiatement amener tout le monde et les animaux de compagnie à l'intérieur. Si vous êtes dans un véhicule, restez à l'intérieur du véhicule. Abri en place en faisant ce qui suit :</p> <p>1. Fermez et verrouillez toutes les portes et fenêtres extérieures.</p> <p>2. Éteignez le chauffage, la climatisation et les ventilateurs qui puissent dans l'air extérieur.</p> <p>3. Aller dans une pièce intérieure; de préférence un sans fenêtres.</p> <p>Les personnes qui ne se sont pas mises dans la zone d'avertissement devraient éviter la zone.</p> <p>Si vous êtes dans un véhicule, fermez les fenêtres et éteignez la prise d'air du climatiseur. Si la destination n'est pas dans la zone d'abri, envisagez d'y aller.</p> <p>Shelter-In-Place maintenant! Restez dans votre refuge jusqu'à nouvel ordre. Ce message sera mis à jour en 3 heures, ou plus tôt si nécessaire.</p> <p>Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (2, 1, 7), sauf en cas d'urgence grave, immédiatement amener tout le monde et les animaux de compagnie à l'intérieur. Si vous êtes dans un véhicule, restez à l'intérieur du véhicule. Abri en place en faisant ce qui suit :</p> <p>1. Fermez et verrouillez toutes les portes et fenêtres extérieures.</p> <p>2. Éteignez le chauffage, la climatisation et les ventilateurs qui puissent dans l'air extérieur.</p> <p>3. Aller dans une pièce intérieure; de préférence un sans fenêtres.</p> <p>Les personnes qui ne se sont pas mises dans la zone d'avertissement devraient éviter la zone.</p> <p>Si vous êtes dans un véhicule, fermez les fenêtres et éteignez la prise d'air du climatiseur. Si la destination n'est pas dans la zone d'abri, envisagez d'y aller.</p> <p>Shelter-In-Place maintenant! Restez dans votre refuge jusqu'à nouvel ordre. Ce message sera mis à jour en 3 heures, ou plus tôt si nécessaire.</p> <p>Pour plus d'informations, consultez (www.Official_Web_Site.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (2, 1, 7), sauf en cas d'urgence grave, immédiatement amener tout le monde et les animaux de compagnie à l'intérieur. Si vous êtes dans un véhicule, restez à l'intérieur du véhicule. Abri en place en faisant ce qui suit :</p>	sécurité: abri immédiatement	sécurité	Safety	
						Un risque grave d'abri en place est observé (Short_Area) [City] [County] [State]. (Incident, Time) 3 Abri en place maintenant!	Un risque grave d'abri en place est observé (Short_Area) [City] [County] [State]. (Date) (Incident, Time) Abri en place maintenant!	<p>Le (Official, Government, Agency) dispose d'un abri immédiat en place Avertissement parce qu'un risque grave est observé dans le (Area) [City] [County] [State] area.</p> <p>À (Incident, Time) [Day], (Describe the incident, hazard and its consequences).</p> <p>Cet avertissement a des ripercussions sur les (Area) [City] [County] [State] y compris (Describe location by reference to obvious geographic features, such as roads and rivers, rather than with abstract descriptions such as a one-mile, 1.8 kyd or 1.6 km radius of some intersection. The preferred method of describing the area should use compass directions and neighborhood and landmark names where appropriate.)</p> <p>Personnes dans d'autres endroits dans (Area) [City] [County] ne sont pas affectés pour le moment.</p>	Se recommande el uso de mascarillas. Los evaporadores de HVAC pueden contaminarse y los condensadores pueden obstruirse. (www.Official_Web_Site.gov) pièces trouvées à partir du satellite. Veuillez signaler leur emplacement aux services d'urgence locaux ou aux autorités gouvernementales. La récupération de toutes les pièces du satellite est importante pour la recherche scientifique. Pour plus d'informations, consultez (www.Official_Government_website.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (2, 1, 7), sauf pour signaler une urgence grave.	sécurité: abri sur place	sécurité	Safety	
	SPW	shelterInPlace	Expected	Severe	Observed								
	SAW	sandstorm	Expected	Severe	Observed								
	SAW	sandstorm	Expected	Severe	Observed	De fortes tempêtes de sable sont observées (Short_Area) [City] [County] [State]. (Description & Recommended Action) attendu 4 (Incident, Time) jusqu'à (hh:mm) (am/pm).	De fortes tempêtes de sable sont observées (Short_Area) [City] [County] [State]. (Description & Recommended Action) attendu (Date) (Incident, Time) jusqu'à (hh:mm) (am/pm).	(Incident, Time) Le (Official, Government, Agency) a observé une violente tempête de sable pour (City) [County] [State]. Attendu à (Incident, Time) (Day), (Describe the incident, hazard and its consequences).	Se recomienda el uso de mascarillas. Los evaporadores de HVAC pueden contaminarse y los condensadores pueden obstruirse. (www.Official_Web_Site.gov) pièces trouvées à partir du satellite. Veuillez signaler leur emplacement aux services d'urgence locaux ou aux autorités gouvernementales. La récupération de toutes les pièces du satellite est importante pour la recherche scientifique. Pour plus d'informations, consultez (www.Official_Government_website.gov), ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (2, 1, 7), sauf pour signaler une urgence grave.	tempête de sable	danger aérien	Météoro logique, environn emental	
space debris fall	SDE	spaceDebris	Expected	Severe	Likely	(Incident, Time) De graves débris satellites sont attendus, probablement (City) [County] [State]. 3 Évitez les débris. Ne touchez pas. Jusqu'à (hh:mm)	(Date) (Incident, Time) De graves débris satellites sont attendus, probablement (City) [County] [State]. (Incident, Time) Évitez les débris. Ne touchez pas. Jusqu'à (hh:mm)	(Incident, Time) Le (City) [County] [State] a un débris satellites graves attendus, probablement à travers (hh:mm) (Official, Government, Agency)	débris de satellite	espacer	Other		
includes satellite navigation	UTS	satellite	Expected	Extreme	Observed	Attendu (Incident, Time) Un problème extrême de service par satellite est observé (County) [State]. 7 Cela peut affecter votre système de navigation	Attendu (Date) (Incident, Time) Un problème extrême de service par satellite est observé (County) [State]. (Incident, Time) Cela peut affecter votre système de navigation	Le (Official, Government, Agency) a observé un problème extrême de service par satellite pour (Short_Area) [City] [County] [State]. Attendu à (Incident, Time) [Day], (Describe the incident, hazard and its consequences).	Si cela affecte votre navigation, avoir un autre moyen de navigation. (www.Official_Web_Site.gov)	service satellite	problème d'utilité	Infrastru cture	
	PSB	schoolBus	Immediate	Severe	Observed	Un grave incident impliquant un autobus scolaire a été observé à (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter cet emplacement immédiatement.	Un grave incident impliquant un autobus scolaire a été observé à (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter cet emplacement immédiatement.	Le (Official, Government, Agency) a observé un grave incident d'autobus scolaire à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter cet emplacement immédiatement. Efficace jusqu'à ce que (hh:mm).	S'il vous plaît éviter le (location). (www.Official_Web_Site.gov)	problème de bus scolaire	problème d'infrastructure	Infrastru cture	
	SWE	schoolClose	Expected	Severe	Observed	Une fermeture sévère de l'école est observée à (Incident, Time) [location] (City) [County] [State]. S'il vous plaît s'attendre à éviter cet emplacement jusqu'à ce que (hh:mm).	Une fermeture sévère de l'école est observée à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît s'attendre à éviter cet emplacement jusqu'à ce que (hh:mm).	Le (Official, Government, Agency) a observé une grave urgence de fermeture d'école à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît attendez-vous à éviter cet emplacement. Efficace jusqu'à ce que (hh:mm).	Il s'agit d'une notification que l'école est fermée. Les parents ou les personnes qui s'occupent d'eux peuvent s'attendre à garder leurs enfants à la maison (unless notified otherwise). (www.Official_Web_Site.gov)	fermeture d'école	problème d'infrastructure	Infrastru cture	
	SLA	schoolLock	Immediate	Severe	Observed	Un verrouillage sévère de l'école est observé à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter cet emplacement immédiatement jusqu'à ce que (hh:mm).	Un verrouillage sévère de l'école est observé à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter cet emplacement immédiatement jusqu'à ce que (hh:mm).	Le (Official, Government, Agency) a verrouillé sévère de l'école observé à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter cet emplacement immédiatement. Efficace jusqu'à ce que (hh:mm).	C'est l'instruction pour l'école d'aller à la fermeture sévère de l'école observé à (Date) (Incident, Time) [location] (City) [County] [State]. S'il vous plaît éviter comme d'habitude (unless notified otherwise). (www.Official_Web_Site.gov)	verrouillage de l'école	problème d'infrastructure	Infrastru cture	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

OET-200		s	transportation; travel level 5 – Travel Not Permitted	transport; health issue, safety hazard	Transport	F	TAS	travaS	⚠ Immediate	⚠ Extreme	🟡 Observed	Un niveau de déplacement extrême de transport 5 est observé pour la destination ou l'origine. {City} {State} {Country}. Immédiatement {Incident_Time} jusqu'à {hh:mm} {Day}. Il s'agit du niveau consultatif le plus élevé et peut s'agir d'une mesure prise par un pays particulier ou d'une autorité appropriée aux États-Unis, et n'est pas une décision du département d'Etat des États-Unis. Par exemple pandemic lockdown/curfew ou ATCO (Air Traffic Control) sans vol.	Un niveau de déplacement extrême de transport 5 est observé pour la destination ou l'origine. {City} {State} {Country}. Immédiatement {Incident_Time} jusqu'à {hh:mm} {Day}.	Le {Official_Government_Agency} a un niveau de déplacement de transport extrême 5 est observé pour la destination ou l'origine. {City} {State} {Country}. Immédiatement à {Date} {Incident_Time} {Day}. {Describe the incident, hazard and its consequences}. Il s'agit du niveau consultatif le plus élevé. Il peut s'agir d'une mesure prise par un pays particulier ou d'une autorité appropriée aux États-Unis, et n'est pas une décision du département d'Etat des États-Unis. Par exemple pandemic lockdown/curfew ou ATCO (Air Traffic Control) sans vol.	{Research the details applicable to this location. Except in an emergency, it is likely that travel is not a realistic option. Communicate with others affected!}. {www.Official_Web_Site.gov}	transport; niveau de voyage 5 - Voyage non autorisé	transport; problème de santé, danger pour la sécurité	Transport
OET-200	H	M	transport	transport; marine	Transport	F	MAR	marine	⚠ Expected	⚠ Moderate	🟢 Likely	Un problème modéré de transport maritime est décrit {Short_Area} {City} {County} {State}. {Description & Recommended Action} attendu {Incident_Time} jusqu'à {hh:mm} {am/pm}.	Un problème modéré de transport maritime est décrit {Short_Area} {City} {County} {State}. {Description & Recommended Action} attendu {Incident_Time} jusqu'à {hh:mm} {am/pm}.	Le {Official_Government_Agency} a un problème modéré de transport maritime susceptible de {Short_Area} {City} {County} {State}. Attendu à {Date} {Incident_Time} {Day}. {Describe the incident, hazard and its consequences}.	{Recommended action!}. {www.Official_Web_Site.gov}	transport	transport; Marin	Transport
OET-201			tropical depression	tropical storm	Meteorological	E	HUO	tropDep	⚠ Expected	⚠ Moderate	🟡 Observed	Dépresseion tropicale modérée observée en {County} {State}. Attendu {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Dépresseion tropicale modérée observée en {County} {State}. Attendu {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Le {Official_Government_Agency} a observé une dépression tropicale modérée {County} {State}. Attendu {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Préparez-vous à vous déplacer vers un terrain plus élevé. Évitez les routes de bord de mer qui peuvent être érodées par de grosses vagues. N'essayez pas de traverser les eaux de crue, de faire demi-tour et d'aller dans un autre sens. {www.Official_Web_Site.gov}	dépresseion tropicale	tempête tropicale	Meteoro logical
OET-202	H	M	tropical storm; advisory	tropical storm	Meteorological	E	TRA	tropStormAd	⚠ Expected	⚠ Moderate	🟢 Likely	Tempête tropicale modérée susceptible de {County} {State}. Attendu {Incident_Time} jusqu'à {endDate} {hh:mm}.	Tempête tropicale modérée susceptible de {County} {State}. Attendu {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Le {Official_Government_Agency} a une tempête tropicale modérée probable dans {County} {State}. Probablement {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Préparez-vous à vous déplacer vers un terrain plus élevé. Évitez les routes de bord de mer qui peuvent être érodées par de grosses vagues. N'essayez pas de traverser les eaux de crue, de faire demi-tour et d'aller dans un autre sens. {www.Official_Web_Site.gov}	tempête tropicale; consultaf	tempête tropicale	Meteoro logical
OET-202	X		tropical storm	tropical storm	Meteorological	B	TRW	tropStormW	⚠ Immediate	⚠ Extreme	🟢 Likely	Une violente tempête tropicale {County} {State}. Immédiatement {Incident_Time} jusqu'à {endDate} {hh:mm}.	Une violente tempête tropicale {County} {State}. Immédiatement {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Le {Official_Government_Agency} a une violente tempête tropicale probable pour {County} {State}. Immédiatement {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}.	Préparez-vous à vous déplacer vers un terrain plus élevé. Évitez les routes de bord de mer qui peuvent être érodées par de grosses vagues. N'essayez pas de traverser les eaux de crue, de faire demi-tour et d'aller dans un autre sens. {www.Official_Web_Site.gov}	tempête tropicale	tempête tropicale	Meteoro logical
OET-202	W		tropical storm; winds	tropical storm	Meteorological	B	HOW	hurricFrcWind	⚠ Immediate	⚠ Extreme	🟡 Observed	Vents de tempête tropicale extrêmes observés pour {County} {State}. Immédiatement {Incident_Time} jusqu'à {endDate} {hh:mm}.	Vents de tempête tropicale extrêmes observés pour {County} {State}. Immédiatement {Incident_Time} jusqu'à {endDate} {hh:mm}.	Le {Official_Government_Agency} a un vent de tempête tropicale extrême observé pour {County} {State}. Immédiatement {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}. {If possible, calculate the arrival time, the surge height and the inundation map and include these.}	Make preparations for CAT 3 force winds, power outages, flooding. Evacuation required for low lying areas. Inundation risk area information and further details may follow. {www.Official_Web_Site.gov}	tempête tropicale; les vents	tempête tropicale	Meteoro logical
OET-203	O		tsunami; distant origin (<1 hour)	geophysical	Geological	F	TSA	tsunamiAd	⚠ Immediate	⚠ Extreme	🟡 Observed	Tsunami extrême observé pour {County} {State}. Immédiatement {Incident_Time} jusqu'à {hh:mm}. Déplacez-vous vers un terrain plus élevé.	Tsunami extrême observé pour {County} {State}. Immédiatement {Incident_Time} jusqu'à {hh:mm}. Déplacez-vous vers un terrain plus élevé.	Le {Official_Government_Agency} a un tsunami extrême observé pour {County} {State}. Immédiatement {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}. {If possible, calculate the arrival time, the surge height and the inundation map and include these.}	Déplacez-vous vers un terrain plus élevé. Si vous êtes à bord d'un navire, éloignez-vous suffisamment du rivage. Les ondes de tsunami confinent des débris qui peuvent causer des blessures graves ou de nombreux décès. {www.Official_Web_Site.gov}	tsunami; origine lointaine (<1 heure)	géophysique	Geologi cal
OET-203	L		tsunami; adjacent origin	geophysical	Geological	F	TSW	tsunami	⚠ Immediate	⚠ Extreme	🟢 Likely	Tsunami extrême probable pour {County} {State}. Immédiatement {Incident_Time} jusqu'à {hh:mm}. Déplacez-vous immédiatement vers un terrain plus élevé.	Tsunami extrême probable pour {County} {State}. Immédiatement {Incident_Time} jusqu'à {hh:mm}. Déplacez-vous immédiatement vers un terrain plus élevé.	Le {Official_Government_Agency} a un tsunami extrême probable pour {County} {State}. Immédiatement {Date} {Incident_Time} jusqu'à {endDate} {hh:mm}. {If possible, calculate the arrival time, the surge height and the inundation map and include these.}	Déplacez-vous immédiatement vers un terrain plus élevé. L'évacuation est urgente et doit faire partie d'un plan d'urgence et d'informations fournies au public. Si vous êtes à bord d'un navire, éloignez-vous suffisamment du rivage. Les ondes de tsunami confinent des débris qui peuvent causer des blessures graves ou de nombreux décès.	tsunami; origine adjacente	géophysique	Geologi cal
OET-204	1		typhoon; 1	tropical storm	Meteorological	E	HU1	hurrt1	⚠ Expected	⚠ Severe	🟡 Observed	Attendu {Incident_Time} Grave CAtCategory 1 super 6 typhon observé dans {County} {State}.	Attendu {Date} {Incident_Time} Grave CAtCategory 1 super typhon observé dans {County} {State}.	Le {Official_Government_Agency} a un grave CAtCategory 1 super typhon observé dans {County} {State}. Attendu {Date}{Incident_Time} jusqu'à {endDate} {hh:mm}.	Faites des préparatifs pour les vents de force CAT 1, les paniers de courant, les inondations. Évacuation conseillée pour les zones basses. Des renseignements sur la zone de risque d'inondation et d'autres détails peuvent suivre. {www.Official_Web_Site.gov}	typhon	tempête tropicale	Meteoro logical
OET-204	2		typhoon; 2	tropical storm	Meteorological	B	HU2	hurrt2	⚠ Immediate	⚠ Extreme	🟡 Observed	Immédiatement {Incident_Time} Extreme CAtCategory 2 super typhon attendu en {County} {State}.	Immédiatement {Date} {Incident_Time} Extreme CAtCategory 2 super typhon attendu en {County} {State}.	Le {Official_Government_Agency} a un extrême CAtCategory 2 super typhon prévu en {County} {State}. Immédiatement {Date}{Incident_Time} jusqu'à {endDate} {hh:mm}.	Faites des préparatifs pour les vents de force CAT 2, les paniers de courant, les inondations. Évacuation conseillée pour les zones basses. Des renseignements sur la zone de risque d'inondation et d'autres détails peuvent suivre. {www.Official_Web_Site.gov}	typhon	tempête tropicale	Meteoro logical
OET-204	3		typhoon; 3	tropical storm	Meteorological	B	HU3	hurrt3	⚠ Immediate	⚠ Extreme	🟡 Observed	Immédiatement {Incident_Time} Extreme CAtCategory 3 super typhon attendu en {County} {State}.	Immédiatement {Date} {Incident_Time} Extreme CAtCategory 3 super typhon attendu en {County} {State}.	Le {Official_Government_Agency} a un extrême CAtCategory 3 super typhon prévu en {County} {State}. Immédiatement {Date}{Incident_Time} jusqu'à {endDate} {hh:mm}.	Faites des préparatifs pour les vents de force CAT 3, les paniers de courant, les inondations. Évacuation conseillée pour les zones basses. Des renseignements sur la zone de risque d'inondation et d'autres détails peuvent suivre. {www.Official_Web_Site.gov}	typhon	tempête tropicale	Meteoro logical
OET-204	4		typhoon; 4	tropical storm	Meteorological	B	HU4	hurrt4	⚠ Immediate	⚠ Extreme	🟡 Observed	Immédiatement {Incident_Time} Extreme CAtCategory 4 super typhon attendu en {County} {State}.	Immédiatement {Date} {Incident_Time} Extreme CAtCategory 4 super typhon attendu en {County} {State}.	Le {Official_Government_Agency} a un extrême CAtCategory 4 super typhon prévu en {County} {State}. Immédiatement {Date}{Incident_Time} jusqu'à {endDate} {hh:mm}.	Faites des préparatifs pour les vents de force CAT 4, les paniers de courant, les inondations. Évacuation conseillée pour les zones basses. Des renseignements sur la zone de risque d'inondation et d'autres détails peuvent suivre. {www.Official_Web_Site.gov}	typhon	tempête tropicale	Meteoro logical
OET-204	5		typhoon; 5	tropical storm	Meteorological	B	HU5	hurrt5	⚠ Immediate	⚠ Extreme	🟡 Observed	Immédiatement {Incident_Time} Extreme CAtCategory 5 super typhon attendu en {County} {State}.	Immédiatement {Date} {Incident_Time} Extreme CAtCategory 5 super typhon attendu en {County} {State}.	Le {Official_Government_Agency} a un extrême CAtCategory 5 super typhon prévu en {County} {State}. Immédiatement {Date}{Incident_Time} jusqu'à {endDate} {hh:mm}.	Faites des préparatifs pour les vents de force CAT 5, les paniers de courant, les inondations. Évacuation conseillée pour les zones basses. Des renseignements sur la zone de risque d'inondation et d'autres détails peuvent suivre. {www.Official_Web_Site.gov}	typhon	tempête tropicale	Meteoro logical
OET-204	6		typhoon; 6	tropical storm	Meteorological	B	HU6	hurrt6	⚠ Immediate	⚠ Extreme	🟡 Observed	Immédiatement {Incident_Time} Extreme CAtCategory 6 super typhon attendu en {County} {State}.	Immédiatement {Date} {Incident_Time} Extreme CAtCategory 6 super typhon attendu en {County} {State}.	Le {Official_Government_Agency} a un extrême CAtCategory 6 super typhon prévu en {County} {State}. Immédiatement {Date}{Incident_Time} jusqu'à {endDate} {hh:mm}.	Faites des préparatifs pour les vents de force CAT 6, les paniers de courant, les inondations. Évacuation conseillée pour les zones basses. Des renseignements sur la zone de risque d'inondation et d'autres détails peuvent suivre. {www.Official_Web_Site.gov}	typhon	tempête tropicale	Meteoro logical

[illegible]

OET-213	R	water; usage restriction	utility issue	Infrastructure	(e.g. when reservoir low)	WUR	waterRestrict	Expected	Severe	Observed	Restriction sévère de l'utilisation de l'eau observée (détails) attendu pour [Area] [City] [County] [State] (Incident, Time) jusqu'à [hh:mm] (Details).	Restriction sévère de l'utilisation de l'eau observée (détails) attendu pour [Area] [City] [County] [State] (Incident, Time) jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a une restriction d'utilisation de l'eau observée (détails) attendu pour [Area] [City] [County] [State]. Délivré (Date) (Incident, Time) jusqu'à [mm:SS] (hh:mm) (Instructions). [www.Official_Web_Site.gov]	Eau: restriction d'utilisation	problème d'utilité	Infrastru-cture	
OET-214	W	water main break	utility issue; water hazard	Infrastructure		WMW	break+ZO	Immediate	Extreme	Observed	Une rupture principale extrême d'eau potable observée (Short, Area) [City] [County] [State]. (Description & Recommended Action) immédiatement (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Une rupture principale extrême d'eau potable observée (Short, Area) [City] [County] [State]. (Description & Recommended Action) immédiatement (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Une rupture principale extrême d'eau potable observée (Short, Area) [City] [County] [State]. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'à [hh:mm] (am/pm) (Instructions). [www.Official_Government_website.gov]. Pour votre sécurité, vous ne devriez pas utiliser, boire, cuisiner avec, se baigner ou vous laver avec de l'eau du robinet (Description of organization) l'approvisionnement en eau jusqu'à nouvel ordre. La pression inférieure de l'eau peut être un risque de lutte contre l'incendie. L'avertissement de ne pas utiliser l'eau du robinet demeure en vigueur jusqu'à nouvel ordre. Ce message sera mis à jour en 3 heures, ou plus tôt si nécessaire. Pour plus d'informations, consultez [www.Official_Government_website.gov], ou écoutez les médias d'information locaux. S'il vous plaît ne pas appeler (9, 1, 1), sauf pour signaler une urgence grave.	rupture de la conduite d'eau	problème d'utilité; danger d'eau	Infrastru-cture	
OET-215		waterpout	marine	Meteorological	B	TPW	torWater	Immediate	Severe	Observed	Un bec d'eau sévère est observé pour [location] [City] [County] [State] immédiatement (Incident, Time) jusqu'à [hh:mm] (Details).	Un bec d'eau sévère est observé pour [location] [City] [County] [State] immédiatement (Date) (Incident, Time) jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a un bec d'eau tornadique sévère observé pour [location] [City] [County] [State]. Immédiatement (Incident, Time) jusqu'à [hh:mm] (Details).	Déplacez-vous vers un couvercle sûr ou loin du chemin du bec d'eau. [www.Official_Web_Site.gov]	trombe	marine	Meteoro-logical
OET-216	A	weather: special advisory	weather	Meteorological	E	SPA	weatherAd	Expected	Moderate	Likely	Un temps spécial modéré est observé pour [City] [County] [State] (Incident, Time) attendu jusqu'à [hh:mm] (Details).	Un temps spécial modéré est observé pour [City] [County] [State] (Date) (Incident, Time) attendu jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a un temps spécial modéré observé pour [City] [County] [State] (Incident, Time) attendu jusqu'à [hh:mm] (Details).	Habillez-vous convenablement pour le temps. [www.Official_Web_Site.gov]	météo: avis spécial	conditions météorologiques	Meteoro-logical
OET-216	W	weather	weather	Meteorological	E	MWW	marineWea	Expected	Severe	Observed	Des conditions météorologiques extrêmes sont observées [location] [City] [County] [State] jusqu'à [hh:mm] (am/pm) (Details).	Des conditions météorologiques extrêmes sont observées [location] [City] [County] [State] (Incident, Time) attendu jusqu'à [hh:mm] (am/pm) (Details).	Le (Official, Government, Agency) a un temps violent observé pour [location] [City] [County] [State] (Incident, Time) attendu jusqu'à [hh:mm] (Details).	(Instructions). [www.Official_Web_Site.gov]	conditions météorologiques	conditions météorologiques	Meteoro-logical
OET-216	E	weather: exposure	weather	Meteorological	E	EXP	exposure	Expected	Severe	Observed	Un temps spécial modéré ou une éclipse solaire majeure est observé pendant [Short, Area] [City] [County] [State]. (Description & Recommended Action) attendu (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Un temps spécial modéré ou une éclipse solaire majeure est observé pendant [Short, Area] [City] [County] [State]. (Description & Recommended Action) attendu (Date) (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Le (Official, Government, Agency) a un temps spécial modéré ou une éclipse solaire majeure observée pendant [City] [County] [State]. Attendu à (Incident, Time) [Day]. (Describe the incident, hazard and its consequences). Cela a un impact sur les personnes [Area] [City] [County] [State].	Habillez-vous en fonction de la météo ou allumez les phares et les lampadaires. [www.Official_Web_Site.gov]	conditions météorologiques; exposition	conditions météorologiques	Meteoro-logical
OET-216	H	weather: special	marine	Meteorological	E	SPS	weather	Expected	Moderate	Possible	Un temps spécial marin modéré est attendu jusqu'à [hh:mm] (am/pm) (Details).	(Date) (Incident, Time) Temps spécial marin modéré possible en [Short, Area] [City] [County] [State]. (Recommended Action) attendu jusqu'à [hh:mm] (am/pm) (Details).	Attendu (Incident, Time) Le (Official, Government, Agency) a un temps marin spécial modéré possible pour [location] en [Short, Area] [City] [County] [State].	(www.Official_Web_Site.gov)	conditions météorologiques; spécial	Marin	Meteoro-logical
OET-216	S	weather: statement	weather	Meteorological	E	SVS	weatherSt	Past	Moderate	Likely	Un temps modéré a commencé [City] [County] [State] (Incident, Time) probablement jusqu'à [hh:mm] (Details).	Le temps modéré a commencé [City] [County] [State] (Date) (Incident, Time) probablement jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a commencé un temps modéré [City] [County] [State] (Incident, Time) jusqu'à [hh:mm] (Details).	Habillez-vous convenablement pour le temps. Conduisez prudemment car les routes peuvent devenir glissantes. [www.Official_Web_Site.gov]	conditions météorologiques; déclaration	conditions météorologiques	Meteoro-logical
OET-217	M	wild fire	fire	Fire		WFA	wildFireAd	Expected	Moderate	Likely	Un feu de forêt modéré est probable [location] [City] [County] [State] attendu jusqu'à [Time] (Details).	Un feu de forêt modéré est probable [location] [City] [County] [State] (Date) (Incident, Time) jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a un feu de forêt modéré susceptible de [location] [City] [County] [State] (Incident, Time) attendu jusqu'à [hh:mm] (Details). [www.Official_Web_Site.gov]	(Instructions) Préparez-vous à évacuer. Soyez prêts à partir à court préavis. Ne présumez pas que votre maison ou votre entreprise survivra à l'incendie de forêt.	incendies	Feu	Fire
OET-217	S	wild fire	fire	Fire		WFW	wildFire	Immediate	Severe	Observed	Un incendie de forêt est observé [location] [City] [County] [State] immédiatement (Incident, Time) jusqu'à [hh:mm] (Details).	Un incendie de forêt est observé [location] [City] [County] [State] (Incident, Time) jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a un incendie de forêt observé pendant [City] [County] [State] (Incident, Time) jusqu'à [hh:mm] (Details).	Préparez-vous à évacuer. Soyez prêts à partir à court préavis. Ne présumez pas que votre maison ou votre entreprise survivra à l'incendie de forêt. [www.Official_Web_Site.gov]	incendies	Feu	Fire
OET-218	C	wind: small craft	air hazard	Meteorological	E	SCW	smallBoat	Expected	Severe	Likely	Un vent violent de petites embarcations est attendu [City] [County] [State] (Incident, Time) jusqu'à [hh:mm] (Details).	Un vent violent de petites embarcations est susceptible de [location] [City] [County] [State] attendu (Date) (Incident, Time) jusqu'à [hh:mm] (Details).	Le (Official, Government, Agency) a une petite embarcation vent violent probable pour [location] [City] [County] [State] (Incident, Time) attendu jusqu'à [hh:mm] (Details).	Les petites embarcations devraient prendre les précautions appropriées, par exemple se rendre du côté sous le vent ou sous le vent des lacs. [www.Official_Web_Site.gov]	vent: petite embarcation	danger aérien	Meteoro-logical
OET-218	X	wind: severe	air hazard	Meteorological	E	EWX	eWind	Expected	Severe	Observed	Des vents extrêmement forts et dangereux sont attendus [Short, Area] [City] [County] [State] immédiatement (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Des vents extrêmement forts et dangereux sont attendus [Short, Area] [City] [County] [State]. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Le (Official, Government, Agency) a un avertissement de vent extrêmement fort et dangereux attendu en [City] [County] [State]. À (Incident, Time) [Day]. (Describe the incident, hazard and its consequences). Cela peut avoir un impact sur les [Area] [City] [County] [State].	Soyez prudent près des bords des toits, balcons et faîsses du bâtiment. Conduisez plus lentement car les voitures peuvent être soufflées hors de la direction prévue, ou même soufflées au-dessus ou hors des faîsses. Voir l'échelle de Beaufort à gauche. [www.Official_Web_Site.gov]	vent: violent	danger aérien	Meteoro-logical
OET-218	G	wind: gale	air hazard	Meteorological	E	EGW	galeWind	Expected	Extreme	Observed	Le vent de force de coup de vent est prévu en [Short, Area] [City] [County] [State]. (Description & Recommended Action) immédiatement (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Le vent de force de coup de vent est prévu en [Short, Area] [City] [County] [State]. (Description & Recommended Action) immédiatement (Date) (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Le (Official, Government, Agency) a un avertissement de vent de force de coup de vent attendu en [City] [County] [State]. À (Incident, Time) [Day]. (Describe the incident, hazard and its consequences). Cela peut avoir un impact sur les [Area] [City] [County] [State].	Soyez prudent près des bords des toits, balcons et faîsses du bâtiment. Conduisez plus lentement car les voitures peuvent être soufflées hors de la direction prévue, ou même soufflées au-dessus ou hors des faîsses. Voir l'échelle de Beaufort à gauche. [www.Official_Web_Site.gov]	vent: coup de vent	danger aérien	Meteoro-logical
OET-218	H	high force wind at sea	tropical storm	Meteorological	E	HSW	stormFrcWind	Expected	Severe	Observed	Des vents violents de force en mer sont observés [Short, Area] [City] [County] [State]. (Description & Recommended Action) attendu (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Des vents violents de force en mer sont observés [Short, Area] [City] [County] [State]. (Description & Recommended Action) attendu (Date) (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Le (Official, Government, Agency) a un avertissement de vent de force en mer observé dans [City] [County] [State]. Attendu (Date) (Incident, Time) [Day]. (Describe the incident, hazard and its consequences). Cela peut avoir un impact sur les [Area] [City] [County] [State].	Prenez les précautions appropriées en mer. Voir l'échelle de Beaufort à l'échelle de Beaufort à l'échelle de Beaufort à gauche. [www.Official_Web_Site.gov]	vent de grande force en mer	tempête tropicale	Meteoro-logical
OET-218	S	wind: high	air hazard	Meteorological	E	HWA	windAd	Expected	Severe	Observed	Des vents violents sont observés [Short, Area] [City] [County] [State]. (Description & Recommended Action) attendu (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Des vents violents sont observés [Short, Area] [City] [County] [State]. (Description & Recommended Action) attendu (Date) (Incident, Time) jusqu'à [hh:mm] (am/pm) (Details).	Le (Official, Government, Agency) a un avertissement de vent de force en mer observé dans [City] [County] [State]. Attendu (Incident, Time) [Day]. (Describe the incident, hazard and its consequences). Cela peut avoir un impact sur les [Area] [City] [County] [State].	Voit l'échelle de Beaufort à gauche. [www.Official_Web_Site.gov]	vent: fort	danger aérien	Meteoro-logical

[illegible]

[illegible]

[illegible]

[illegible]

OET-513	contagious				
OET-514	disease	health hazard	Health		
OET-515	animal disease	health issue	Health		
OET-516	contagious	health hazard	Health		
OET-517	disease	health hazard	Health		
OET-518	contagious	health issue	Health		
OET-520	OET-069	Following is from CIA and MI6: cyber crime	criminal activity	Safety, Security	
OET-521	OET-069	electronic infrastructure issue	infrastructure issue	Infrastructure	
OET-522	OET-050	cyber crime	criminal activity	Safety, Security	
OET-523	OET-050	cyber crime	criminal activity	Safety, Security	
OET-524	OET-050	cyber crime	criminal activity	Safety, Security	
OET-525	OET-050	cyber crime	criminal activity	Safety, Security	
OET-526	OET-050	electronic	infrastructure	Infrastructure	
OET-527	OET-050	cyber crime	criminal activity	Safety, Security	
OET-528	OET-050	cyber crime	criminal activity	Safety, Security	
OET-529	OET-050	cyber crime	criminal activity	Safety, Security	
OET-530	OET-050	cyber crime	criminal activity	Safety, Security	
OET-531		Compromised Credentials		system or user account	
OET-532	CCR	Web attacks	Drive-by	Cross-site scripting	
OET-533	CWS	Web attacks	Cross-site scripting		
OET-534	CRU	Removable media	e.g. USB drives	Business email compromise	
OET-535	CBE	email attacks	Phishing/ spear phishing		
OET-536	CBP	email attacks	laptops without encrypted hard drive		
OET-537	CLO	Loss of equipment	encryption of sensitive data		
OET-537	CMO	Loss of equipment	other		
OET-537	COO	Loss of equipment	other		
OET-997	XCR	deficiency of empathy, inclusivity	unkind activity	Safety, Security	
OET-998	DEI	Alerting			
OET-999	EAS	Education Source	education	Safety, Security	

Some notes

Reasons for Automation Priority Value:
1) With Satellite Digital Audio Radio (SDARS, e.g. SiriusXM) a nationwide distribution of alerts is being made. This means that a queuing system with 2) As detailed below, there needs to be a basis for a CAP or EAS+ message processor to be interoperable with the program payout automation system. This would best be related to the Event Terms.
3) The public would like to be able to have some control over the messages they are receiving. This is arranged like a volume control 1 to 5 with 0 being special cases like School Closing which can be lengthy. The default setting at factory reset would be 5.
The Automation Priority Value 1 to 3 plus 0 equivalent to 10 is in a volume control order i.e. the most important is 1, with 3 and 0 (+10) being least. This is important for interaction between an Encoder/Decoder and an Automation System used in all TV and most radio
5) While CAP terminology does not use the words "Warning" or "Emergency", they are sometimes used in UNISDR or UNDRR. So they are sometimes used in these messages to give some added emphasis.
6) The word "Watch" is sometimes used to provide compatibility with messages from NOAA USA. It is a problem for translation as sometimes a word equivalent to a small clock is resulting
10) Priorities 1 and 2 SHALL override EAS-DND (Do Not Disturb) settings in consumer devices. Priorities of 2 and lower (i.e. number higher) SHALL override all higher messages, which SHALL be stored in a buffer and retransmitted when the priority queue permits. An incomplete message will therefore be 1) Consider priority 0 as priority 10, messages SHALL NOT be transmitted to SDARS or DBS. Neither SHALL PDW nor PDE be transmitted. The volume of traffic is likely to become excessive. Making the urgency of priority 0 messages as immediate shall not modify the 12) For best implementation, EAS+ encoder/decoders SHOULD be automation communicable devices via standard protocols such as VOPC. Automation Priority Value 1 SHALL be immediately transmitted. Priority 2 and 3 within 8 minutes, Priority 4 and 5 within 16 minutes, Priority 6 and 7 within 24 minutes and all others within 30 minutes. If the traffic does not permit this, then SDARS and DBS nationwide systems SHALL be permitted to operate as priority queue best effort. As the data transmission rate is faster in this mode, practical results SHALL be obtained before changes are made. This is inadequate for the cable/telco implementation. The most promising solution to this is to use is to use the Event Information Table (EIT) in the Program and System Information Protocol (PSIP). This is defined by ATSC. The message format is not currently defined, but MAY be single entry, or multiple flexible. Essentially, the

RUV	⚠ Expected	⚠ Severe	⚠ Likely	
JEV	⚠ Expected	⚠ Severe	⚠ Likely	
MUV	⚠ Expected	⚠ Severe	⚠ Likely	
MNV	⚠ Expected	⚠ Severe	⚠ Likely	
SCV	⚠ Expected	⚠ Severe	⚠ Likely	
WEV	⚠ Expected	⚠ Severe	⚠ Likely	
CAY	⚠ Expected	⚠ Severe	⚠ Likely	
CBY	⚠ Expected	⚠ Severe	⚠ Likely	
CCY	⚠ Expected	⚠ Severe	⚠ Likely	
CDY	⚠ Expected	⚠ Severe	⚠ Likely	
CEY	⚠ Expected	⚠ Severe	⚠ Likely	
CFY	⚠ Expected	⚠ Severe	⚠ Likely	
CGY	⚠ Expected	⚠ Severe	⚠ Likely	
CHY	⚠ Expected	⚠ Severe	⚠ Likely	
CHY	⚠ Expected	⚠ Severe	⚠ Likely	
CCR	⚠ Expected	⚠ Severe	⚠ Likely	
CHD	⚠ Expected	⚠ Severe	⚠ Likely	
CWS	⚠ Expected	⚠ Severe	⚠ Likely	
CRU	⚠ Expected	⚠ Severe	⚠ Likely	
CBE	⚠ Expected	⚠ Severe	⚠ Likely	
CBP	⚠ Expected	⚠ Severe	⚠ Likely	
CLO	⚠ Expected	⚠ Severe	⚠ Likely	
CMO	⚠ Expected	⚠ Severe	⚠ Likely	
COO	⚠ Expected	⚠ Severe	⚠ Likely	
XCR	⚠ Expected	⚠ Moderate	⚠ Likely	
DEI	⚠ Past	⚠ Moderate	⚠ Possible	
EAS	⚠ Past	⚠ Moderate	⚠ Observed	

6	Misconfiguration of software and hardware
7	Non-conformity and interoperability
6	Malware
7	Data breach
7	Data security-related hazards
6	Disrupt
4	Outage
4	(Personal Identifying Information) PII breach
5	Internet of Things (IoT)-related hazards
5	Privacy and data security for citizens - supporting human mental health
5	At versions of above 10 and more

6	Misconfiguration of software and hardware
7	Non-conformity and interoperability
6	Malware
7	Data breach
7	Data security-related hazards
6	Disrupt
4	Outage
4	(Personal Identifying Information) PII breach
5	Internet of Things (IoT)-related hazards
5	Privacy and data security for citizens - supporting human mental health
5	At versions of above 10 and more

Arbitrary Sorting	CET Cap Event Term	Broad Term (US, Canada & Australian. UK not a defined CAP profile currently). Many terms are listed that may be selected directly or via this Broad Term menu. The selection of which to use is to suit the Country or Regional Government is as best suits their situation.	Term. This list is intended to be completely inclusive, for consumer receivers worldwide. Countries
401			
402	Please email recommended amendments using RED text preceeding the original text in each cell to fbell@kynx.us. These will be checked for translation		
403			
404	File format	Number Codes	
405	File format	Flood Map DXF File	

		Flood Map SHP File
406	File format	
		Hurricane Inundation SHP Map
407	File format	
		Hurricane Inundation DXF Map
408	File format	
		Tsunami DXF Map
409	File format	
		Tsunami SHP Map
410	File format	
		Advertisement (if permitted)
411	File format	
		Advertisement Selected
412	File format	
		CAP Broadcast
413	File format	

414	File format	DXF file, CAD or map
415	File format	EDXL-DE file
416	File format	EDXL-DE file, DTV only
417	File format	Geographic Information SHP file
418	File format	IEEE 1512
419	File format	IEEE 1512 in EDXL-DE
420	File format	Intelligent Highway Sign
421	File format	JPG file
422	File format	MPEG-2 file (+mono audio)

423	File format	MPEG-4 file (+mono audio)
424	File format	MPEG-4+HEVC
425	File format	Open Document Presentation
426	File format	Open Document Text
427	File format	Open Document Spreadsheet
428	File format	Open Document Graphics
429	File format	Other
430	File format	Other, urgent

431	File format	PDF
432	File format	Program
433	File format	Q codes ICAO/MMS/ITU-R
434	File format	Rich Text, RTF
435	File format	Tactical Situation Object, TSO
436	File format	TSO in EDXL-DE
437	File format	Transmitter Backup On
438	File format	Transmitter Carrier Off

439	File format	Transmitter Carrier On
440	File format	Transmitter Primary On
441	File format	Transmitter Status Query
442	File format	Transmitter Status Response
443	File format	Text, TXT file (also RTF)
444	File format	Video/Graphics Language 1
445	File format	Video/Graphics Language 2
446	File format	Video/Graphics Language 3

447	File format	Video/Graphics Language 4
448	File format	Video Language <i>mn</i>
449	File format	WAV file
450	File format	Intel Hex
A	Remarks	
B	Sometimes "Statement" items are deleted. While these may not be as important to Emergency Managers, the item provides a lower priority if desired. Also it is helpful as a source of "Press Release" information for the news operations, which is of value to them.	
C	The priority number 1 to 9 plus 0 equivalent to 10 is in a volume control order. I.e. the most important is 1, with 9 and 0 (=10) being least. This is important for interaction between an Encoder/Decoder and an Automation System used in all TV and most radio stations. "None" is not available. Consumer receivers MAY use this to provide users the ability of an "Alerting Level Control" with a default level of 5.	
D	"Unknown" items are removed as these are relevant only to EAS receivers which do not have the latest software with the latest version of the Terms List.	
E	The words "hazard" and "threat" being now included, these shall be added to the translations, which are not included here.	
F	A "volunteer", Franklin Explorer is now available and shall be used to do an additional round of translation checking to make an iteration of improvement.	

- G Native speakers of languages do differ in their translations, so some sort of averaging is appropriate. Translations of some languages simply use the phonetic equivalent in their alphabet of English (or other language) when an equivalent native word is also appropriate. There is variation by region also, e.g. French Canadian is legally prohibited from changing to current metro French. An international version is preferred here.
- H The remaining National languages not translated are Bhutanese, Faroese, Guarani (Paraguay), Tok Pisin (Papua New Guinea) and the Native American Nations of the U.S. who have broadcasting in their language. Assistance in this would be appreciated, though not financially at present. Other languages in other nations (e.g. India) are currently considered the responsibility of those nations adopting CAP. Haitian Kreyol is to be added after the Franklin Explorer languages checking is completed.
- I
- "Public Health" items are moved to "health hazard"
- J
- Override or Digital Default refers to whether the code is provided the ability to override program content, or to be transmitted as separate audio and video with the selected/deselected receivers having the ability to opt out of the former or opt in for the latter.
- K
- A number of terms originate from older standards, mostly from TSOs (Tactical Situation Objects) and IEEE 1512. More information is in note 33 below (if notes included).
- L non-weather issues. WMO acid rain and sulfur rain terms under this contamination item. Smog is a type of haze. WMO Black Carbon is unclear as to whether this needs distinguishing from Ashfall or Toxic Plume. The WMO terms Annual Flood, Estuarine flood, Flooding, Fluvial (riverine) Flood, Ice and debris jammed flood, Single and Multiple Event Flood, Seasonal Flood, Snowmelt Flood are all rain or melting snow originated so are all Flood for Emergency Alerting Terms List purposes. Wet spell is a rain or flood question. Radio blackout is a Radio Transmitter item unless e.g. Geomagnetic Storm is affecting reception. Geomagnetic storm, Ionospheric storm, Solar energetic particles are all Space Weather. New Zealand Term Beach Tsunami is categorized as Tsunami with an arrival time of either one hour or less, or more than one hour. If calculated, the tsunami height and anticipated inundation map would be helpful information, and a basis for determining a Land Threat Tsunami. Aviation Tier 1 Lightning or Thunder are under Severe Weather or Thunderstorm.

Notes: The alerting cycle MAY start with a Statement, then MAY be followed with an Advisory or a Watch, then MAY follow a Warning (for general alert) or Emergency (for particular alert). The conclusion MAY be a Statement. The different types MAY have different priorities for broadcast automation. The consumer receiver MAY have a "volume control" on the alerting with the lowest being "1" and always on, and the highest being "9" and the most on with ten being "0" which the user may be selective for varying purposes. School Weather Closing messages for example may be lengthy and those without children attending, or not school staff, MAY be able to deselect in favor of normal program content.

South Asia has a number of languages that are shared. India has 21 official languages. Discussion centering on India would be relevant to deciding which languages other than English are used for alerting. While Devanagari is the basis of ISCII computer alphabet, it is not a nationwide alphabet. So no decision is made at this time as to the translation of terms.

The ISO format for displaying values is illustrated as "-7 654 321.987 6 km/h" where the spaces within the number are SHOULD be no-break En space(s) {HTML   NNBS or ᾭ} OR no-break Em space(s) {HTML or &0160}, and the space between the last digit or decimal point SHOULD be a no-break Em space or two no-break En spaces. Such spaces are not string delimiters. A comma is not used as that is a string delimiter. A + sign may precede the value. The decimal numbers are in triples and the hexadecimal numbers are in quads. A hexadecimal number MAY be preceded by a 0x. A binary number SHALL only be in quads. An E MAY be included where it is followed by a decimal exponent. The units at the end SHALL be ISO scientific as in the following table, with a few additions. So the whole value is a single string. In Word, the nobreak Em space is entered as CTRL-SHIFT-SPACE. Currently Excel and OpenCalc do not support this format for input, display or printing with or without the units part, so a regular space is used after the last digit here. eXtended aSCII provides for such characters.

Name	Symbol	
radian	rad	
steradian	sr	
hertz	Hz	
newton	N	
pascal	Pa	
joule	J	
watt	W	
coulomb = 6.24150934(14) × 10¹⁸	C	
volt	V	
farad	F	
ohm	Ω	
siemens	S	
weber	Wb	
tesla	T	

henry	H	
degree Celsius	°C	
lumen	lm	
lux	lx	
becquerel	Bq	
katal	kat	
bits	b	
bytes	B	

<u>Erlang</u>	E	
	e	
	ə	
	h	
<u>kiloyard</u>	kyd	

Multiples	Standard prefixes for the SI units of measure	
	Prefix name	
	Prefix symbol	
Fractions	Factor	
	Prefix name	
	Prefix symbol	
	Factor	

0) WEA is assigned as follows: P for Presidential or EAN, C for Child abduction or CAE, others that are not assigned would apply to life threatening situations, but are not currently assigned. Currently there is no provision for checking if a WEA message applies to an EAS or AEA alert that has already been received and is therefore redundant, carrying less information.

- 1) NWR denotes NOAA Weather Radio
- 2) NWS denotes National Weather Service
- 3) SAME denotes EAS compatible weather alert equipment.
- 4) Older EAS Decoders and SAME Weather Alert Receivers MAY NOT recognize EAS/SAME codes listed as "Effective June 30, 2004" unless they were manufactured or updated after mid-2002
- 5) The term City/County/Borough activation has been replaced by (reserved local code). This is to enable such local messages to be sent through local SMS, Emergency Telephone Notification or Reverse-911 systems locally used without using this state and national system. Sometimes such activations are somewhat politically motivated so this code is reserved.
- 6) The descriptions Lahar and Cyclone are added.
- 7) This Table is fundamentally maintained by the FCC, and the W, I, A, E, S last letter format is used with the only exceptions already included above, or by addition for compatibility with other standards.
- 8) Any codes not listed SHALL be passed, and a default priority of 9 assigned.
- 9) Codes of lower priorities MAY Also, be allowed to override EAS-DND settings.

10) Priorities 1 and 2 SHALL override EAS-DND (Do Not Disturb) settings in consumer devices. Priorities of 2 and lower (i.e. number higher) SHALL override all higher messages, which SHALL be stored in a buffer and retransmitted when the priority queue permits. An incomplete message will Therefore, be accepted on re-reception. Also, messages with known errors will be accepted on re-reception. The first instance MAY be via the IPAWS path and the second instance MAY be via the digital daisy mesh path. Making the urgency as immediate should not modify the usage of priorities in consumer receivers for the purpose of user selectivity feature.

11) Priority 0 consider as priority 10, messages SHALL NOT be transmitted to SDARS or DBS. Neither SHALL PDW nor PDE be transmitted. The volume of traffic is likely to become excessive. Making the urgency of priority 0 messages as immediate shall not modify the use in DBS or SDARS message selection or a consumer receiver user selectivity feature.

12) For best implementation, EAS+ encoder/decoders SHOULD be automation communicable devices via standard protocols such as VDCP. Priority 1 SHALL be immediately transmitted, priority 2 and 3 within 8 minutes, priority 4 and 5 within 16 minutes, priority 6 and 7 within 24 minutes and all others within 30 minutes. If the traffic does not permit this, then SDARS and DBS nationwide systems SHALL be permitted to operate as priority queue best effort. As the data transmission rate is faster in this mode, practical results SHALL be obtained before changes are made. This is inadequate for the cable/telco implementation. The most promising solution to this is to use the Event Information Table (EIT) in the Program and System Information Protocol (PSIP). This is defined by ATSC. The message format is not currently defined, but MAY be single entry, or multiple flexible. Essentially, the originator would include in the PSIP stream opportunities for EAS signal insertion every 8 minutes maximum. If no PSIP is present or a timeout occurs, the encoder/decoder will insert the EAS message unless it is priority 1, immediate. If there is more than one message of priority 2, both will be inserted at the next opportunity. If one is priority 2 and more are lower priority, then the lower priority ones SHALL await the next opportunity unless their timeout is Also, reached and an override SHALL be made. This data will connect through to the SCTE J-STD-042-2002 data, which is more complex in the MPEG splicer or direct multichannel IRD implementations. Whether priority 1 SHALL override program or be by receiver override depends on the situation e.g. whether the program is broadcast only or has a headend for some of the audience. Such PSIP data or the equivalent MAY be used in a receiver to schedule the presentation of a message, provided other criteria are met.

13) EAS tests can be used to cover engineering changes that would impact air in the chain before the EAS insertion equipment. This is a problem for the cable and receiver selected message configuration, but amendments to accommodate this possibility can be considered.

14) The RWW code is the same message as the RWT, but is OPTIONAL and it MAY be used to send something to the audience when the air chain is being rewired or equipment swapped, etc. This could be transmitted to headends or DBS by another event code in PSIP.

15) The FAS and FAW First Responders codes are for a redundant notification method if the primary method is unavailable. The IHS MAY be similarly used, or as messages directed to highway motorists.

16) Encoder/decoders that do not have an active automation interface SHALL operate in the immediate override mode. The times above do not apply. This is likely to be upgraded EAS Encoder/decoders, which are analog, and are analog radio or TV at the periphery of the daisy chain.

17) EAS+ compatible receivers or EAS+ compliant receivers via a configuration selection (default being on) SHOULD play the audio of the priority one code names before the audio. By default, this SHALL be in English, and other languages MAY follow by manufacturer choice. As Tornado, Tsunami and Lahar are multilingual words, the other English words MAY become accepted likewise.

18) ROS, Return OK Statement is applicable after AVW, EVI, ERW, FFW, NUW, NUn, RHW, SBW, TOR, and TSW. The duration in CAP is not used to trigger this message.

19) Rescue Required Emergency and Rescue Required Statement are to be sent to First Responders category only on HD radio and digital TV. Not for transmission on SDARS and DBS. Also, note that a polygon MAY be specified with one point only. This can be a position from an EPIRB or E911 Phase 2 position indication. As rescues MAY be in remote locations, the First Responders radio system MAY NOT function there, but digital broadcast signals MAY be receivable. Skiers and climbers MAY have an EPIRB (Emergency Position Indicating Radio Beacon) activated.

20) LEW, Law Enforcement Warning, MAY be a message directed to homeowners only for example, and this is not a category that in the near future is expected to be practicable for people to configure in their consumer electronics. In such circumstances, where the priority is not So, high or it is used to aid apprehension of criminals, the distribution via other technologies such as ETN (formerly Reverse-911) where a database MAY be available that can be used in selecting appropriate phone numbers is RECOMMENDED. Alternatively, Law Enforcement Watch, LEA, MAY be used on private mode to the public or other selected category. LEE is in private or digital mode, and may be used to transmit the vehicleID of suspect vehicles for the public to notify the authorities.

21) Codes PDF, DXF, SHP and any others that require applications to process them SHOULD use older versions of applications to generate the file So, recipients do not fail to receive the information because of the lack of the most current version being installed.

22) SDW, Shutdown & possibly evacuate SHALL always to be transmitted in private mode. Although it is priority 2, it would not normally be delayed as it is transmitted in private mode.

23) DMO is for making demonstration alerts or for system testing. They SHALL NOT be broadcast. The text SHALL clearly state that this is a demonstration, not an alert.

24) Authorization levels, from lowest to highest are A All, M Master Control Operator, E Engineering (8-character station/system designation), L Local Government, R Regional or Tribal Government, M Military or National Government, N National or Federal Government, S State Government. The assignment is as for the LLLLLLLL table under ENCODER/DECODER configuration. Authorized entity codes are to be assigned for each authorization level. If a message is requested by an entity with an inadequate authorization level, an error SHALL be returned "Authorization Level Inadequate". If a message is requested by an entity that has an incorrect jurisdiction but adequate authorization, an error SHALL be returned "Jurisdiction Inappropriate". This is not a process that is a substitute for other security measures.

25) ADV, ADX messages SHALL NOT use magenta, red, yellow, blue, violet or orange as the background, green background may be used. Graphics resembling the rest of the video may be used.

26) SWE messages SHOULD be during program time only, not breaks, with program on the alternate PID or equivalent UDP or TCP Port.

27) Analog only radio stations MAY omit priority 0 and 9 messages. Such stations could be satellite or otherwise fed from a remote national uplink. Also, such stations SHALL state "EAS plus emergency alerting is not on this station." Every two hours.

28) Analog only TV stations MAY omit priority 0 and 9 messages. Such stations could be translators for digital stations. The digital station SHALL transmit alerts which include the translator area, However, the analog translator SHALL only transmit alerts that pertain to the translator coverage area. Analog retransmitting from analog is expected to be phased out, and this is another reason to move that process forward.

29) SLW and SLS MAY be beach patrols underwritten by businesses, who wish to gain advertising. As they are providing a community service at some expense, the coverage area and other forms of selectivity SHOULD NOT be particularly restrictive. This is a matter for some wisdom in application by the local jurisdictions, e.g. only to broadcasters with coverage of the area(s) of interest. Example applications are sharks and riptides.

30) The event codes that MAY use unknown duration and exceed 2 minutes SHALL only be EAN, STA and SWE. Such activations SHALL be with the awareness that legacy ENCODER/DECODERS will truncate the message audio after two minutes. The SWE (school weather emergency) message is typically longer than two minutes. In EAS and EAS+ they would be scheduled to replace programming rather than advertising; However, analog only radio stations would not have the capability of permitting the listener to be continuing listening to programming.

31) LAS, Local Area Statement is an event code that SHALL NOT be carried on EAS. It is included here as sometimes local authorities issue statements via emergency alerting technologies such as ETN which do not meet the stricter criteria required to issue an EAS alert.

32) TSA, Tsunami Watch is intended for tsunamis with a distant origin that are not expected to arrive within an hour at the earliest location of message delivery. In IEEE1512, this is assigned to the tidal wave emergency. With the urgency set at Immediate, the airing of the alert is as soon as possible without it being an immediate override. An expected arrival time of over one hour, if evacuation is expected to be completed before then, is suggested.

33) The codes Aircraft, large Balloon Advisory (ABS); Aircraft, large Balloon Warning (e.g. crashing) (ABW); Dangerous Animal(s) Advisory (DAS); Dangerous Animal(s) Warning (DAW); Fire Condition Advisory (e.g. dry vegetation) (FRS); Fog Advisory (FOS); Hail Advisory (HAS); Hail Warning (HAW); Hazy (visibility limited for driving) (HZW); Ice Advisory (ICS); Icy Conditions Warning (ICW); Oil Tanker Leak Statement (OLS); Oil Tanker Leak Warning (OLW); Power Lines Warning (PWW); RF high field strength Warning (at high power transmitters) (RFW) (Broadcast Engineers handle this and Emergency Alerting Systems So, SHALL be given access with supplies e.g. fuel); Smoke or plume Warning (SUW); Tactical Situation Object (was www.oasis-fp6.org) (TSO); Tactical Situation Object in an EDXL-DE message (TEO); Tornado Waterspout Warning (over sea or great lakes) (TWW). These codes are added for improved compatibility with TSOs.

34) IEEE 1512 provision added. AMBER Alert is already included there. The <vehicle> item is adapted to the terms used there. The section below is from the Disasters list in IT IS-00-00-00. The 30?? Ids are used in the IEEE 1512 standard. This is after the TSO, additions. The / added below indicates such additions. While developing an application to translate between the two systems, or adding CAP ability to an IEEE 1512 based Computer Aided Dispatch (CAD) is adding complexity, the first step is to rationalize the terminology. While standards developers are likely not intending to develop “silos of complexity” that do no interoperate, there may need to be some acceptance of extensions of scope to enable reasonable interoperability by project sponsors.

```
<xs:enumeration value="flash flood" id="_3073"/>
<xs:enumeration value="major flood" id="_3074"/>
<xs:enumeration value="reservoir failure" id="_3075"/>
<xs:enumeration value="levee failure" id="_3076"/>
<xs:enumeration value="tsunami" id="_3077"/>
<xs:enumeration value="tidal wave" id="_3078"/>
<xs:enumeration value="volcanic eruption" id="_3079"/>
<xs:enumeration value="ash fall" id="_3080"/>
<xs:enumeration value="lava flow" id="_3081"/>
<xs:enumeration value="serious fire" id="_3082"/>
<xs:enumeration value="forest fire" id="_3083"/>
<xs:enumeration value="wildfire" id="_3084"/>
<xs:enumeration value="building fire" id="_3085"/>
<xs:enumeration value="brush fire" id="_3086"/>
<xs:enumeration value="grass fire" id="_3087"/>
<xs:enumeration value="fire danger extreme" id="_3088"/>
<xs:enumeration value="fire danger very high" id="_3089"/>
<xs:enumeration value="fire danger high" id="_3090"/>
<xs:enumeration value="fire danger medium" id="_3091"/>
<xs:enumeration value="fire danger low" id="_3092"/>
```

```

<xs:enumeration value="earthquake damage" id="_3093"/>

<xs:enumeration value="air crash" id="_3094"/>

<xs:enumeration value="rail crash" id="_3095"/>

<xs:enumeration value="toxic release" id="_3096"/>

<xs:enumeration value="toxic leak" id="_3097"/>

<xs:enumeration value="radioactive release" id="_3098"/>

<xs:enumeration value="radiation hazard" id="_3099"/>

<xs:enumeration value="reactor leakage" id="_3100"/>

<xs:enumeration value="explosion" id="_3101"/>
<xs:enumeration value="major hazardous materials fire" id="_3102"/>
<xs:enumeration value="major hazardous materials release" id="_3103"/>
<xs:enumeration value="disaster cleared" id="_3199"/>

```

35) The CAP profile for Canada has a set of emergency terms. These may be incorporated by equivalence or addition and noted in this item as is following. As this is a different jurisdiction the use of such additions is dependent on the CAP message and not currently for use in U.S. originated messages. This avoids the necessity for a different profile for each country, which is a problem when cross-border messages for cross-border disasters occur. The CAP Canadian Profile table has eveCode for their CAP EVENT CODES. The EAS+ message SHALL include

```
<eveCode>
```

```
</eveCode>
```

```
<eveCode=eveCode>
```

36) The EQE code is designed for automated earthquake alerts. This message may be transmitted without validation, e.g. only one seismometer with a threshold exceeded, and So, be faster. However, a policy decision as to whether this is going to be digital alert only or a local public broadcast is appropriate. The alert area would be smaller, but more rapidly alerted. The area would be an octagonal shaped centered on the seismometer. For the simplest processing by the receiver, the octagon should be with lines on the latitude and longitude that are the length of the radius, joined by rhumb lines. EQW by comparison would be for a higher threshold or for validated seismometer or gravity meter messages, and would be public, but as a result the seismometer detection would take longer to reach the public. Multiple EQE messages may be sent within the same minute IF the seismometer is transmitting more data that justifies an alert to an increased number of jurisdictions than the previous message in the same minute. Additional PSSCCCXXX are preceded by hard hyphens and only the last one has a “+” following.

37) SAME codes 000-999 are reserved for message codes if adopted or used as follows. Also <letter EXCEPT E, M and V>00-99 are reserved for file and update codes. There shall be an encrypted code to description and file extension table and only the description shall be displayed for the user to approve the file or update installation. If there is no code with an entry, there shall be a message saying that the file or update is unrecognized or erroneous and that there is an error with an ID of <character><Code> where the character is a format character beginning with the use of “1”. If the <letter> is w, x, y, z, W, X, Y, or Z, then these are reserved letters and the error message shall not display. If the <letter> is U, V, W, X, Y or Z, the message SHALL only be transmitted on digital TV, this is to avoid transmission of

38) While CAP is a computer protocol, EAS+ is applicable to consumer radios and TVs and related devices. As the economics of consumer electronics are toward having one design that can be used worldwide, to increase production volumes and lower costs, the implication of this is that once the specification is developed into a standard, the standard needs to be applicable worldwide. So, EAS+ has to be applicable to every CAP and EDXL-DE profile. The software in the consumer electronics effectively cannot be considered to be upgradeable. Even dealing with the variety of languages by using Unicode is a significant additional memory cost, and the trend towards the English alphabet, or at least the International Phonetic Alphabet, is influenced by economics.

39) For EQE and EQW event codes, in order to provide for legacy HD Radio receivers and analog receivers, the best method appears to be to send the EQE and EQW alerts immediately on the analog audio and force tune all legacy HD Radio receivers to the analog channel. This does not add to the bandwidth required and has the lowest latency. The same method may Also, be applied to all other alerts. EAS+ compatible HD Radio receivers would then, if not selected for an alert, would then have the HD Radio program continuing as normal. The disadvantage of this method is that there would not be any private mode possible on HD Radio unless a smaller bit depth and lower sample rate mono channel data could be included. This may be practical with FM. If the State Plan provides for two independent TV channels to be LP1 and LP2, and the digital daisy mesh core network is TV based, then that is not necessarily a problem. Regional or local LP3 or LP4 stations could be included in the plan for more local insertion of EQn, Enn, EQE, EQW, Mnn, MSW, TSW and Also, possibly other alerts. This would be to reduce latency and add some redundancy. If TV broadcasters are not available, an HD radio station could be considered for this role for EQn, Enn, EQE, EQW, Mnn, MSW and TSW alerts. HD radio stations then would still be usable as the digital periphery of the mesh, and analog radio stations may monitor these HD stations. As there is significant seismometer detection and computation to prepare EQn and Enn alerts, this is not currently implemented. When this is feasible and then funded, it would be of value if the ability to appropriately deliver such alerts to the public were available. Therefore this is important for consumer software definition. As these alerts are usually automated, there is a non-zero probability that they will be triggered during another alert e.g. an EAN. So, it is a suggested policy decision for the U.S. President or other relevant officials to accept that such alerts would be relayed by preemptively delaying the balance (or the whole) of their message for continued

40) The False Alarm Emergency (FAE) code is for example so that seismologists can monitor, and so that automated alarm system from seismometers to the public be implemented. Then it would be possible to send correcting information when the EQE code is generated which is only broadcast digitally. The FAW (False Alarm Warning) code is similarly applied when the EQW code is a false alarm. FAS (False Alarm Statement) is for when a priority 1 message is not justifiable. Having this option would enable the earthquake warnings to be faster by not requiring human approval, and enable human oversight to be effective. The actual use of this approach would depend on circumstances, experience, public acceptability, and how this is incorporated in the State Plan. The implementation in a user interface may select which of FAE, FAS or FAW depending on the event code of the message being corrected instead of adding complexity for the user. This is becoming an extremely complex system, and with staff turnover and the low frequency of disasters, it is desirable to avoid complexity.

41) MSW, Missile incoming Warning is a radar generated warning and is only likely to be used in situations where combat is anticipated. It would be processed similarly to EQE for rapid alerting. If the consumer electronics receiver does not provide for MSW, it SHALL be certified as compatible only as EAS-nm if other certifications are met.

42) Nuclear Power Plant Statement NUS added for an all clear or information of lower priority. NUS INES International Nuclear Event Scale; 0 Deviation, (Incidents) 1 Anomaly, 2 Incident, 3 Serious Incident, (Accidents) 4 Accident with local consequences, 5 Accident with wider consequences, 6 Serious accident, 7 Major accident.

43) Advertisement to selected area or receivers ADX. Video from separate encoding overrides the program video, or MPEG-4 other data e.g. X3D or UML transmitted on video PID or equivalent UDP or TCP Port + n (if available). The value of n is 1,2,3,4,5 or 6. If n is greater than 1, this is when multiple ADV or ADX messages are active simultaneously. The n value is the order of the message. All ADV or ADX messages SHALL terminate with one end-of-message. Video boundaries shall be MPEG-2 block boundaries, permitting a replacement program or reinsertion of the keyed over video by EAS crawl to be reinserted at the receiver. The two videos use the same PCR, but the use of the GOP SHALL be synchronized with each other. As an alternative source of audio and video is possible, but in a multiplex the selected PID or equivalent UDP or TCP Port for the audio is not identified, the data shall contain; <videoPID or equivalent UDP or TCP Port>

<videoPID or equivalent UDP or TCP Port=nnn>

</videoPID or equivalent UDP or TCP Port>

in the EDXL or CAP realm, or in the automation control to the EAS encoder/decoder. In the EAS+ format this becomes <videoPID or equivalent UDP or TCP Port=nnn>, and the language1 becomes Audio 1 and 2 on PID 0x1FFE or equivalent UDP or TCP Port and the language2 becomes Audio 3 and 4 on PID 0x1FFD or equivalent UDP or TCP Port, with PCR values matching the selected video PID or equivalent UDP or TCP Port. For surround sound, Dolby Digital may be used. Language3 may be audio 5 and 6 on PID 0x1FFB or equivalent UDP or TCP Port if used. Then the audio needs delayed playout for lipsync. Only one such insertion at a time per encoder/decoder is possible, So, traffic input to the automation system would be required to be keeping not only overlaps avoided, but Also, insert buffer times as playout times can vary, e.g. games run into overtime.

ADV operates in a similar manner, but the advertisement audio and video are

<videoPID or equivalent UDP or TCP Port>

<videoPID or equivalent UDP or TCP Port=

</videoPID or equivalent UDP or TCP Port>

in the EDXL or CAP realm, or in the automation control to the EAS encoder/decoder. In the EAS+ format this becomes <videoPID or equivalent UDP or TCP Port=*nnn*>, and the language1 becomes Audio 1 and 2 on PID 0x1FFE or equivalent UDP or TCP Port and the language2 becomes Audio 3 and 4 on PID 0x1FFD or equivalent UDP or TCP Port, with PCR values matching the selected video PID or equivalent UDP or TCP Port. For surround sound, Dolby Digital may be used. Language3 may be audio 5 and 6 on PID 0x1FFB or equivalent UDP or TCP Port if used. Then the audio needs delayed playout for lipsync. Only one such insertion at a time per encoder/decoder is possible, So, traffic input to the automation system would be required to be keeping not only overlaps avoided, but Also, insert buffer times as playout times can vary, e.g. games run into overtime. ADV operates in a similar manner, but the advertisement audio and video are inserted in the program stream, with the secondary stream containing normal program content. So, the selection criteria is reversed within the broadcast coverage area. This is different from MPEG splicing. It adds to the receiver decoder cost, So, there needs to be an incentive for this to be acceptable. There are two incentives for this, EAS+ and advertising. The initial implementation may not incorporate this capability. . For HD Radio, ADV is program/default advertising on the analog signal and the alternate on HD1. ADX is for the program/default advertising on HD2 (if available) with the alternate on HD3 (if not assigned to program), or in the case of Weather Radio on HD3, then the alternate advertising may be placed there if agreed to. In addition, the HD3 Weather Radio program is subject to being switched to the analog signal IF an alert is transmitted AND the force tune to analog code is transmitted AND the selection criteria is applicable. If the selection is for First Responders (e.g. for exercise), the force tune code SHALL be applicable to cosumer receivers but NOT for First Responders receivers

The ADV and ADX priority settings in consumer receivers are ignored So, as to be not user adjustable. Also, two or three EAS+ messages may be active simultaneously to provide for multiple selection criteria with different languages. The first header T¹ SHALL apply to audio 1 and 2, the second T² to audio 3 and 4, the third T³ to audio 5 and 6. The first received end of message SHALL terminate all ADV and ADX, even if it is for a subsequently overriding other alert messages. See subsequent suggestion for usage with immersive sound as proposed for ATSC 3.0.

44) The CAE code may be ignored in an alarm clock radio, TV or cellphone when it is less than nine hours before the alarm set time. When alarm clock radios that have HD Radio or equivalent and are in standby, the station tuned to SHOULD be one that digitally transmits alerts if the user selected one is not. Reverting to the user selected station on alarm SHALL Also, be done. An indication of “0 EAS+” SHOULD be made to the user for such stations or if no stations are available prior to entering standby.

45) The EQE event code may be transmitted to a small polygon centered on the location N33.0001°, E120.0001°, which is off the coast of Los Angeles. Coverage selection criteria for messages shall include this location. This location shall be the default location of consumer electronics products, thereby such a message would inform the owners that they need to enter the actual location of the product for effective use. Also, system test messages may be transmitted to this location and So, checked easily.

46) About 5 minutes after an EQW is issued, an RWT should be issued from the same input to EAS, to the same area, as digital only. This is to initiate a QC process So, that the condition of the network is assessed after the earthquake and any steps appropriate may be initiated to ensure the network is available for the distribution of alerts which may be needed for secondary shocks or problems. This may be optionally triggered automatically by software, the default value being that it is turned on. The purpose of this being automatic is because it is anticipated that Emergency Managers are expected to be otherwise occupied at such times.

47) EQ0 is the finish of an earthquake alert sequence. EQ1 to EQ9 are the sequence of alerts and may be defined further by an octagonal shape or polygon. EQ0 to EQ9 SHALL NOT to be presented by alarm clock HD Radios when in the standby mode unless a user setting permits that. The default is not to present. Cellphones that are charging and 9 or less hours prior to an alarm set time SHALL NOT present EQ0 to EQ7 alerts unless a user setting permits that. The default is not to present. IF the user is able to change the duration, nine hours SHALL be the default value. While the sequence is numerical, values may be skipped and results that depended on reaching a particular value SHALL be triggered by the first value larger arriving if the selected value is skipped or the EQW code. While it may be considered to be of value to delay earthquake alerts through a cascade as provided for here, it should be remembered that consumer electronics is normally not on UPS power and that interruptions and outages of the electric power system caused at locations near the epicenter can propagate through the system at a speed approaching the speed of light. Therefore, alerting SHOULD be prompt, otherwise the alert may not be delivered before the device microcontrollers crash or the devices lose power.

48) VG1 to VG4 are for overlay graphics or video in a language that is not in the original video. Priority 1 is to get this started in sync with the program start. It is selected if such video is available for playout. Otherwise the content is digital black for zero data. The timeout for this is 3 hours which applies in case no end of message is sent. If an EAS message is to be transmitted, this mode SHALL send an end of message immediately, and SHOULD resume IF the content is still in the playlist. In combination with secondary audio for other languages already a developed technology, this improves dual language TV broadcasting. The digit value corresponds to the language definition in the header. The value of the original video language SHALL be contained in; <videoOriginalLanguage= $n=xxx$ > where n is the header language number and xxx is the ISO, language 3 letter code. This message SHOULD be re-transmitted after 5-minute intervals or a station break end, whichever comes sooner, until the end of message. One overlay graphics MAY be available at a time, though multiple language audio is. This depends on the video compressor having an added input above the extra one for one overlay. This may change with added overlay video on successive PIDs or equivalent UDP or TCP Port(s), in which case the form Vmn SHALL be used.

49) NFA, News Flash on TV SHALL be presented with a green background and MAY have a beep at the audio beginning EXCEPT that if the information is relating to an emergency the code NFE SHALL be used, THEN the background SHALL be orange and the audio on analog TV SHALL have the header in modem tones for QC logging. If it is legacy digital TV the SAP assigned PID or port SHALL carry the audio. If it is a new standard TV, the emergency audio PID or port SHALL carry the emergency audio and the SAP assigned PID or port SHALL carry the emergency audio in the SAP language If it is available. It would be dependent on the receiver captioning decoder circuitry if the broadcaster does not provide a separate character generator into the secondary video to the compression system. This is applicable to the 21st Century Video Accessibility Act (CVAA). The station puts the audio on emergency audio channels as languages are defined. On analog TV the SAP channel is used. On digital TV the remote MAY access this audio via an SAP button or other means that the public readily understands. The default for digital TV is that NFA audio SHALL be available when SAP or equivalent is selected and the on and off SHALL be available. For NFE audio on digital TV, the default SHALL be that it SHALL override program audio and that SAP or equivalent selection SHALL be the only other option.

50) Traffic advisory and traffic emergency (TFA and TRE) codes are provided for use in areas where the population density is low. Data transmission to navigation devices (e.g. Tomtom) may not be available, and EAS being in competition with private enterprise solutions is not proposed. Also, radio stations often provide verbal traffic reports. So, use of such messages, which are likely to be numerous, should be coordinated with other providers of such information. When the cause of the traffic disruption is under the responsibility of Emergency Management (e.g. terrorist activity) instead of the normal Police and Fire coordination, then use of such codes may be made in the interest of urgent mass alerting. These codes are digital, So, promoting the adoption of improved HD Radio navigation receivers is desirable. In countries where DAB, DAB+ or DMB are used, the notes concerning HD Radio SHOULD Also, apply to these systems. EAS data SHOULD have priority over such traffic congestion data.

51) Codes which SHALL NOT be implemented in consumer receivers are ONLY ABA, ASA, DMO, FRV (unless First Responder model), FIW (unless First Responder model), IE1, IIE, HIS, LAS, NMN, PCR (unless First Responder model), RFW, ROS (unless First Responder model), TSO, (unless First Responder model), TEO (unless First Responder model), TXB, TXF, TXO, TXP, ??A, ??E, ??S, ??W

52) Yellow YLW and Blue BLU Alerts are transmitted with the same number plate distribution as for AMBER or CAE Alerts. Yellow Alerts are for purposes such as hit and run suspects, murder and violent armed robbery suspects, gang wars and similar situations as determined by State, Tribal, Regional or Federal legislation. Blue Alerts are for when a suspect has injured or killed a law enforcement officer. Partial number plates with three or more beginning or end characters may be used IF the vehicle color is ALSO, identified. A color identification scheme SHALL be used. One approach to a standard is to define the chrominance phase angle range and relative luminance range on a vectorscope and waveform monitor. Another is using the CIE color space chart. The equivalence of the two SHALL be defined, this SHOULD be in terms of existing standards. This would be of assistance in traffic camera computer analysis comparison with human observer terminology.

53) “All Clear” statements SHALL use a light green background. These are for event codes FFS, HUS, HLS, CIS, DAS, EQ0, FAS, FRS, NUS, OLS, ROS, RRS, SLS, UTA.

54) RHT is a Required 6 min Test, which transmits the actual local time when transmitted as scheduled by the automation. This is a “heartbeat” message originating at the broadcaster EAS+ equipment. This enables the clock correction of receivers and Also, the selection of a different station when the EAS equipment is out of service or operating only in a basic mode. The RHT SHOULD include a string to assist in lipsync errors on TV;

<lipSync>

<L (A-V)=(+/-)nn (F/f)>

</lipSync>

Where *L* is the language number (1 for primary, 2 for SAP, etc.). *nn* is 0-99 (no leading 0), *F* is frames, *f* is fields for interlace. The value is data obtained from the air monitor receiver (QCMR) output video. Consumer TVs SHALL offset the PCR clock value used for audio to reduce lipsync to 0. The value SHALL be stored in non-volatile memory and used the next time the channel, PID or equivalent UDP or TCP Port and language is selected. The air monitor (QCMR) receiver SHALL NOT apply an offset to the audio PID or equivalent UDP or TCP Port PCR for decoding. The default value is +0. Lipsync on live service compression systems is an issue that is difficult and complex to address. While this is not a comprehensive solution, it adds a feedback loop to make some improvement. SMPTE and some others are working on this.

A method to monitor lipsync is for the video switcher to have a GPO that outputs a pulse whenever a scene change is made. The pulse gates a burst of 18 kHz audio mixed on to the Left audio signal. At the receiver output the Left audio is filtered by an 18 kHz narrowpass filter and the waveform monitored and compared with the video waveform changes. The timing difference (less the measured offset at source) is the lipsync error.

The message MAY include the string as below;

Callsign N/SLat E/WLong, HH:MM, Callsign N/SLat E/WLong Frequency,
(Callsign N/SLat E/WLong Frequency MAY be repeated IF the listed callsigns have a similar heartbeat signal). If there is no decimal point, the last digit of latitude or longitude SHALL be taken as the 0.1 degree digit. This string is to enable a receiver to automatically tune to a similar station as the signal from the current one fades and another becomes received as the driver moves from one reception area to another. HD Radio callsign for FM is normally the HD1 to select, but HD2 or HD3 callsigns MAY be used.

55) FLH, FLX, HUH, HUX are expected to be available from NOAA in 2015, though public distribution is not yet announced. TSH and TSX are maps that are difficult to calculate and the time frame is much shorter. These two codes are placeholders pending such capability. Also, as the limitation of data may mean that simplification is required, and that AM HD Radio is inadequate for this purpose. Also, many newer vehicles have stubby antennas which are usually poor at receiving AM broadcasts. VHF Weather Radio may use IBOC as a data transmission capability. The data rate may be higher than for FM HD Radio. (NOAA has made no comment regarding such a development, and may not do so, before a broadcast implementation has resulted in the availability of receivers that can take advantage of this)

56) If a Watch or Advisory for an event code (--A) is awaiting transmission and a Warning event code (--W) is received for the same region (PSSCCCXXX), then the Watch SHALL be deleted.

57) Except for priority 1 and required alerts (R-T), any alert MAY be selected to be transmitted in the digital only mode by the broadcaster. The default value SHALL be non-digital where this is specified in the event code table. Also, any digital only mode alerts MAY be selected to be transmitted in the analog mode This SHOULD be changed in accordance with the State Plan, with the exception of the U.S.A. where the FCC Rules have legal precedence. The selection of the digital only mode SHALL require that the operator be advised of this and asked "Are You Sure Y/N". The State Plan SHALL take into consideration the capabilities of the receiver population.

58) *Enn*, *Mnn* are countdown triggers in the receiver. The value 00 is a timer reset. The values 01-09 are seconds of countdown start value. The value 10 SHALL NOT be used. Values 11-99 SHALL have the tens reduced by 1 and the resulting value multiplied by 10. This gives a maximum of 980 seconds. The timer SHALL reset at 985 seconds or receipt of an E00 or EQ0 message. Receipt of an *Enn* or *Mnn* message for the selected receiver SHALL start the timer and output the countdown, beginning with the word "EARTHQUAKE" or "MISSILE" at the start and every 10 seconds UNLESS the timer is already running for a previously received *Enn* or *Mnn* message. Polygon area selection SHOULD be as an octagonal shape. It will be possible to have a series of alerts for a central octagon followed by wider octagonal shape rings with the delivery timed for the predicted arrival of the missile or earthquake. Other languages than English MAY Also, be provided

An S-wave propagates at from 2 to 8 km/s. So, in 980 seconds, an S-wave would travel from 1960 to 7780 km. An R-wave propagates at from 50 to 300 m/s. So, in 980 seconds it would travel from 49 to 294 km. Assuming the alerting is based on S-wave arrival at the slowest velocity, an alert of this type would be limited to 1960 km maximum range. This is greater than the diagonal distance of California NW to SE (1375 km). It Also, is possible to cross state borders, So, adjacent states may need to be alerted. If areas outside of the maximum range are to be alerted, subsequent alerts using polygons or FIPS codes or State Sectors may be appropriate. State Sectors are using the P sector method applied to the whole State code. These would need to be defined by the SEMO and SECC. As the waves propagate, subsequent seismometer detections can provide data to more correctly measure the velocity of propagation and the magnitude. That data could be applied to modify the subsequent alert transmissions. Extending a laboratory test system to process such data is possible after the basics are tested and should be implemented before such software is applied in the field. These complexities should be explained in public educational material, but the alerting should be kept simple. Using a countdown is expected to be understood, but the possible arrival sometime after zero, or even a few seconds before, should be included.

59) The code SFW may be triggered by a stellar flare, solar coronal mass ejection causing a Carrington event, or an electromagnetic pulse (EMP). However, as EMP travels at the speed of light in space or air, a precursor event could be used as a trigger. This could be the launch of an ICBM or a reversal of the earth's magnetic field for example. Such an alert is of value in adopting hardening measures such as switching to locally generated power.

60) The code PGM is for normal TV program content. For digital TV this MAY be used for some metadata. The priority 10 means that it has a priority of 1, but it SHALL ONLY be distributed accompanying the program content as is priority 0. A) It is to provide a map of the language assigned to either AES audio channel(s) if stereo in the manner described for ADV or ADX. B) It is to provide audio object group assignment for the corresponding alerting language selection to the language in the manner described for immersive audio in Section III. C) It MAY contain a lipsync offset XML section as described in note 54 for RHT. If used, this message SHALL be sent at the beginning of each program segment and MAY be transmitted at other intervals within the segment e.g. every minute. If sent, the RHT becomes unnecessary for another hour. The purpose of this is to enable a method of assigning audio channel(s) or object groups to languages So, user selected language is possible in receivers. In multilingual regions, program content may be sent to broadcasters in other language areas and the channel(s) or object group assignment may be not agreed to So, as to enable a reassignment matrix to be set. Such a matrix would then need switching between advertising and program, which is an operational difficulty that is preferably avoided. If languages selected by the user are unavailable, then the language selected by the receiver MAY be that determined in the manner described elsewhere in this specification, or that of the primary language of the broadcaster as they may determine, e.g. with an assignment matrix. The use of multilingual closed captioning is a separate matter. IPA characters SHALL be provided for in closed captioning specifications and implementations. Bitmap captioning systems such as Teletext SHOULD be phased out as they do not contain characters which could be used for translation systems. The Certainty bit usage is reassigned as follows;

000 No language assignment in EAS+, use other method if defined

001 EAS+ language assignment SHALL be applied

010 Other language assignment SHALL be applied if defined

011 Other language assignment SHALL be applied IF defined AND data present, Otherwise EAS+ language assignment SHALL be applied.

100 to 111 reserved

The timing of the EAS+ message and processing time SHALL be tested So, as to synchronize the audio progressing with the start of program content.

The metadata workflow of EIA-708 OR future captioning in terms of data stream and language assignment for viewer selection SHOULD be coordinated with the audio selection, and Also, with the source file or feed language metadata. The standards definition of this is currently unknown. In order to map the language for a viewer who has just selected the channel, the PGM message SHALL repeat at periodic intervals until the end of PGM message. The default period SHALL be 4 seconds. This SHALL be suspended during other messages or alerts. As the ADV, ADX and PGM message endings differ as described in audioDuration, an alert or statement message may Also, be transmitted simultaneously as different audio channels or objects are used for PGM. This MAY not be the case for ADV or ADX. The PSSCCCXXX, TTTT, Urgency, Severity codes are irrelevant to PGM usage, but although PSSCCCXXX SHOULD be set to the local state, the ORG SHOULD be the local broadcaster unless a feed from another source with a valid identifier is received. The others SHALL be set to the default EAS required values. If PSSCCCXXX is NOT the local state, receivers SHALL accept the PGM message as many broadcasters transmit to multiple states, and sometimes other countries.

The emergency message use of captioning makes it desirable to be able to scroll the message back down So, as to be able to review it, which EIA-708 presently does not do. The likely interface for this is to use the up and down cursor buttons on a remote. Scrolling up SHOULD result in no captioning displayed for blank line(s). This is an ODIC request. Also, note that in the ASCIIchart document are some other captioning extensions, particularly for displaying music and songs for optional singing along.

61) The code EDQ is for encrypted EDXL-DE files, and only to be transmitted with agreement with the broadcaster. Higher bit rates may be supported in such an agreement.

62) The code VOn is to be usage determined by nation. New Zealand is currently using this designation. VO0 should be a reset, and if VOO is entered, it shall be converted to VO0.

63) The transmitter control codes (except TXQ) are used by NOAA Weather Radio, and MAY be used in an EAS system IF there is a Memorandum Of Understanding between specific Emergency Management Offices and specific broadcast companies regarding specific transmitters. All messages SHALL result in a Transmitter Status Report back. TXQ makes no changes to the transmitter operation. Also, the State Plan SHOULD have a record of these agreements. These messages may be delivered via IPAWS or Digital Daisy Mesh. If the message is to be forwarded to a station downstream via Digital Daisy Mesh, it is retransmitted. If the message is for the station receiving the message, and via IPAWS CAP message, the responses are via internet only by default, the method to be defined. If the message is for the station receiving the message, and via Digital Daisy Mesh, the responses are transmitted the internet if possible, and Also, broadcast digitally. A monitoring or QC receiver SHALL attempt to relay the response back to the source, and this configuration needs implementing and testing. Testing of this function should be made every six months. As STL/TSL and transmitter monitoring system designs vary considerably, it may not be worthwhile to define a standard interface to the EAS Encoder/Decoder.

64) Enhanced Fujita Scale (EF Scale) of Alabama Tornadoes on April 27 as an example.

EF Scale	Estimated Top Wind Speed	
EF-0	65-85 mph	
EF-1	86-110 mph	

EF-2	111-135 mph	
EF-3	136-165 mph	
EF-4	166-200 mph	
EF-5	More than 200 mph	
Source: TRAC citing NWS, p. 14		

65) Binary is not permitted. It may include ASCII control codes. Intel Hex format by default is not permitted, and if received, SHALL be ignored Unless the permission is manually, with user password, enabled at the encoder and the decoder/receiver. When the message is received, the permission SHALL revert to disabled. A filename SHALL be specified.

66) Qxx and nnn codes added. Q codes are defined by the ICAO for aviation, MMS, the Maritime Mobile Service and ITU-R. ARRL use a variation for the QNx range. nnn may be 10- or other, with the last 3 digits used, except that a leading zero is added if there is only one digit after the -.

67) The European Meteoalarm (www.meteoalarm.org) schema does not distinguish between severity and certainty. An explanation is under that topic, and under the Severity and Certainty code assignment. When there is no alert for an area, this can be transmitted after an alert message, and otherwise at an interval to be determined by the usage technology. EventCode NON is used with severity code 111.

68) Digital only in HD Radio means that the force tune to analog is activated, HD1 stream carries the alert, not analog. Receivers that are selected for the alert switch to HD1. This means that legacy HD Receivers that have selected HD2 or HD3 will receive the analog signal rather than their selected stream. This is expected to be an inconvenience that is infrequent. This is a detail that can be used to promote sales of new receivers with this improved alerting feature. OR the force tune is not activated and the highest FM HD channel is used for NOAA Weather Radio and the audio overrides the Weather Radio audio. In this case the eventCode middle character is a lower-case version of the letter. For numeric middle character, e.g. Enn or Mnn the country code SHALL select whether the digital only of which codes are used. The countries using this for HD Radio SHALL BE limited to; Israel, South Korea, U.S.A unless this is amended.

69) The alerting for WFW Wildfires and FOW Fire Forest Warning, are an alerting problem because the region may be remote and have few roads. So, an alert that is for many people that are not affected, it would result in evacuee road traffic that would be a serious impediment for firefighting and other emergency vehicles. When Emergency Managers have no precise understanding of WEA coverage anticipated, and the current EAS having no location selectivity, neither method may be used, which has resulted in fatalities because of the limitations of other means. The use of Digital Only for Television and DAB, DAB+, DMB and DRM is recommended when these concerns are applicable. Therefor the policy needs determination on a regional basis for the alerting application, and appropriate additional software.

70) The outdoors fire condition MAY correspond to signs that have an indication as follows;

EEE EVENT CODE	eveCode	
FCS (FW0 to FX3)	fireCondOK	
FRS (FW4 to FX5)	fireAdvisory	

	FMA (FW6 to FX6)	fireWeather	
	FHA (FW7 to FX7)	fireBan	
	FRA (FW8 to FX8)	fireDangLvl	
	FXA (FW9 to FX9)	TotalFireBan	
	FW n (see above)	KJS below where n is tens	
1	FX n (see above)	KJS below where n is tens add 5.	
2	Below is Korea-Japan Switzerland		



4

5 71) SQW is recently added by NOAA Weather Radio. Previous versions of this had WSQ as the code.

72) Travel and Lockdown levels
travel level 1 - Exercise Normal Precautions

U.S. State Department Travel Levels
This is the lowest advisory level for
safety and security risk.

travel level 2 – Exercise Increased Caution



travel level 3 – Reconsider Travel

Be aware of heightened risks to safety and security. The U.S. Department of State provides additional advice for travelers in these areas in the Travel Advisory.

travel level 4 – Do Not Travel

Avoid travel due to serious risks to safety and security. The U.S. Department of State provides additional advice for travelers in these areas in the Travel Advisory.

travel level 5 – Travel Not Permitted

This is the highest advisory level
This may be an action taken by a
particular country, or appropriate
authority in the U.S. and is not a
U.S. State Department decision.
For example Pandemic
Lockdown/Curfew or ATCO (Air
Traffic Control 0 with no flights).

This is the highest U.S. State Department advisory level due to greater likelihood of life-threatening risks. During an emergency, the U.S. government may have very limited ability to provide assistance. The U.S. Department of State advises that U.S. citizens not travel to the country or leave as soon as it is safe to do so. The U.S. Department of State provides additional advice for travelers in these areas in the Travel Advisory.

73) The characters I (uppercase i), l (lowercase L) and 1 (number 1) may be confused. This is more of a problem when the language or context is when the stress of an emergency situation make reading more difficult. Therefore, to address this, the number 1 SHALL be depicted basically lowercase "l" situation SHOULD be addressed by the use of fonts as follows;- l **Bahnschrift l condensed l light l l condensed l semilightcond l semilightsemicond**, l **Biz UD Gothic l Biz UDP Gothic**, l *Bradley Hand*, l *Cavalo* *PCLite l ProLite*, l *DejaVu Sans Mono*, l *Euphemia*, l *Gabriola*, l *Gisha*, l *Leelawadee*, l **Source Sans Pro Black l Source Sans Pro Semibold**, l *Speak Pro*, l **THE SERIF HAND EXTRABLACK**, l *Trebuc* in the number of fonts that can be loaded to perhaps half of those available. The Lexer shape currently. This may change.

74) The Seismometer Code for the first seismometer indicating an EQW event, which may be part of a sequence of alerts is indicated as e.g. <seismoCode=EEWnnnn> or e.g. <seismoCode=SWSnnnn>, This is to enable multiple seismometer networks to contribute to overall warning distribution on multiple networks, and to thus easily recognize alerts they contribute and avoid messages as echos.

7 **Pix or graphics**

This is work in progress from
the U.S. and WMO.

8

9

Public Alert and Warning Symbols

The graphics below may not be the best resolut

10

Blizzard Warning



11

Child Abduction Emergency



12

Civil Emergency Message



13

Dust Storm Warning, Sand Storm Warning




14









Presidential Emergency Alert Notification




15

Earthquake Warning



Fire Warning	
Flash Flood Warning	
Hurricane Warning	
Law Enforcement Warning	
Nuclear Power Plant Warning	
Radiological Hazard Warning	
Shelter In-Place Warning	
Tornado Warning	

Avalanche Warning



European Meteoalarm Codes

Green	Is your chosen area coloured green? Then there's nothing to worry about.
Yellow	Yellow means potential danger. The weather is unlikely to be really abnormal but care is advised for activities that are dependent on the weather. Keep a check on the weather forecasts and avoid unnecessary risks.
Orange	Orange means danger. There is a forecast of severe weather that is very likely to cause accidents. Be careful and keep abreast of the latest warnings and developments in the weather. Keep in mind the risks, which may be unavoidable. Take heed of all advice given by the authorities.
Red	Red means extreme danger from exceptionally severe weather. Major damage and accidents are likely, in many cases with threat to life and limb over a wide area. Pay constant attention to weather bulletins on developments and to warnings, and obey the instructions and advice given by the authorities under all circumstances, which may include evacuation or other measures.

Assign Green to 0 to 5% probability and negligible severity, Yellow to moderate severity and 5 to 30% probability, Orange to severe severity and 30 to 60% probability, Red to extreme in the severity code and greater than 60% probability. Unknown may be also assigned as white or transparent. See Certainty, Severity and Note 61 for further details.

200

Damages - Warnings

201

	Damage / Impact	
Green	---	
Yellow	exposed objects (avoidable)	
Orange	general damages (not avoidable)	
Red	extreme damage and /or casualties extreme damage (mostly) on large areas, threatening life and properties (not avoidable, even in otherwise safe places)	

202

203

204



205 Flood, use eventCode FFW, FLW, FVW or others

Flood, FLA, FLS, FLW, FVW, SSA, SSW



Coastal Flood

CFA, CFW, SSA, SSW



206 Rainstorm with flood, use FLW

Hazardous weather, HWS, HWO, SCW, SPA, SPS, SVS



207 **Volcano**


VOW

208



Rain, use RAA or RAn

209



LSA, LSW (Avalanche danger, use
AVA, AVW?)

210



Lightning, Thunderstorm, use ALW,
ATW, SVA, SVR



211

Subsidence

SHA



High Wind, use EWW, HWA, HWW



Oil Spill

212



213



OLS, OLW

High Temperature, use THE, THE, TEM, TEU
Cold temperature, use FZW, TEA,
TEC, FHW, FSW, FZW, SPL, TEF,
TEW

Snowstorm, use BSW or BZW

Wildfire, use WOW or WFW, FCS,
FRS, FMA, FHA, FRA, FXA, RFA



Drought



Icy conditions? Use ICW, ICS, IBW,
ILA, IPA, ISA
Ocean storm use HAS, HGS, HUW,
SLL, SSW, WSW, TRA, TRW, SMW,
CFW.

DRA

For tsunami, use TSW, TSA.



HEA, HEB, HEF, HQW, HEH

The following Event (EEE) codes
are presently U.S. authorized:

EEE is reserved

Nature of activation	Event codes
National Codes (Required):	
Emergency Action Notification (National only)	EAN.
National Information Center	NIC
National Periodic Test	NPT.
Required Monthly Test	RMT.
Required Weekly Test	RWT.
State and Local Codes (Optional):	
Administrative Message	ADR.

Avalanche Warning	AVW.
Avalanche Watch	AVA.
Blizzard Warning	BZW.
Child Abduction Emergency	CAE.
Civil Danger Warning	CDW.
Civil Emergency Message	CEM.
Coastal Flood Warning	CFW.
Coastal Flood Watch	CFA.
Dust Storm Warning	DSW.
Earthquake Warning	EQW.
Evacuation Immediate	EVI.
Extreme Wind Warning	EWV.
Fire Warning	FRW.
Flash Flood Warning	FFW.
Flash Flood Watch	FFA.

Flash Flood Statement	FFS.
Flood Warning	FLW.
Flood Watch	FLA.
Flood Statement	FLS.
Hazardous Materials Warning	HMW.
High Wind Warning	HWW.
High Wind Watch	HWA.
Hurricane Warning	HUW.
Hurricane Watch	HUA.
Hurricane Statement	HLS.
Law Enforcement Warning	LEW.
Local Area Emergency	LAE.
Network Message Notification	NMN.
911 Telephone Outage Emergency	TOE.
Nuclear Power Plant Warning	NUW.
Practice/Demo Warning	DMO.
Radiological Hazard Warning	RHW.
Severe Thunderstorm Warning	SVR.

Severe Thunderstorm Watch	SVA.
Severe Weather Statement	SVS.
Shelter in Place Warning	SPW
Special Marine Warning	SMW.
Special Weather Statement	SPS.
Storm Surge Watch	SSA.
Storm Surge Warning	SSW.
Tornado Warning	TOR.
Tornado Watch	TOA.
Tropical Storm Warning	TRW.
Tropical Storm Watch	TRA.
Tsunami Warning	TSW.
Tsunami Watch	TSA.
Volcano Warning	VOW.

Winter Storm Warning	WSW.
Winter Storm Watch	WSA.

Warning, Watch, Advis*, Statement			
	This is for OASIS-open.org Intellectual Property. Not for reproduction without permission. Use of n is a number, usually a single digit. Use For.	Related Terms	CAP Category EEE Code, SAME Event Code

tion back to English as part of acceptance.. (B?) is Bing translate difference. (F?) is Franklin Explorer differences. (G?) is Google Translate differenc

File Transmission	Other	nnn	numnnn
	Other	FLX	FLX

File Transmission	Other	FLH	FLH
File Transmission	Other	HUH	HUH
File Transmission	Other	HUX	HUX
File Transmission	Other	TSX	TSX
File Transmission	Other	TSH	TSH
	Other	ADV	
	Other	ADX	
File Transmission	Other	CAP	CAP

File Transmission	Other	DXF	DXF
File Transmission	Other	EDX	EDX
File Transmission	Other	EDV	EDV
File Transmission	Other	SHP	SHP
File Transmission	Other	IE1	IE1
File Transmission	Other	I1E	I1E
File Transmission	Other	HIS	HIS
File Transmission	Other	JPG	JPG
File Transmission	Other	MPG	MPG

File Transmission	Other	MP4	MP4
File Transmission	Other	MPH	MPH
odp File Transmission	Other	ODP	ODP
odf File Transmission	Other	ODT	ODT
ods File Transmission	Other	ODS	ODS
odg File Transmission	Other	ODG	ODG
other	Other	OTF	other
<i>otherUrgent</i>	Other	URG	<i>otherUrgent</i>

no macros or web active

Other PDF PDF

Program metadata

Other PGM PGM

Queries or notes

Other Qxx Qxx

File Transmission

Other RTF RTF

File Transmission

Other TSO TSO

File Transmission

Other TEO TEO

Other TXB TXB

Other TXF TXF

File Transmission	Other	TXO	TXO
	Other	TXP	TXP
	Other	TXQ	TXQ
	Other	TXR	TXR
	Other	TXT	TXT
File Transmission	Other	VG1	VG1
File Transmission	Other	VG2	VG2
File Transmission	Other	VG3	VG3

File Transmission

Other VG4 [VG4](#)

File Transmission

Other *Vmn* [Vmn](#)

File Transmission

Other WAV [WAV](#)

File Transmission

Other HEX [HEX](#)

Quantity	Expressed in terms of	Expressed in terms of	Expressed in terms of other SI units
angle		$\text{m} \cdot \text{m}^{-1}$	
solid angle			
frequency		s^{-1}	
force , weight			
pressure , stress	N/m^2		N/m^2
energy , work , heat			$\text{N} \cdot \text{m}$
power , radiant flux			J/s
electric charge or quantity of electricity			
voltage (electrical potential difference), electromotive force			W/A
electric capacitance			C/V
electric resistance , impedance , reactance			V/A
electrical conductance			A/V
magnetic flux			$\text{V} \cdot \text{s}$
magnetic field strength			Wb/m^2

inductance
temperature relative to 273.15 K
luminous flux
illuminance
radioactivity (decays per unit time)
catalytic activity
0 or 1 data
8 bits of data

Wb/A
cd·sr
lm/m ²

[Natural number e](#)

[A U.S. measure
approximately 1 km.](#)

e alternate
to decimal point
on components

da

1

E exponent

on scientific

calculator

deca
DA

hecto
h

10 10²

deci

centi

10⁻¹

10⁻²

FFW

FLW

DBW "Dam Break" warning

FVW/

TSW

TSA "tsunami" advisory, over 1 hour"

VOW

VAW/

VLW/

FRW

WOW/

WFW

FBW/

WBW/

WGW/

FXA/

FRA

FHA/

FMA/

FRS

EQS/

ABW

RCA

CHW

HMA/

RHA/

RHW

NUW

EXW/

SHW

HMW

ROS

$\cdot nnn >$

Number of tornadoes	
	6
	30

	8
	9
	7
	2

Color	ASEAN	New Zealand	Canada	USA HDW WFAS
Green	Blue	Green	Blue 0-5	0-50 Green
Green/Yellow stripe (Lt.Grn)		Blue	Green 5-10	50-100 Lt.Green

Yellow	Green	Yellow	Yellow 10-20	100-150 Yellow
Yellow/Orange stripe (Mustard)	Yellow	Orange	Orange 20-30	150-200 Mustard
Orange				200-300 Orange
Red	Red	Red	Red >30	>300 Red
Backgroud			gray	white
color below				



New Zealand Levels, one value less equivalent.

Alert level one: Prepare

This level applies when COVID-19 is present in New Zealand but contained. Before Saturday, New Zealand was at this phase due to the risk of importing the illness and sporadic cases popping up. There was also a few cases of transmission within households. In response, some border measures were introduced, contact tracing began, self-isolation for the infected and their close contacts was required, and limits were put on mass gatherings. The public was also encouraged to consider how they were limiting their exposure through physical distancing and to stay home if they began to feel unwell. Key messages began to be frequently communicated, including to wash hands, cough into elbows and don't

Alert level two: Reduce - New Zealand's current level

New Zealand moved to this level of Saturday after authorities deemed the likelihood of new cases being recorded as high. There has been an increase in imported cases and cases transmitted within households. This suggests that COVID-19 is contained, but the risk of community transmission is growing. Currently, there is no confirmation of community transmission in New Zealand, however, two cases don't have clear links to overseas travel and investigations remain underway. Under this level, border measures have been increased and more restrictions have been put on mass gatherings. Authorities are now calling for greater physical distancing on public transport, limiting non-essential travel around the country, employers start implementing new ways of working, such as remote working, businesses activate their continuity plans, and vulnerable people, including those over 70, stay at home.

Alert level three: Restrict

This is the next level that could apply to New Zealanders. It would come into effect if authorities believed that there was a heightened risk that the illness is no longer contained. This could mean that community transmission is evident or that multiple clusters of COVID-19 break out. Those regions or centres with clear clusters or community transmission could have their travel limited, public venues and affected educational institutes would be closed, mass gatherings would be banned, and alternative ways of working would be required with some non-essential businesses closed. Changes would also be introduced within the health system. For example, primary care consultations would no longer be face-to-face, while elective services and procedures would be deferred to allow for healthcare staff to be freed up.

Alert level four: Eliminate

This is the top-level and would be activated if it is "likely" COVID-19 is not contained nationally or at a local level. There would have to be intensive and sustained transmission with widespread outbreaks. Under this level, people would need to stay at home, all educational facilities and non-essential businesses closed, supplies would be rationed, facilities would be requisitioned, travel would be severely limited and all healthcare services would be reprioritised.

do not indicate which character is to be used. This is also important in an emergency as resembling "1". The confusion with 7 in handwriting is addressed elsewhere. The

. lsemicond l semibold l semiboldcon l semicond l semilight l
ni, l Chiller l Colonna MT, l CurZMT, l Daytona l Procond l
Magneto, l Matura M7 Script, l Source Sans Pro l

thet MS and perhaps others. Note. Word 360 is limited
nd font is designed for readability, but lacks the l

ion available

BZW, WSA, WSW

CAE

CDE, CDW, CEM, CIS

1. Group 2 Alerts – General Warnings

SAW, DSW

EAN, EAT, NIC, NIE,
Mnn, MSW, NFA, NFE,
NEO

EQW, *Enn*, EQn, EQE, EQS

IW, FBW,
WFA, SUW



DBA, DBW

Flash Flood

HLS, HUA, HUS, HUW, ,
HUn HXW



Cyclone

BLU, CAN, CHA, CRA,
CVA, CUW, LEE, LEW



Nuclear

NUS, NUW, NUn

RHS, RHA, RHW

SPE, SPW

TOA, TOR, Ton, TWW

AVA, AVW

called for in l warnings
damage or weather. authorities.
ents are n to by the



What to do?	Used how often? (per approx. 300 kkm ²)		Meteo Thresholds Rain area related + Damage related	
Usual phenomena				
Caution with exposed activities	> 30 per year		> 30 mm/12h	
keep informed in detail, follow advice of authorities	1 to 30 per year		> 54 mm/12h	
follow order of authorities under all circumstances be prepared for extraordinary measures	less than 1 year for large (5000km ²) scale phenomena		> 80 mm/12h	



River Flood



Landslide



Forest Fire

Canadian Event Code	Australian Event Code	Arabic مصطلح واسع النطاق	مصطلح ضيق	استخدام Chinese 广义术语狭义术语 用于	Dutch Bre
Code	Added Code				

es. (W?) is Word translate differences.

تنسيق ملف	رموز الأرقام	نقل الملف	文件格式	编号代码	文件传输	Bestandsir nummer co
تنسيق ملف	خريطة الفيضانات DXF	ملف	نقل الملف	文件格式	洪水映射 DXF 文件传输	Bestandsir Flood kaar

تنسيق ملف	ملف مخطط SHP الفيضانات	نقل الملف	洪水地图小水电文件传输	Bestandsir Overstrom
-----------	------------------------	-----------	-------------	----------------------

تنسيق ملف	إعصار غمر SHP خريطة	نقل الملف	飓风淹没小水电文件传输	Bestandsir Orkaan inl
-----------	---------------------	-----------	-------------	-----------------------

تنسيق ملف	خريطة DXF غمر الإعصار	نقل الملف	飓风淹没 DXF 文件传输	Bestandsir Orkaan inl
-----------	-----------------------	-----------	---------------	-----------------------

تنسيق ملف	خريطة DXF تسونامي	نقل الملف	海啸 DXF 地图 文件传输	Bestandsir Tsunami D
-----------	-------------------	-----------	----------------	----------------------

تنسيق ملف	خريطة تسونامي SHP	نقل الملف	海啸小水电地图文件传输	Bestandsir Tsunami SI
-----------	-------------------	-----------	-------------	-----------------------

تنسيق ملف	الإعلان (إذا سمح)	نقل الملف	广告 (如果允许)	Bestandsir Advertenti
-----------	-------------------	-----------	-----------	-----------------------

تنسيق ملف	إعلانات مختارة	نقل الملف	广告选择	Bestandsir Advertenti
-----------	----------------	-----------	------	-----------------------

تنسيق ملف	بث كاب CAP	نقل الملف	CAP 盖帽广播 文件传输	Bestandsir CAP uitzien
-----------	------------	-----------	---------------	------------------------

تنسيق ملف	ملف DXF أو كندي أو خريطة CAD	نقل الملف	DXF 文件、CAD 文件传输	Bestandsir DXF-bestai
تنسيق ملف	ملف ادكسل دي EDXL-DE	نقل الملف	EDXL-DE 文件 文件传输	Bestandsir EDXL-DE fi
تنسيق ملف	ملف دي ادكسل، DTV فقط EDXL-DE	نقل الملف	EDXL-DE 文件, 文件传输	Bestandsir EDXL-DE fi
تنسيق ملف	ملف SHP المعلومات الجغرافية	نقل الملف	地理信息小水文件传输	Bestandsir Geografisc
تنسيق ملف		نقل الملف	IEEE 1512 文件传输	Bestandsir IEEE 1512
تنسيق ملف		نقل الملف	IEEE 1512 in 文件传输	Bestandsir EDXL-DE
تنسيق ملف		نقل الملف	智能公路标志	Bestandsir Intelligente
تنسيق ملف	JPG 文件	نقل الملف	JPG 文件 文件传输	Bestandsir JPG-bestar
تنسيق ملف	MPEG-2 file (+mono audio)	نقل الملف	MPEG-2 文件 (+ 文件传输	Bestandsir MPEG-2 bc

MPEG-4 file (+mono audio)	文件格式
تنسيق ملف	نقل الملف
	MPEG-4 文件 (+ 文件传输 Bestandsir MPEG-4-bi

MPEG-4+HEVC	文件格式
تنسيق ملف	نقل الملف
	文件传输 Bestandsir MPEG-4+H

odp File Transmiss	文件格式
تنسيق ملف	عرض مستند مفتوح ion
	打开文档演示文odp 总干事Bestandsir Open Docu

odf File Transmiss	文件格式
تنسيق ملف	نص المستند المفتوح ion
	打开文档文本 odf 总干事Bestandsir Open docu

ods File Transmiss	文件格式
تنسيق ملف	فتح مستند جدول بيانات ion
	打开文档电子表ods 总干事Bestandsir Open Docu

odg File Transmiss	文件格式
تنسيق ملف	رسومات مستند مفتوح ion
	打开文档图形 odg 总干事Bestandsir Open Docu

	文件格式
تنسيق ملف	الأخرى
	其他 Bestandsir Andere

	文件格式
تنسيق ملف	الأخرى، والعاجلة
	其他紧急 Bestandsir Andere, dr

PDF	تنسيق ملف	لا يوجد وحدات الماكرو أو ويب نشط	PDF 文件	没有宏或	Bestandsir PDF-bestai
	تنسيق ملف	برنامج بيانات التعريف البرنامج	程序	程序元数据	Bestandsir Programm
Q codes ICAO/MMS/ITU-R	تنسيق ملف	الاستفسارات أو الملاحظات	Q codes ICAO/M	查询或备注	Bestandsir Q codes IC
RTF	تنسيق ملف	نقل الملف نص منسق، RTF	rtf 文本	文件传输	Bestandsir RTF-indelir
Tactical Situation Object, TSO	تنسيق ملف	نقل الملف	Tactical Situation	文件传输	Bestandsir Tactische s
TSO in EDXL-DE	تنسيق ملف	نقل الملف	TSO in EDXL-DE	文件传输	Bestandsir TSO in EDX
	تنسيق ملف				Bestandsir Zender bac
	تنسيق ملف				Bestandsir Zender ver

تنسيق ملف	文件格式	Bestandsir Zender ver
تنسيق ملف	文件格式	Bestandsir Zender prii
تنسيق ملف	文件格式	Bestandsir Zender Sta
تنسيق ملف	文件格式	Bestandsir Aanleiding
تنسيق ملف	نقل الملف نص، ملف TXT (أيضا RTF)	Text, TXT file (al: 文件传输 Bestandsir Tekst, TXT-
تنسيق ملف	نقل الملف لغة الفيديو/الرسومات 1	视频/图形语言: 文件传输 Bestandsir Videokaart
تنسيق ملف	نقل الملف لغة الفيديو/الرسومات 2	视频/图形语言: 文件传输 Bestandsir Videokaart
تنسيق ملف	نقل الملف لغة الفيديو/الرسومات 3	视频/图形语言: 文件传输 Bestandsir Videokaart

文件格式

تنسيق ملف

4 لغة الفيديو/الرسومات

نقل الملف

视频/图形语言/文件传输 Bestandsir Videokaart

文件格式

تنسيق ملف

میدو لغه مینیسوتا *mn*

نقل الملف

视频语言锰 *mn* 文件传输 Bestandsir Video taal-

文件格式

تنسيق ملف

ملف WAV

نقل الملف

WAV 文件

文件传输

Bestandsir WAV-besta

文件格式

تنسيق ملف

نقل الملف

Intel Hex

文件传输

Intel Hex

Expressed in terms of SI base units

$$\text{m} \cdot \text{m}^{-1}$$

$$\text{m}^2 \cdot \text{m}^{-2}$$

$$\text{s}^{-1}$$

$$\text{kg}\cdot\text{m}\cdot\text{s}^{-2}$$

$$\text{kg}\cdot\text{m}^{-1}\cdot\text{s}^{-2}$$

$$\text{kg}\cdot\text{m}^2\cdot\text{s}^{-2}$$

$$\text{kg}\cdot\text{m}^2\cdot\text{s}^{-3}$$

$$\text{s}\cdot\text{A}$$

$$\text{kg}\cdot\text{m}^2\cdot\text{s}^{-3}\cdot\text{A}^{-1}$$

$$\text{kg}^{-1}\cdot\text{m}^{-2}\cdot\text{s}^4\cdot\text{A}^2$$

$$\text{kg}\cdot\text{m}^2\cdot\text{s}^{-3}\cdot\text{A}^{-2}$$

$$\text{kg}^{-1}\cdot\text{m}^{-2}\cdot\text{s}^3\cdot\text{A}^2$$

$$\text{kg}\cdot\text{m}^2\cdot\text{s}^{-2}\cdot\text{A}^{-1}$$

$$\text{kg}\cdot\text{s}^{-2}\cdot\text{A}^{-1}$$

$$\text{kg}\cdot\text{m}^2\cdot\text{s}^{-2}\cdot\text{A}^{-2}$$

$$\text{K}$$

$$\text{cd}$$

$$\text{m}^{-2}\cdot\text{cd}$$

$$\text{s}^{-1}$$

$$\text{s}^{-1}\cdot\text{mol}$$

Number of circuit hours used per hour (telephony) OR the character between the value and the exponent or powers of 10 in scientific value notation. If the latter, there SHALL NOT be any spaces alongside.

OR a way of printing a decimal point that is more robust against being obscured or removed on items. The latter is of value if the digits are in triplets as ISO recommended number format.

An alternative to the – electrical charge symbol. The color SHOULD be black.

An alternative to the + electrical charger or hole conduction symbol. The color of the whole symbol or of the + portion of it SHOULD be red.

kilo

mega

giga

tera

peta

k

M

G

T

P

10^3

10^6

10^9

10^{12}

10^{15}

milli

micro

nano

pico

femto

10^{-3}

10^{-6}








10^{-9}

10^{-12}








10^{-15}

1. Group 1 Alerts (Highest Urgency/Impact)



Code	Description	Symbol	CAP OET- Spectrum	
EAN	Emergency Action Notification		OET-000	EAN
TOR	Tornado Warning		OET-196	O
TSW	Tsunami Warning		OET-203	L
Code	Description	Symbol		
AVW	Avalanche Warning		OET-018	W
BLU	Blue Alert		OET-071	I






BZW	Blizzard Warning		OET-023	
CAE	Child Abduction Emergency		OET-038	
CDW	Civil Danger Warning		OET-070	
CEM	Civil Emergency Message		OET-039	CEM
CFW	Coastal Flood Warning		OET-042	
DSW	Dust Storm Warning		OET-066	
EQW	Earthquake Warning		OET-068	X, P, C
EVI	Evacuation Immediate		OET-169	I






EWV	Extreme Wind Warning		OET-218	X
FFW	Flash Flood Warning		OET-056	
FFW	Flash Flood Warning		OET-079	W
FLW	Flood Warning		OET-081	O
FRW	Fire Warning		OET-078	N1 to N5 or by fire type
HMW	Hazardous Materials Warning		OET-075	Z
HUW	Hurricane Warning		OET-106	X
HWW	High Wind Warning		OET-218	W
LAE	Local Area Emergency		OET-000	LAE
LEW	Law Enforcement Warning		OET-120	L, O
NUW	Nuclear Power Plant Warning		OET-136	L, INES 0 to 7
RHW	Radiological Hazard Warning		OET-156	I, O
SMW	Special Marine Warning		OET-168	X
SPW	Shelter in Place Warning		OET-169	SPW

SSW	Storm Surge Warning		OET-189	E, W
SVR	Severe Thunderstorm Warning		OET-194	L
TOE	911 Telephone Outage Emergency		OET-074	
TRW	Tropical Storm Warning		OET-202	X
VOW	Volcano Warning		OET-209	O, 0 to 9
WSW	Winter Storm Warning		OET-222	W
WSW	Winter Storm Warning		OET-223	W



1. Group 3 Alerts – General Watches








Code	Description	Symbol		
AVA	Avalanche Watch		OET-018	A
CFA	Coastal Flood Watch		OET-081	L

FFA	Flash Flood Watch		OET-079	F
FLA	Flood Watch		OET-081	A
HUA	Hurricane Watch		OET-106	O
HWA	High Wind Watch		OET-218	A
SSA	Storm Surge Watch (Advisory)		OET-189	A




SVA	Severe Thunderstorm Watch		OET-194	M
TOA	Tornado Watch		OET-196	L
TRA	Tropical Storm Watch		OET-202	M
TSA	Tsunami Watch		OET-203	O
WSA	Winter Storm Watch		OET-222	A

1. Group 4 Alerts – General Information

Code	Description	Symbol		
ADR	Administrative Message		OET-002	ISL
DMO	Practice/Demo Warning		OET-147	

FFS	Flash Flood Statement		OET-079	S
FLS	Flood Statement		OET-067	P
HLS	Hurricane Statement		OET-106	L
NIC	National Information Center		OET-000	NIC
NMN	Network Message Notification		OET-135	
SPS	Special Weather Statement		OET-216	M
SVS	Severe Weather Statement		OET-216	S

1. Group 5 Alerts – Tests

Code	Description	Symbol		
NPT	National Periodic Test		OET-057	NPT
RMT	Required Monthly Test		OET-057	RMT
RWT	Required Weekly Test		OET-057	RWT

Bestand tr: Format de **Carte d'inondation s** Datei-form: Hochwass Dateiübert Formato d Inondazior Trasmissione di file

파일
형식

Bestand tr: Format de **Carte d'inondation d** Datei-form: Hurrikan-Ü Dateiübert Formato d Mappa di Trasmissione di file

파일
형식

Bestand tr: Format de **Carte d'inondation d** Datei-form: Hurrikan Ü Dateiübert Formato d Uragano Ir Trasmissione di file

파일
형식

Bestand tr: Format de **Carte DXF tsunami** Datei-form: Tsunami-D Dateiübert Formato d Tsunami D Trasmissione di file

파일
형식

Bestand tr: Format de **Carte de tsunami SH** Datei-form: Tsunami SI Dateiübert Formato d Mappa di Trasmissione di file

파일
형식

e (indien tc Format de **Publicité (si permis)** Datei-form: Werbung (falls erlaub Formato d Annuncio (Trasmissione di file

파일
형식

e geselecte Format de **Publicité sélectionné** Datei-form: Werbung ausgewählt Formato d Annuncio : Trasmissione di file

파일
형식

Bestand tr: Format de **Diffusion de CAP** Datei-form: CAP-Übert Dateiübert Formato d Trasmissio Trasmissione di file

파일
형식

Bestand tr. Format de **Fichier DXF, CAD ou** Datei-form DXF-Datei, Dateiübert Formato d File DXF, C Trasmissione di file

파일
형식

Bestand tr. Format de **Fichier EDXL-DE** Datei-form EDXL-DE D Dateiübert Formato d EDXL-DE fi Trasmissione di file

파일
형식

Bestand tr. Format de **Fichier EDXL-DE, DT** Datei-form EDXL-DE D Dateiübert Formato d EDXL-DE fi Trasmissione di file

파일
형식

Bestand tr. Format de **Fichier SHP d'Inform** Datei-form Geographi Dateiübert Formato d Geografica Trasmissione di file

파일
형식

Bestand tr. Format de IEEE 1512 Datei-form IEEE 1512 Dateiübert Formato d IEEE 1512 Trasmissione di file

파일
형식

Bestand tr. Format de IEEE 1512 in EDXL-DE Datei-form IEEE 1512 in EDXL-DE Dateiübert Formato d IEEE 1512 in EDXL-DE Trasmissione di file

파일
형식

Bestand tr. Format de **Panneau routier inte** Datei-form Intelligenti Dateiübert Formato d Segno dell. Trasmissione di file

파일
형식

Bestand tr. Format de **Fichier JPG** Datei-form JPG-Datei Dateiübert Formato d File JPG Trasmissione di file

파일
형식

Bestand tr. Format de **Fichier MPEG-2 (+ at** Datei-form MPEG-2 D Dateiübert Formato d MPEG-2 fil Trasmissione di file

파일
형식

Bestand tr	Format de	Fichier MPEG-4 (+ audio)	Datei-formr MPEG-4-D	Dateiübert	Formato d	MPEG-4 file (+mono audio)	Trasmissione di file	파일 형식
EVC	Format de	Fichier MPEG-4 (HEVC)	Datei-formr MPEG-4 +	Dateiübert	Formato d	MPEG-4+HEVC	Trasmissione di file	파일 형식
Document pres	Format de	Présentation format	Datei-formr Open Doc	odp	Dateiü	Formato d	Presentazi	odp 파일 형식
ODF besta	Format de	Texte Open Document	Datei-formr Open Doc	odt	Dateiü	Formato d	Testo del c	odt 파일 형식
ODS besta	Format de	Feuille de calcul Open	Datei-formr Open Doc	ods	Dateiü	Formato d	Apri docum	ods 파일 형식
odg besta	Format de	Graphiques Open Document	Datei-formr Geöffnete	odg	Dateiü	Formato d	Document ODG	odg 파일 형식
	Format de fichier		Datei-formr	Andere	Dateiübert	Formato d	Altri	파일 형식
ingende	Format de fichier		Datei-formr	Other, urgent	Dateiübert	Formato d	Altri, urgent	파일 형식

geen macro Format de Fichier PDF pas de macro Dateiformat PDF-Datei keine Mak Formato d File PDF nessuna macro o web attivo	파일 형식
Programm Format de Contenu d Métadonnées Dateiformat Programm Programm Formato d Programm Program metadata	파일 형식
Vragen of Format de Q codes IC Questions Dateiformat Q-codes IC Dateiübertr Formato d Q codici IC Query o note	파일 형식
Bestand te: Format de Rich Text, RTF Dateiformat Rich-Text Dateiübertr Formato d RTF Trasmissione di file	파일 형식
Bestand te: Format de Objet de la TSO Dateiformat Taktische S Dateiübertr Formato d Situazione Trasmissione di file	파일 형식
Bestand te: Format de fichier Dateiformat TSO in ED Dateiübertr Formato d TSO in ED Trasmissione di file	파일 형식
Backup op Format de fichier Dateiformat Formato di file	파일 형식
voerder af Format de fichier Dateiformat Formato di file	파일 형식

voerder op	Format de fichier	Datei-format	Formato di file	파일 형식
naire op	Format de fichier	Datei-format	Formato di file	파일 형식
tus Query	Format de fichier	Datei-format	Formato di file	파일 형식
van de Sta	Format de fichier	Datei-format	Formato di file	파일 형식
Bestand tr.	Format de Texte, fichier TXT (égz	Datei-formr Text, TXT-I	Dateiübert Formato d Testo, file`	Trasmissione di file
Bestand tr.	Format de fichier	[Video y gr Datei-formr Video/Gra	Dateiübert Formato d Video/graf	Trasmissione di file
Bestand tr.	Format de fichier	[Video y gr Datei-formr Video/Gra	Dateiübert Formato d Video/graf	Trasmissione di file
Bestand tr.	Format de fichier	[Video y gr Datei-formr Video/Gra	Dateiübert Formato d Video/graf	Trasmissione di file

Bestand tr: Format de fichier [Video y gr Datei-form: Video/Gra: Dateiübert Formato d Video/graf Trasmissione di file

파일
형식

Bestand tr: Format de Vidéo mn [Video len: Datei-form: Video Spra: Dateiübert Formato d Video ling: Trasmissione di file

파일
형식

Bestand tr: Format de Fichier WAV Datei-form: WAV-Date: Dateiübert Formato d WAV file Trasmissione di file

파일
형식

Bestand tr: Format de fichier Datei-form: Intel Hex Dateiübert Formato d Intel Hex Trasmissione di file

파일
형식

exa	zetta	yotta
E	Z	Y

10^{18}	10^{21}	10^{24}
-----------	-----------	-----------

atto	zepto	yotta
------	-------	-------

10^{-18}	10^{-21}	10^{-24}
------------	------------	------------

[illegible]

숫자 코드	File format	Number Codes	Formato d	Número de códigos	Формат ф: Число кодов	Formato de archivo
홍수 지도 DXF 파일	File format	Flood Map DXF	File Transn	Formato d Inundação Transmissi	Формат ф: Файл DXF Передача	Formato d Mapa de in Transmisió

홍수 지도 SHP 파일	File format	Flood Map SHP File	File Transn Formato d Arquivo de Transmissi	Формат ф: Файл карт Передача	Formato d Fichero de Transmisi
		Hurricane			
허리케인 범람 SHP	File format	Inundatio n SHP Map Hurricane	File Transn Formato d Mapa de ir Transmissi	Формат ф: Ураган за Передача	Formato d Mapa de in Transmisi
허리케인 범람 DXF	File format	Inundatio n DXF Map	File Transn Formato d Furac	Формат ф: Ураган за Передача	Formato d Mapa DXF Transmisi
쓰나미 DXF 지도	File format	Tsunami DXF Map	File Transn Formato d Mapa DXF Transmissi	Формат ф: Цунами D Передача	Formato d Mapa DXF Transmisi
쓰나미 SHP 지도	File format	Tsunami SHP Map	File Transn Formato d Tsunami S Transmissi	Формат ф: Цунами S Передача	Formato d Mapa de ts Transmisi
광고 (해당 되는 경	File format	Advertise ment (if permitted)	Formato d An	Формат ф: Реклама (если разре	Formato d Anuncio (si
광고 선택	File format	Advertise ment Selected	Formato d An	Формат ф: Выбранного объявл	Formato d Anuncio seleccionado
CAP 방송	File format	CAP Broadcast	File Transn Formato d Emiss	Формат ф: CAP веща Передача	Formato d CAP de tra Transmisi

DXF 파일, CAD 또는	DXF file, CAD or map	File Transn	Formato d Archivo D	Transmissi	Формат ф: Файл в фо	Передача	Formato d Fichero DX	Transmisi
EDXL-DE 드 파일	EDXL-DE file	File Transn	Formato d Archivo E	Transmissi	Формат ф: EDXL-DE д	Передача	Formato d EDXL-DE a	Transmisi
EDXL-DE 드 파일, C	EDXL-DE file, DTV only	File Transn	Formato d EDXL-DE a	Transmissi	Формат ф: EDXL-DE д	Передача	Formato d Archivo DE	Transmisi
지리 정보 SHP 파일	Geographic Information SHP file	File Transn	Formato d Archivo de	Transmissi	Формат ф: Географич	Передача	Formato d Archivo SH	Transmisi
IEEE 1512	IEEE 1512	File Transn	Formato de archivo	Transmissi	Формат файла	Передача	Formato d	Transmisi
IEEE 1512 in	IEEE 1512 in	File Transn	Formato de archivo	Transmissi	Формат файла	Передача	Formato d	Transmisi
EDXL-DE	EDXL-DE	File Transn	Formato de archivo	Transmissi	Формат файла	Передача	Formato d EDXL-DE	Transmisi
지능형 고속도로 사	Intelligent Highway Sign	File Transn	Formato de archivo	Transmissi	Формат ф: Интеллиге	Передача	Formato d Signo de ca	Transmisi
JPG 파일	JPG file	File Transn	Formato d Archivo JP	Transmissi	Формат ф: Файл JPG	Передача	Formato d Archivo JP	Transmisi
MPEG-2 파일 (+ 모	MPEG-2 file (+mono audio)	File Transn	Formato d Archivo M	Transmissi	Формат ф: Файл MPE	Передача	Formato d Archivo MI	Transmisi

MPEG-4 파일 (+ 모	MPEG-4 file (+mono audio)	File format	File Transn	Formato d MPEG-4 fil	Transmissi	Формат ф: Файл МРЕ	Передача	Formato d Archivo MI	Transmisi
MPEG-4+H.265 (HEVC)	MPEG-4+HEVC	File format	File Transn	Formato d	Transmissi	Формат ф:	Передача	Formato d MPEG-4+H	Transmisi
오픈 문서 프레젠테이션	Open Document Presentation	File format	odp File Tr	Formato d Apresentação do doc	Формат ф: Открытый ODP	пере	Formato d Presentaci	Transmisi	
오픈 문서 텍스트	Open Document Text	File format	odf File Tr	Formato d Texto do documento	Формат ф: Текст откр	ODF	пере	Formato d Texto abie	Transmisi
오픈 문서 스프레드시트	Open Document Spreadsheet	File format	ods File Tr	Formato d Planilha de document	Формат ф: Открытый ODS	пере	Formato d Hoja de cál	Transmisi	
오픈 문서 그래픽	Open Document Graphics	File format	odg File Tr	Formato d Gráficos do documen	Формат ф: Открытый ODG	пере	Formato d Open Doc	Transmisi	
	Other	File format		Formato d Outros	Формат ф: Другие		Formato d Otros		
다른, 긴급	Other, urgent	File format		Formato d Outros, urgente	Формат ф: Другие, срочно		Formato d Otros, urgente		

PDF 파일 매크로 또는	PDF	no macros or web active	Formato d Archivo PC sem macros	Формат файла PDF	нет макросов	Formato d Archivo PD sin macros			
프로그램 프로그램	Program		Program n	Formato d Programa	Programa	Формат файла Программ Программ	Formato d Contenido	Programa	
Q 코드 IC 쿼리 또는	Q codes ICAO/MM S/ITU-R		Queries or	Formato d Q códigos	Consultas	Формат файла Q codes IC	Вопросы	Formato d Q los códigos	Consultas
서식 있는 텍스트 파일 전송	Rich Text, RTF		File Transn	Formato d Rich Text	Transmissi	Формат файла Вопросы	Передача	Formato d Texto enric	Transmisi
전술 상황 TSO 파일	Tactical Situation Object, TSO		File Transn	Formato d Objeto de	Transmissi	Формат файла Тактическ	Передача	Formato d Objeto de l	Transmisi
TSO EDXI 파일 전송	TSO in EDXL-DE		File Transn	Formato d Objeto de	Transmissi	Формат файла TSO в EDXI	Передача	Formato d TSO en ED	Transmisi
송신기에 백업	Transmitter Backup On		Formato de arquivo		Формат файла			transmision de reserv	
떨어져 송신기 캐리	Transmitter Carrier Off		Formato de arquivo		Формат файла			corriennte de transmi	

송신기 캐리어에	File format	Transmitter Carrier On	Formato de archivo	Формат файла	corriente de transmic
송신기에 주	File format	Transmitter Primary On	Formato de archivo	Формат файла	transmision primaria
송신기 상태 쿼리	File format	Transmitter Status Query	Formato de archivo	Формат файла	estado en cuestion de
송신기 상태 대응	File format	Transmitter Status Response	Formato de archivo	Формат файла	estado de aviso de la
텍스트, T)파일 전송	File format	Text, TXT file (also RTF)	File Transn Formato d Texto, arq	Transmissiê Формат ф; Текст, TXT Передача	Formato d Texto, TXT Transmisió
비디오/그 파일 전송	File format	Video/Graphics Language 1	File Transn Formato d Linguagem Transmissiê	Формат ф; Видео/гра Передача	Formato de archivo Transmisió
비디오/그 파일 전송	File format	Video/Graphics Language 2	File Transn Formato d Linguagem Transmissiê	Формат ф; Видео/гра Передача	Formato de archivo Transmisió
비디오/그 파일 전송	File format	Video/Graphics Language 3	File Transn Formato d Linguagem Transmissiê	Формат ф; Видео/гра Передача	Formato de archivo Transmisió

비디오/그래픽 파일 전송	File format	4	File Transn	Formato d	Linguagem Transmiss	Формат фи	Видео/гра	Передача	Formato de arquivo	Transmissi
비디오 언어 파일 전송	File format	mn	File Transn	Formato d	A language Transmiss	Формат фи	Видео язык	Передача	Formato d Video leng	Transmissi
WAV 파일 전송	File format		File Transn	Formato d	Arquivo W Transmiss	Формат фи	WAV файл	Передача	Formato d Archivo W	Transmissi
	File format		File Transn	Formato de arquivo	Transmiss	Формат фи	Intel Hex	Передача	Formato de arquivo	Transmissi

Flood
Map SHP
File
Dosya biçimi File Transmission
Hurricane

Inundatio
n SHP
Map
Dosya biçimi File Transmission
Hurricane

Inundatio
n DXF
Map
Dosya biçimi File Transmission

Tsunami
DXF Map
Dosya biçimi File Transmission

Tsunami
SHP Map
Dosya biçimi File Transmission

Advertise
ment (if
permitted
Dosya biçimi)

Advertise
ment
Selected
Dosya biçimi

CAP
Broadcast
Dosya biçimi File Transmission

Flood
Map SHP
File
File format File Transn
Hurricane

Format
fail/Form
at fail

Flood
Map SHP
File
hurricane

File
Transmiss
ion

File format
Hurricane

Inundatio
n SHP
Map
File format File Transn
Hurricane

Format
fail/Form
at fail

Inundatio
n SHP
Map
hurricane

File
Transmiss
ion

File format
Hurricane

Inundatio
n DXF
Map
File format File Transn
Map

Format
fail/Form
at fail
format

Inundatio
n DXF
Map

File
Transmiss
ion
File

File format
Map

Tsunami
DXF Map
File format File Transn
DXF Map

Format
fail/Form
at fail

Tsunami
DXF Map

Transmiss
ion

File format
DXF Map

Tsunami
SHP Map
File format File Transn
SHP Map

Format
fail/Form
at fail

Tsunami
SHP Map

File
Transmiss
ion

File format

Advertise
ment (if
permitted
File format)

Format
fail/Form
at fail

Advertise
ment (if
permitted
)

File format)

Advertise
ment
Selected
File format

Format
fail/Form
at fail
format

Advertise
ment
Selected

File
Transmiss
ion

File format
Selected

CAP
Broadcast
File format File Transn
Broadcast

Format
fail/Form
at fail

CAP
Broadcast

Transmiss
ion

File format
Broadcast

Dosya biçimi DXF file, CAD or map File Transmission

Dosya biçimi EDXL-DE file File Transmission

Dosya biçimi EDXL-DE file, DTV only File Transmission

Dosya biçimi Geographic Information on SHP file File Transmission

Dosya biçimi IEEE 1512 File Transmission

Dosya biçimi IEEE 1512 in EDXL-DE File Transmission

Dosya biçimi Intelligent Highway Sign

Dosya biçimi JPG file File Transmission

Dosya biçimi MPEG-2 file (+mono audio) File Transmission

File format DXF file, CAD or map File Transmission

File format EDXL-DE file File Transmission

File format EDXL-DE file, DTV only File Transmission

File format Geographic Information on SHP file File Transmission

File format IEEE 1512 File Transmission

File format IEEE 1512 in EDXL-DE File Transmission

File format Intelligent Highway Sign

File format JPG file File Transmission

File format MPEG-2 file (+mono audio) File Transmission

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

Format fail/Format at fail

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

DXF file, CAD or map File Transmission

MPEG-4
file
(+mono
audio)
Dosya biçimi File Transmission

MPEG-4+HEVC
Dosya biçimi File Transmission
Open Document Presentation
Dosya biçimi odp File Transmission

Open Document Text
Dosya biçimi odf File Transmission

Open Document Spreadsheet
Dosya biçimi ods File Transmission

Open Document Graphics
Dosya biçimi odg File Transmission

Other
Dosya biçimi

Other,
urgent
Dosya biçimi

MPEG-4
file
(+mono
audio)
File format File Transmission File format
Format fail/Format fail
file (+mono audio) File Transmission File format
MPEG-4
file
(+mono
audio)

MPEG-4+HEVC
File format File Transmission
Open Document Presentation
File format odp File Transmission
Format fail/Format fail
MPEG-4+HEVC
Open Document Presentation
File format

Open Document Text
File format odf File Transmission
Format fail/Format fail
Open Document Text
File format

Open Document Spreadsheet
File format ods File Transmission
Format fail/Format fail
Open Document Spreadsheet
File format

Open Document Graphics
File format odg File Transmission
Format fail/Format fail
Open Document Graphics
File format

Other
File format
Format fail/Format fail
Other
File format
Other

Other,
urgent
File format
Format fail/Format fail
Other,
urgent
File format
Other,
urgent

Dosya biçimi PDF no macros or web active

Dosya biçimi Program Program metadata

Dosya biçimi Q codes ICAO/MM S/ITU-R Queries or notes

Dosya biçimi Rich Text, RTF File Transmission

Dosya biçimi Tactical Situation Object, TSO File Transmission

Dosya biçimi TSO in EDXL-DE File Transmission

Dosya biçimi Transmitter Backup On

Dosya biçimi Transmitter Carrier Off

File format PDF no macros or web active Format fail/Form at fail PDF no macros or web active File format PDF

File format Program Program metadata File format Program Program metadata File format Program

File format Q codes ICAO/MM S/ITU-R Queries or notes File format Q codes ICAO/MM S/ITU-R Queries or notes File format Q codes ICAO/MM S/ITU-R

File format Rich Text, RTF File Transmission Format fail/Form at fail Rich Text, RTF File Transmission Rich Text, RTF

File format Tactical Situation Object, TSO File Transmission Format fail/Form at fail Tactical Situation Object, TSO File Transmission Tactical Situation Object, TSO

File format TSO in EDXL-DE File Transmission Format fail/Form at fail TSO in EDXL-DE File Transmission TSO in EDXL-DE

File format Transmitter Backup On Format fail/Form at fail Transmitter Backup On Transmitter Backup On

File format Transmitter Carrier Off Format fail/Form at fail Transmitter Carrier Off Transmitter Carrier Off

Dosya biçimi	Transmitter Carrier On	File format	Transmitter Carrier On	Format fail/Format fail	Transmitter Carrier On	File format	Transmitter Carrier On
Dosya biçimi	Transmitter Primary On	File format	Transmitter Primary On	Format fail/Format fail	Transmitter Primary On	File format	Transmitter Primary On
Dosya biçimi	Transmitter Status Query	File format	Transmitter Status Query	Format fail/Format fail	Transmitter Status Query	File format	Transmitter Status Query
Dosya biçimi	Transmitter Status Response	File format	Transmitter Status Response	Format fail/Format fail	Transmitter Status Response	File format	Transmitter Status Response
Dosya biçimi	Text, TXT file (also RTF) File Transmission	File format	Text, TXT file (also RTF) File Transmission	Format fail/Format fail	Text, TXT file (also RTF) File Transmission	File format	Text, TXT file (also RTF) File Transmission
Dosya biçimi	Video/Graphics Language 1 File Transmission	File format	Video/Graphics Language 1 File Transmission	Format fail/Format fail	Video/Graphics Language 1 File Transmission	File format	Video/Graphics Language 1 File Transmission
Dosya biçimi	Video/Graphics Language 2 File Transmission	File format	Video/Graphics Language 2 File Transmission	Format fail/Format fail	Video/Graphics Language 2 File Transmission	File format	Video/Graphics Language 2 File Transmission
Dosya biçimi	Video/Graphics Language 3 File Transmission	File format	Video/Graphics Language 3 File Transmission	Format fail/Format fail	Video/Graphics Language 3 File Transmission	File format	Video/Graphics Language 3 File Transmission

	Video/Graphics Language	
Dosya biçimi	4	File Transmission
	Video Language	
Dosya biçimi	mn	File Transmission
	WAV file	
Dosya biçimi		File Transmission
	Intel Hex	
Dosya biçimi		File Transmission

	Video/Graphics Language		Format	Video/Graphics Language		File Transmission		Video/Graphics Language
File format	4	File Transmission	at fail	4	ion	File format	4	
	Video Language		format	video File				Video
	Language		fail/Form	Language	Transmiss			Language
File format	mn	File Transmission	at fail	mn	ion	File format	mn	
			format		File			
	WAV file		fail/Form		Transmiss			WAV file
File format		File Transmission	at fail	WAV file	ion	File format		
			format		File			
	Intel Hex		fail/Form	Intel	Transmiss			Intel
File format		File Transmission	at fail	Hex	ion	File format		Hex

	संकीर्ण अवधि	संकीर्ण अवधि	संकीर्ण अवधि	संकीर्ण अवधि
Makitud nɛ Gamitin p:	Hebrew וּב	הַשְׁתַּמֵּשׁ עַל צָרָה	Hindi, Dev अवधि	के लिए उप
			Nepali, De (Hindi?) के लिए उप	का लागि ढ
				Greek Ευπ
				Στενό όρο Χρήση για

Number		Number		Number		Number	
File format	Codes	File format	Codes	File format	Codes	File format	Codes
	Flood		Flood		Flood		Flood
	Map DXF		Map DXF		Map DXF		Map DXF
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	File		File		File		File

File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format
	File			File			File			File	
	Hurricane			Hurricane			Hurricane			Hurricane	
File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format
	Map Hurricane			Map Hurricane			Map Hurricane			Map Hurricane	
File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format
	Map			Map			Map			Map	
File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format
File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format
File format)	Advertise ment (if permitted	File format)	File format)	Advertise ment (if permitted	File format)	File format)	Advertise ment (if permitted	File format)	File format)	Advertise ment (if permitted	File format)
File format	Advertise ment Selected	File format	File format	Advertise ment Selected	File format	File format	Advertise ment Selected	File format	File format	Advertise ment Selected	File format
File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format

File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format
File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format
File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format
File Transn File format	Geographic Information SHP file	File Transn File format	Geographic Information SHP file	File Transn File format	Geographic Information SHP file	File Transn File format	Geographic Information SHP file	File Transn File format
File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format
File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format
File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format
File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format
File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format

File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn
	File format		File format		File format		File format	
File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn
	File format		File format		File format		File format	
odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr
	File format		File format		File format		File format	
odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr
	File format		File format		File format		File format	
ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr
	File format		File format		File format		File format	
odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr
	File format		File format		File format		File format	
File format	Other	File format	Other	File format	Other	File format	Other	File format
	Other, urgent		Other, urgent		Other, urgent		Other, urgent	
File format	Other, urgent	File format	Other, urgent	File format	Other, urgent	File format	Other, urgent	File format
	Other, urgent		Other, urgent		Other, urgent		Other, urgent	

no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF
File format		File format		File format		File format		File format	
	Program		Program		Program		Program		Program
Program n	File format	Program n	File format	Program n	File format	Program n	File format	Program n	File format
	Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R
Queries or	File format	Queries or	File format	Queries or	File format	Queries or	File format	Queries or	File format
	Rich Text, RTF		Rich Text, RTF		Rich Text, RTF		Rich Text, RTF		Rich Text, RTF
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	Tactical Situation Object, TSO		Tactical Situation Object, TSO		Tactical Situation Object, TSO		Tactical Situation Object, TSO		Tactical Situation Object, TSO
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	TSO in EDXL-DE		TSO in EDXL-DE		TSO in EDXL-DE		TSO in EDXL-DE		TSO in EDXL-DE
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	Transmitt er Backup On		Transmitt er Backup On		Transmitt er Backup On		Transmitt er Backup On		Transmitt er Backup On
File format		File format		File format		File format		File format	
	Transmitt er Carrier Off		Transmitt er Carrier Off		Transmitt er Carrier Off		Transmitt er Carrier Off		Transmitt er Carrier Off
File format		File format		File format		File format		File format	

File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format
	Transmitter Primary On		Transmitter Primary On		Transmitter Primary On		Transmitter Primary On	
	Transmitter Status Query		Transmitter Status Query		Transmitter Status Query		Transmitter Status Query	
File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format
	Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)	
	Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1	
File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn
	Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3	
	Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3	

	Video/Graphics		Video/Graphics		Video/Graphics		Video/Graphics
	Language		Language		Language		Language
File Transn File format	4	File Transn File format	4	File Transn File format	4	File Transn File format	4
	Video		Video		Video		Video
	Language		Language		Language		Language
File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>
	WAV file		WAV file		WAV file		WAV file
File Transn File format		File Transn File format		File Transn File format		File Transn File format	
	Intel Hex		Intel Hex		Intel Hex		Intel Hex
File Transn File format		File Transn File format		File Transn File format		File Transn File format	

Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transmission	Flood Map SHP File	File Transn
Hurricane		Hurricane		Hurricane		Hurricane	
Inundation SHP Map Hurricane	File Transn File format	Inundation SHP Map Hurricane	File Transn File format	Inundation SHP Map Hurricane	File Transmission	Inundation SHP Map Hurricane	File Transn
Inundation DXF Map	File Transn File format	Inundation DXF Map	File Transn File format	Inundation DXF Map	File Transmission	Inundation DXF Map	File Transn
Tsunami DXF Map	File Transn File format	Tsunami DXF Map	File Transn File format	Tsunami DXF Map	File Transmission	Tsunami DXF Map	File Transn
Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transmission	Tsunami SHP Map	File Transn
Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)		Advertisement (if permitted)	
Advertisement Selected	File format	Advertisement Selected	File format	Advertisement Selected		Advertisement Selected	
CAP Broadcast	File Transn File format	CAP Broadcast	File Transn File format	CAP Broadcast	File Transmission	CAP Broadcast	File Transn

DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transmission	DXF file, CAD or map	File Transn
EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transmission	EDXL-DE file	File Transn
EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transmission	EDXL-DE file, DTV only	File Transn
Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transmission	Geograph ic Informati on SHP file	File Transn
IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transmission	IEEE 1512	File Transn
IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transmission	IEEE 1512 in EDXL-DE	File Transn
Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign		Intelligent Highway Sign	File format
JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transmission	JPG file	File Transn
MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transmission	MPEG-2 file (+mono audio)	File Transn

MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transn
MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transn
Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Transmission	File format	Open Documen t Presentati on	odp File Tr
Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Transmission	File format	Open Documen t Text	odf File Tr
Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Transmission	File format	Open Documen t Spreadsh eet	ods File Tr
Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Transmission	File format	Open Documen t Graphics	odg File Tr
Other		File format	Other		File format	Other		File format	Other	
Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent	

PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program			Program			Program			Program	
	Program n	File format		Program n	File format		Program metadata		File format	Program n
Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R	
	Queries or	File format		Queries or	File format		Queries or notes		File format	Queries or
Rich Text, RTF			Rich Text, RTF			Rich Text, RTF			Rich Text, RTF	
	File Transn	File format		File Transn	File format		File Transmission		File format	File Transn
Tactical Situation Object, TSO			Tactical Situation Object, TSO			Tactical Situation Object, TSO			Tactical Situation Object, TSO	
	File Transn	File format		File Transn	File format		File Transmission		File format	File Transn
TSO in EDXL-DE			TSO in EDXL-DE			TSO in EDXL-DE			TSO in EDXL-DE	
	File Transn	File format		File Transn	File format		File Transmission		File format	File Transn
Transmitt er Backup On			Transmitt er Backup On			Transmitt er Backup On			Transmitt er Backup On	
	File format			File format					File format	
Transmitt er Carrier Off			Transmitt er Carrier Off			Transmitt er Carrier Off			Transmitt er Carrier Off	
	File format			File format					File format	

Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format
Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format
Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format
Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format
Text, TXT file (also RTF)	File Transmission	Text, TXT file (also RTF)	File Transmission	Text, TXT file (also RTF)	File Transmission	Text, TXT file (also RTF)	File Transmission
Video/Graphics Language 1	File Transmission	Video/Graphics Language 1	File Transmission	Video/Graphics Language 1	File Transmission	Video/Graphics Language 1	File Transmission
Video/Graphics Language 2	File Transmission	Video/Graphics Language 2	File Transmission	Video/Graphics Language 2	File Transmission	Video/Graphics Language 2	File Transmission
Video/Graphics Language 3	File Transmission	Video/Graphics Language 3	File Transmission	Video/Graphics Language 3	File Transmission	Video/Graphics Language 3	File Transmission

Video/Graphics	File Transn	File format	Video/Graphics	File Transn	File format	Video/Graphics	File Transmission
Language 4			Language 4			Language 4	
Video			Video			Video	
Language mn	File Transn	File format	Language mn	File Transn	File format	Language mn	File Transmission
WAV file	File Transn	File format	WAV file	File Transn	File format	WAV file	File Transmission
Intel Hex	File Transn	File format	Intel Hex	File Transn	File format	Intel Hex	File Transmission

Video/Graphics	File Transn	File format	Video/Graphics	File Transn	File format
Language 4			Language 4		
Video			Video		
Language mn	File Transn	File format	Language mn	File Transn	File format
WAV file	File Transn	File format	WAV file	File Transn	File format
Intel Hex	File Transn	File format	Intel Hex	File Transn	File format

alerting,
including
Text-To-
Speech
capability
, for
small
populatio

File format

Number
Codes
Flood
Map DXF
File

File Transmission

File format

Number
Codes
Flood
Map DXF
File

File format

Number
Codes
Flood
Map DXF
File

Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transn	File format	Flood Map SHP File
		Hurricane			Hurricane			Hurricane
Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transn	File format	Inundation SHP Map Hurricane
Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transn	File format	Inundation DXF Map
Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map
Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map
	File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)
	File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected
Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transn	File format	CAP Broadcast

Transmission	File format	DXF file, CAD or map	File Transmission	File format	DXF file, CAD or map	File Transmission	File format	DXF file, CAD or map
Transmission	File format	EDXL-DE file	File Transmission	File format	EDXL-DE file	File Transmission	File format	EDXL-DE file
Transmission	File format	EDXL-DE file, DTV only	File Transmission	File format	EDXL-DE file, DTV only	File Transmission	File format	EDXL-DE file, DTV only
Transmission	File format	Geographic Information SHP file	File Transmission	File format	Geographic Information SHP file	File Transmission	File format	Geographic Information SHP file
Transmission	File format	IEEE 1512	File Transmission	File format	IEEE 1512	File Transmission	File format	IEEE 1512
Transmission	File format	IEEE 1512 in EDXL-DE	File Transmission	File format	IEEE 1512 in EDXL-DE	File Transmission	File format	IEEE 1512 in EDXL-DE
	File format	Intelligent Highway Sign		File format	Intelligent Highway Sign		File format	Intelligent Highway Sign
Transmission	File format	JPG file	File Transmission	File format	JPG file	File Transmission	File format	JPG file
Transmission	File format	MPEG-2 file (+mono audio)	File Transmission	File format	MPEG-2 file (+mono audio)	File Transmission	File format	MPEG-2 file (+mono audio)

Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)
Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC
Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation
Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text
Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet
Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics
	File format	Other		File format	Other		File format	Other
	File format	Other, urgent		File format	Other, urgent		File format	Other, urgent

			PDF	no macros or web active		PDF	no macros or web active	File format	PDF
			Program			Program			Program
Metadata	File format			Program metadata	File format		Program metadata	File format	
			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R
Notes	File format			Queries or notes	File format		Queries or notes	File format	
			Rich Text, RTF			Rich Text, RTF			Rich Text, RTF
Transmission	File format			File Transmission	File format		File Transmission	File format	
			Tactical Situation Object, TSO			Tactical Situation Object, TSO			Tactical Situation Object, TSO
Transmission	File format			File Transmission	File format		File Transmission	File format	
			TSO in EDXL-DE			TSO in EDXL-DE			TSO in EDXL-DE
Transmission	File format			File Transmission	File format		File Transmission	File format	
			Transmitter Backup On			Transmitter Backup On			Transmitter Backup On
	File format				File format			File format	
			Transmitter Carrier Off			Transmitter Carrier Off			Transmitter Carrier Off
	File format				File format			File format	

	File format	Transmitter Carrier On		File format	Transmitter Carrier On		File format	Transmitter Carrier On
	File format	Transmitter Primary On		File format	Transmitter Primary On		File format	Transmitter Primary On
	File format	Transmitter Status Query		File format	Transmitter Status Query		File format	Transmitter Status Query
	File format	Transmitter Status Response		File format	Transmitter Status Response		File format	Transmitter Status Response
	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)
Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1
Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2
Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3

Transmission	File format	Video/Graphics Language 4	File Transmission	File format	Video/Graphics Language 4	File Transmission	File format	Video/Graphics Language 4
Transmission	File format	Video Language <i>mn</i>	File Transmission	File format	Video Language <i>mn</i>	File Transmission	File format	Video Language <i>mn</i>
Transmission	File format	WAV file	File Transmission	File format	WAV file	File Transmission	File format	WAV file
Transmission	File format	Intel Hex	File Transmission	File format	Intel Hex	File Transmission	File format	Intel Hex

Serbian, Bing Translate Only. Širok	Finnish. Google translate only. Laaja termi
Uska term Koristiti z: pojam	Kapea teri Apu ajaks

File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format
	File			File			File			File	
	Hurricane			Hurricane			Hurricane			Hurricane	
File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format
	Map Hurricane			Map Hurricane			Map Hurricane			Map Hurricane	
File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format
	Map			Map			Map			Map	
File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format
File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format
File format	Advertise ment (if permitted	File format	File format	Advertise ment (if permitted	File format	File format	Advertise ment (if permitted	File format	File format	Advertise ment (if permitted	File format
File format	Advertise ment Selected	File format	File format	Advertise ment Selected	File format	File format	Advertise ment Selected	File format	File format	Advertise ment Selected	File format
File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format

File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format
File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format
File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format
File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format
File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format
File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format
File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format
File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format
File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format

File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn
	File format		File format		File format		File format	
File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn
	File format		File format		File format		File format	
odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr
	File format		File format		File format		File format	
odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr
	File format		File format		File format		File format	
ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr
	File format		File format		File format		File format	
odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr
	File format		File format		File format		File format	
File format	Other	File format	Other	File format	Other	File format	Other	File format
	Other, urgent		Other, urgent		Other, urgent		Other, urgent	
File format	Other, urgent	File format	Other, urgent	File format	Other, urgent	File format	Other, urgent	File format
	Other, urgent		Other, urgent		Other, urgent		Other, urgent	

no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF
File format		File format		File format		File format		File format	
	Program		Program		Program		Program		Program
Program n	File format	Program n	File format	Program n	File format	Program n	File format	Program n	File format
	Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R		Q codes ICAO/MM S/ITU-R
Queries or	File format	Queries or	File format	Queries or	File format	Queries or	File format	Queries or	File format
	Rich Text, RTF		Rich Text, RTF		Rich Text, RTF		Rich Text, RTF		Rich Text, RTF
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	Tactical Situation Object, TSO		Tactical Situation Object, TSO		Tactical Situation Object, TSO		Tactical Situation Object, TSO		Tactical Situation Object, TSO
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	TSO in EDXL-DE		TSO in EDXL-DE		TSO in EDXL-DE		TSO in EDXL-DE		TSO in EDXL-DE
File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format	File Transn	File format
	Transmitt er Backup On		Transmitt er Backup On		Transmitt er Backup On		Transmitt er Backup On		Transmitt er Backup On
File format		File format		File format		File format		File format	
	Transmitt er Carrier Off		Transmitt er Carrier Off		Transmitt er Carrier Off		Transmitt er Carrier Off		Transmitt er Carrier Off
File format		File format		File format		File format		File format	

File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format
	Transmitter Primary On		Transmitter Primary On		Transmitter Primary On		Transmitter Primary On	
	Transmitter Status Query		Transmitter Status Query		Transmitter Status Query		Transmitter Status Query	
File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format
	Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)	
	Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1	
File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn
	Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3	

	Video/Graphics		Video/Graphics		Video/Graphics		Video/Graphics
	Language		Language		Language		Language
File Transn File format	4	File Transn File format	4	File Transn File format	4	File Transn File format	4
	Video		Video		Video		Video
	Language		Language		Language		Language
File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>
	WAV file		WAV file		WAV file		WAV file
File Transn File format		File Transn File format		File Transn File format		File Transn File format	
	Intel Hex		Intel Hex		Intel Hex		Intel Hex
File Transn File format		File Transn File format		File Transn File format		File Transn File format	

[illegible]

Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transn File format
Hurricane		Hurricane		Hurricane		Hurricane		Hurricane	
Inundation SHP Map Hurricane	File Transn File format	Inundation SHP Map Hurricane	File Transn File format	Inundation SHP Map Hurricane	File Transn File format	Inundation SHP Map Hurricane	File Transn File format	Inundation SHP Map Hurricane	File Transn File format
Inundation DXF Map	File Transn File format	Inundation DXF Map	File Transn File format	Inundation DXF Map	File Transn File format	Inundation DXF Map	File Transn File format	Inundation DXF Map	File Transn File format
Tsunami DXF Map	File Transn File format	Tsunami DXF Map	File Transn File format	Tsunami DXF Map	File Transn File format	Tsunami DXF Map	File Transn File format	Tsunami DXF Map	File Transn File format
Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transn File format
Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)
Advertisement Selected	File format	Advertisement Selected	File format	Advertisement Selected	File format	Advertisement Selected	File format	Advertisement Selected	File format
CAP Broadcast	File Transn File format	CAP Broadcast	File Transn File format	CAP Broadcast	File Transn File format	CAP Broadcast	File Transn File format	CAP Broadcast	File Transn File format

DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn
EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn
EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn
Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transn
IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn
IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn
Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	
JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn
MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn

MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format
MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format
Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Tr	File format
Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Tr	File format
Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Tr	File format
Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Tr	File format
Other		File format	Other		File format	Other		File format	Other		File format	Other		File format
Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format

PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program			Program			Program			Program			Program	
	Program n	File format		Program n	File format		Program n	File format		Program n	File format		Program n
Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R			Q codes ICAO/MM S/ITU-R	
	Queries or	File format		Queries or	File format		Queries or	File format		Queries or	File format		Queries or
Rich Text, RTF			Rich Text, RTF			Rich Text, RTF			Rich Text, RTF			Rich Text, RTF	
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format		File Transn
Tactical Situation Object, TSO			Tactical Situation Object, TSO			Tactical Situation Object, TSO			Tactical Situation Object, TSO			Tactical Situation Object, TSO	
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format		File Transn
TSO in EDXL-DE			TSO in EDXL-DE			TSO in EDXL-DE			TSO in EDXL-DE			TSO in EDXL-DE	
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format		File Transn
Transmitt er Backup On			Transmitt er Backup On			Transmitt er Backup On			Transmitt er Backup On			Transmitt er Backup On	
	File format			File format			File format			File format			File format
Transmitt er Carrier Off			Transmitt er Carrier Off			Transmitt er Carrier Off			Transmitt er Carrier Off			Transmitt er Carrier Off	
	File format			File format			File format			File format			File format

Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format
Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format
Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format
Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format
Text, TXT file (also RTF)	File Transn File format	Text, TXT file (also RTF)	File Transn File format	Text, TXT file (also RTF)	File Transn File format	Text, TXT file (also RTF)	File Transn File format	Text, TXT file (also RTF)	File Transn File format
Video/Graphics Language 1	File Transn File format 1	Video/Graphics Language 1	File Transn File format 1	Video/Graphics Language 1	File Transn File format 1	Video/Graphics Language 1	File Transn File format 1	Video/Graphics Language 1	File Transn File format 1
Video/Graphics Language 2	File Transn File format 2	Video/Graphics Language 2	File Transn File format 2	Video/Graphics Language 2	File Transn File format 2	Video/Graphics Language 2	File Transn File format 2	Video/Graphics Language 2	File Transn File format 2
Video/Graphics Language 3	File Transn File format 3	Video/Graphics Language 3	File Transn File format 3	Video/Graphics Language 3	File Transn File format 3	Video/Graphics Language 3	File Transn File format 3	Video/Graphics Language 3	File Transn File format 3

Video/Graphics	Video/Graphics	Video/Graphics	Video/Graphics	Video/Graphics
Language 4	Language 4	Language 4	Language 4	Language 4
File Transn File format	File Transn File format	File Transn File format	File Transn File format	File Transn File format
Video	Video	Video	Video	Video
Language <i>mn</i>	Language <i>mn</i>	Language <i>mn</i>	Language <i>mn</i>	Language <i>mn</i>
File Transn File format	File Transn File format	File Transn File format	File Transn File format	File Transn File format
WAV file	WAV file	WAV file	WAV file	WAV file
File Transn File format	File Transn File format	File Transn File format	File Transn File format	File Transn File format
Intel Hex	Intel Hex	Intel Hex	Intel Hex	Intel Hex
File Transn File format	File Transn File format	File Transn File format	File Transn File format	File Transn File format

File format	Flood Map SHP File	File Transn	File format	Flood Map SHP File	File Transn	File format	Flood Map SHP File	File Transn	File format	Flood Map SHP File	File Transn	File format	Flood Map SHP File
	Hurricane			Hurricane			Hurricane			Hurricane			Hurricane
File format	Inundation SHP Map Hurricane	File Transn	File format	Inundation SHP Map Hurricane	File Transn	File format	Inundation SHP Map Hurricane	File Transn	File format	Inundation SHP Map Hurricane	File Transn	File format	Inundation SHP Map Hurricane
File format	Inundation DXF Map	File Transn	File format	Inundation DXF Map	File Transn	File format	Inundation DXF Map	File Transn	File format	Inundation DXF Map	File Transn	File format	Inundation DXF Map
File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map
File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map
File format	Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)	File format)	Advertisement (if permitted)
File format	Advertisement Selected	File format	Selected	Advertisement Selected	File format	Selected	Advertisement Selected	File format	Selected	Advertisement Selected	File format	Selected	Advertisement Selected
File format	CAP Broadcast	File Transn	File format	CAP Broadcast	File Transn	File format	CAP Broadcast	File Transn	File format	CAP Broadcast	File Transn	File format	CAP Broadcast

	DXF file, CAD or		DXF file, CAD or		DXF file, CAD or		DXF file, CAD or		DXF file, CAD or	
File format	map	File Transn	File format	map	File Transn	File format	map	File Transn	File format	map
	EDXL-DE		EDXL-DE		EDXL-DE		EDXL-DE		EDXL-DE	
File format	file	File Transn	File format	file	File Transn	File format	file	File Transn	File format	file
	EDXL-DE		EDXL-DE		EDXL-DE		EDXL-DE		EDXL-DE	
File format	file, DTV only	File Transn	File format	file, DTV only	File Transn	File format	file, DTV only	File Transn	File format	file, DTV only
	Geograph		Geograph		Geograph		Geograph		Geograph	
	ic		ic		ic		ic		ic	
	Informati		Informati		Informati		Informati		Informati	
File format	on SHP	File Transn	File format	on SHP	File Transn	File format	on SHP	File Transn	File format	on SHP
	file		file		file		file		file	
	IEEE 1512		IEEE 1512		IEEE 1512		IEEE 1512		IEEE 1512	
File format		File Transn	File format		File Transn	File format		File Transn	File format	
	IEEE		IEEE		IEEE		IEEE		IEEE	
	1512 in		1512 in		1512 in		1512 in		1512 in	
File format	EDXL-DE	File Transn	File format	EDXL-DE	File Transn	File format	EDXL-DE	File Transn	File format	EDXL-DE
	Intelligent		Intelligent		Intelligent		Intelligent		Intelligent	
File format	Highway	File format	Highway	File format	Highway	File format	Highway	File format	Highway	File format
	Sign		Sign		Sign		Sign		Sign	
	JPG file		JPG file		JPG file		JPG file		JPG file	
File format		File Transn	File format		File Transn	File format		File Transn	File format	
	MPEG-2		MPEG-2		MPEG-2		MPEG-2		MPEG-2	
	file		file		file		file		file	
	(+mono		(+mono		(+mono		(+mono		(+mono	
File format	audio)	File Transn	File format	audio)	File Transn	File format	audio)	File Transn	File format	audio)

	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)
	MPEG- 4+HEVC	File Transn	MPEG- 4+HEVC	File Transn	MPEG- 4+HEVC	File Transn	MPEG- 4+HEVC	File Transn	MPEG- 4+HEVC
	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on
	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text
	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet
	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics
	Other	File format	Other	File format	Other	File format	Other	File format	Other
	Other, urgent	File format	Other, urgent	File format	Other, urgent	File format	Other, urgent	File format	Other, urgent

File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF
File format	Program	Program	File format	Program	Program	File format	Program	Program	File format	Program	Program	File format	Program
File format	Q codes ICAO/MM S/ITU-R	Queries or	File format	Q codes ICAO/MM S/ITU-R	Queries or	File format	Q codes ICAO/MM S/ITU-R	Queries or	File format	Q codes ICAO/MM S/ITU-R	Queries or	File format	Q codes ICAO/MM S/ITU-R
File format	Rich Text, RTF	File Transn	File format	Rich Text, RTF	File Transn	File format	Rich Text, RTF	File Transn	File format	Rich Text, RTF	File Transn	File format	Rich Text, RTF
File format	Tactical Situation Object, TSO	File Transn	File format	Tactical Situation Object, TSO	File Transn	File format	Tactical Situation Object, TSO	File Transn	File format	Tactical Situation Object, TSO	File Transn	File format	Tactical Situation Object, TSO
File format	TSO in EDXL-DE	File Transn	File format	TSO in EDXL-DE	File Transn	File format	TSO in EDXL-DE	File Transn	File format	TSO in EDXL-DE	File Transn	File format	TSO in EDXL-DE
File format	Transmitter Backup On	File format	File format	Transmitter Backup On	File format	File format	Transmitter Backup On	File format	File format	Transmitter Backup On	File format	File format	Transmitter Backup On
File format	Transmitter Carrier Off	File format	File format	Transmitter Carrier Off	File format	File format	Transmitter Carrier Off	File format	File format	Transmitter Carrier Off	File format	File format	Transmitter Carrier Off

File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On
	Transmitter Primary On		Transmitter Primary On		Transmitter Primary On		Transmitter Primary On		Transmitter Primary On
	Transmitter Status Query		Transmitter Status Query		Transmitter Status Query		Transmitter Status Query		Transmitter Status Query
File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response
	Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)
	Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1
File format	Video/Graphics Language 2	File format	Video/Graphics Language 2	File format	Video/Graphics Language 2	File format	Video/Graphics Language 2	File format	Video/Graphics Language 2
	Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3

	Video/Graphics		Video/Graphics		Video/Graphics		Video/Graphics		Video/Graphics	
	Language		Language		Language		Language		Language	
File format	4	File Transn	File format	4	File Transn	File format	4	File Transn	File format	4
	Video		Video		Video		Video		Video	
	Language		Language		Language		Language		Language	
File format	<i>mn</i>	File Transn	File format	<i>mn</i>	File Transn	File format	<i>mn</i>	File Transn	File format	<i>mn</i>
	WAV file		WAV file		WAV file		WAV file		WAV file	
File format		File Transn	File format		File Transn	File format		File Transn	File format	
	Intel Hex		Intel Hex		Intel Hex		Intel Hex		Intel Hex	
File format		File Transn	File format		File Transn	File format		File Transn	File format	

File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format	File Transn	Flood Map SHP	File format
	File			File			File			File	
	Hurricane			Hurricane			Hurricane			Hurricane	
File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format	File Transn	Inundatio n SHP	File format
	Map Hurricane			Map Hurricane			Map Hurricane			Map Hurricane	
File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format	File Transn	Inundatio n DXF	File format
	Map			Map			Map			Map	
File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format	File Transn	Tsunami DXF Map	File format
File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format	File Transn	Tsunami SHP Map	File format
File format	Advertisement (if permitted)	File format	File format	Advertisement (if permitted)	File format	File format	Advertisement (if permitted)	File format	File format	Advertisement (if permitted)	File format
File format	Advertisement Selected	File format	File format	Advertisement Selected	File format	File format	Advertisement Selected	File format	File format	Advertisement Selected	File format
File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format	File Transn	CAP Broadcast	File format

File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transn File format
File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transn File format
File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transn File format
File Transn File format	Geographic Information SHP file	File Transn File format	Geographic Information SHP file	File Transn File format	Geographic Information SHP file	File Transn File format	Geographic Information SHP file	File Transn File format
File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format	IEEE 1512	File Transn File format
File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transn File format
File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format
File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format	JPG file	File Transn File format
File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transn File format

File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn	MPEG-4 file (+mono audio)	File Transn
	File format		File format		File format		File format	
File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn	MPEG-4+HEVC	File Transn
	File format		File format		File format		File format	
odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr	Open Documen t Presentati on	odp File Tr
	File format		File format		File format		File format	
odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr	Open Documen t Text	odf File Tr
	File format		File format		File format		File format	
ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr	Open Documen t Spreadsh eet	ods File Tr
	File format		File format		File format		File format	
odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr	Open Documen t Graphics	odg File Tr
	File format		File format		File format		File format	
File format	Other	File format	Other	File format	Other	File format	Other	File format
	Other, urgent		Other, urgent		Other, urgent		Other, urgent	

no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF	no macros or web active	PDF
File format		File format		File format		File format		File format	
Program	Program	Program	Program	Program	Program	Program	Program	Program	Program
Program n File format		Program n File format		Program n File format		Program n File format		Program n File format	
Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R	Q codes ICAO/MM S/ITU-R
Queries or File format		Queries or File format		Queries or File format		Queries or File format		Queries or File format	
Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF	Rich Text, RTF
File Transn File format		File Transn File format		File Transn File format		File Transn File format		File Transn File format	
Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO	Tactical Situation Object, TSO
File Transn File format		File Transn File format		File Transn File format		File Transn File format		File Transn File format	
TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE	TSO in EDXL-DE
File Transn File format		File Transn File format		File Transn File format		File Transn File format		File Transn File format	
Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On	Transmitt er Backup On
File format		File format		File format		File format		File format	
Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off	Transmitt er Carrier Off
File format		File format		File format		File format		File format	

File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format
	Transmitter Primary On		Transmitter Primary On		Transmitter Primary On		Transmitter Primary On	
	Transmitter Status Query		Transmitter Status Query		Transmitter Status Query		Transmitter Status Query	
File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format
	Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)		Text, TXT file (also RTF)	
	Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1		Video/Graphics Language 1	
File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn
	Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3		Video/Graphics Language 3	

	Video/Graphics		Video/Graphics		Video/Graphics		Video/Graphics
	Language		Language		Language		Language
File Transn File format	4	File Transn File format	4	File Transn File format	4	File Transn File format	4
	Video		Video		Video		Video
	Language		Language		Language		Language
File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>	File Transn File format	<i>mn</i>
	WAV file		WAV file		WAV file		WAV file
File Transn File format		File Transn File format		File Transn File format		File Transn File format	
	Intel Hex		Intel Hex		Intel Hex		Intel Hex
File Transn File format		File Transn File format		File Transn File format		File Transn File format	

Language	Phrase	Meaning	Notes
Norwegian Bokmål	Smal sikt	Small sight	
Norwegian Bokmål	Bruk for	Use for	
Norwegian Bokmål	Ng		
Norwegian Bokmål	Nako e kh Sebelisa	Use the side of the road	
Norwegian Bokmål	Fobdobje	Use the side of the road	
Norwegian Bokmål	Ozki čas	Use the side of the road	
Norwegian Bokmål	Uporabi z	Use the side of the road	
Norwegian Bokmål	Term	Use the side of the road	
Norwegian Bokmål	تنگ مدت	Use the side of the road	
Norwegian Bokmål	کریو	Use the side of the road	
Norwegian Bokmål	Xhosa. G	Use the side of the road	
Norwegian Bokmål	Ixesha elin	Use the side of the road	
Norwegian Bokmål	لاء استعمال	Use the side of the road	
Norwegian Bokmål	Sindhi. Google Translate Only. Broad	Use the side of the road	
Norwegian Bokmål	Slovenia n. Bing translate. Široko	Use the side of the road	
Norwegian Bokmål	Sesotho. Only Google Translate available. Nako e Akaretsa	Use the side of the road	

Number	Number	Number	File	Number	Number
Codes	File format	Codes	File format	Codes	File format
Flood	Flood	Flood	Flood	Flood	Flood
Map DXF	Map DXF	Map DXF	Map DXF	Map DXF	Map DXF
File	File Transn	File Transn	File Transn	File Transn	File Transn

Flood Map SHP File		Flood Map SHP File		Flood Map SHP File		Flood Map SHP File		Flood Map SHP File		Flood Map SHP File	
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format
Hurricane		Hurricane		Hurricane		Hurricane		Hurricane		Hurricane	
Inundatio n SHP Map Hurricane	File Transn	File format	Inundatio n SHP Map Hurricane	File Transn	File format	Inundatio n SHP Map Hurricane	File Transn	File format	Inundatio n SHP Map Hurricane	File Transn	File format
Inundatio n DXF Map	File Transn	File format	Inundatio n DXF Map	File Transn	File format	Inundatio n DXF Map	File Transn	File format	Inundatio n DXF Map	File Transn	File format
Tsunami DXF Map	File Transn	File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map	File Transn	File format	Tsunami DXF Map	File Transn	File format
Tsunami SHP Map	File Transn	File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map	File Transn	File format	Tsunami SHP Map	File Transn	File format
Advertise ment (if permitted)		Advertise ment (if permitted)		Advertise ment (if permitted)		Advertise ment (if permitted)		Advertise ment (if permitted)		Advertise ment (if permitted)	
Advertise ment Selected		Advertise ment Selected		Advertise ment Selected		Advertise ment Selected		Advertise ment Selected		Advertise ment Selected	
CAP Broadcast	File Transn	File format	CAP Broadcast	File Transn	File format	CAP Broadcast	File Transn	File format	CAP Broadcast	File Transn	File format

DXF file, CAD or map	File Transn	File format	DXF file, CAD or map	File Transn	File format	DXF file, CAD or map	File Transn	File format	DXF file, CAD or map	File Transn	File format	DXF file, CAD or map	File Transn	File format
EDXL-DE file	File Transn	File format	EDXL-DE file	File Transn	File format	EDXL-DE file	File Transn	File format	EDXL-DE file	File Transn	File format	EDXL-DE file	File Transn	File format
EDXL-DE file, DTV only	File Transn	File format	EDXL-DE file, DTV only	File Transn	File format	EDXL-DE file, DTV only	File Transn	File format	EDXL-DE file, DTV only	File Transn	File format	EDXL-DE file, DTV only	File Transn	File format
Geograph ic Informati on SHP file	File Transn	File format	Geograph ic Informati on SHP file	File Transn	File format	Geograph ic Informati on SHP file	File Transn	File format	Geograph ic Informati on SHP file	File Transn	File format	Geograph ic Informati on SHP file	File Transn	File format
IEEE 1512	File Transn	File format	IEEE 1512	File Transn	File format	IEEE 1512	File Transn	File format	IEEE 1512	File Transn	File format	IEEE 1512	File Transn	File format
IEEE 1512 in EDXL-DE	File Transn	File format	IEEE 1512 in EDXL-DE	File Transn	File format	IEEE 1512 in EDXL-DE	File Transn	File format	IEEE 1512 in EDXL-DE	File Transn	File format	IEEE 1512 in EDXL-DE	File Transn	File format
Intelligent Highway Sign	File format		Intelligent Highway Sign	File format		Intelligent Highway Sign	File format		Intelligent Highway Sign	File format		Intelligent Highway Sign	File format	
JPG file	File Transn	File format	JPG file	File Transn	File format	JPG file	File Transn	File format	JPG file	File Transn	File format	JPG file	File Transn	File format
MPEG-2 file (+mono audio)	File Transn	File format	MPEG-2 file (+mono audio)	File Transn	File format	MPEG-2 file (+mono audio)	File Transn	File format	MPEG-2 file (+mono audio)	File Transn	File format	MPEG-2 file (+mono audio)	File Transn	File format

MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transn
MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transn
Open Document Presentation	odp File Tr	File format	Open Document Presentation	odp File Tr	File format	Open Document Presentation	odp File Transmiss	File format	Open Document Presentation	odp File Tr
Open Document Text	odf File Tr	File format	Open Document Text	odf File Tr	File format	Open Document Text	odf File Transmiss	File format	Open Document Text	odf File Tr
Open Document Spreadsheet	ods File Tr	File format	Open Document Spreadsheet	ods File Tr	File format	Open Document Spreadsheet	ods File Transmiss	File format	Open Document Spreadsheet	ods File Tr
Open Document Graphics	odg File Tr	File format	Open Document Graphics	odg File Tr	File format	Open Document Graphics	odg File Transmiss	File format	Open Document Graphics	odg File Tr
Other		File format	Other		File format	Other		File format	Other	
Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent	

PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program	Program	File format	Program	Program	File format	Program	Program	File format	Program	Program	File format	Program	Program
	Program	File format		Program	File format		Program	File format		Program	File format		Program
Q codes	Q codes	File format	Q codes	Q codes	File format	Q codes	Q codes	File format	Q codes	Q codes	File format	Q codes	Q codes
ICAO/MM	ICAO/MM	File format	ICAO/MM	ICAO/MM	File format	ICAO/MM	ICAO/MM	File format	ICAO/MM	ICAO/MM	File format	ICAO/MM	ICAO/MM
S/ITU-R	S/ITU-R	File format	S/ITU-R	S/ITU-R	File format	S/ITU-R	S/ITU-R	File format	S/ITU-R	S/ITU-R	File format	S/ITU-R	S/ITU-R
	Queries or	File format		Queries or	File format		Queries or	File format		Queries or	File format		Queries or
Rich	Rich	File format	Rich	Rich	File format	Rich	Rich	File format	Rich	Rich	File format	Rich	Rich
Text, RTF	Text, RTF	File format	Text, RTF	Text, RTF	File format	Text, RTF	Text, RTF	File format	Text, RTF	Text, RTF	File format	Text, RTF	Text, RTF
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format		File Transn
Tactical	Tactical	File format	Tactical	Tactical	File format	Tactical	Tactical	File format	Tactical	Tactical	File format	Tactical	Tactical
Situation	Situation	File format	Situation	Situation	File format	Situation	Situation	File format	Situation	Situation	File format	Situation	Situation
Object,	Object,	File format	Object,	Object,	File format	Object,	Object,	File format	Object,	Object,	File format	Object,	Object,
TSO	TSO	File format	TSO	TSO	File format	TSO	TSO	File format	TSO	TSO	File format	TSO	TSO
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format		File Transn
TSO in	TSO in	File format	TSO in	TSO in	File format	TSO in	TSO in	File format	TSO in	TSO in	File format	TSO in	TSO in
EDXL-DE	EDXL-DE	File format	EDXL-DE	EDXL-DE	File format	EDXL-DE	EDXL-DE	File format	EDXL-DE	EDXL-DE	File format	EDXL-DE	EDXL-DE
	File Transn	File format		File Transn	File format		File Transn	File format		File Transn	File format		File Transn
Transmitt	Transmitt	File format	Transmitt	Transmitt	File format	Transmitt	Transmitt	File format	Transmitt	Transmitt	File format	Transmitt	Transmitt
er	er	File format	er	er	File format	er	er	File format	er	er	File format	er	er
Backup	Backup	File format	Backup	Backup	File format	Backup	Backup	File format	Backup	Backup	File format	Backup	Backup
On	On	File format	On	On	File format	On	On	File format	On	On	File format	On	On
	File format	File format		File format	File format		File format	File format		File format	File format		File format
Transmitt	Transmitt	File format	Transmitt	Transmitt	File format	Transmitt	Transmitt	File format	Transmitt	Transmitt	File format	Transmitt	Transmitt
er Carrier	er Carrier	File format	er Carrier	er Carrier	File format	er Carrier	er Carrier	File format	er Carrier	er Carrier	File format	er Carrier	er Carrier
Off	Off	File format	Off	Off	File format	Off	Off	File format	Off	Off	File format	Off	Off

Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format
Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format	Transmitter Primary On	File format
Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format
Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format
Text, TXT file (also RTF)	File Transn	Text, TXT file (also RTF)	File Transn	Text, TXT file (also RTF)	File Transn	Text, TXT file (also RTF)	File Transn	Text, TXT file (also RTF)	File Transn
Video/Graphics Language 1	File Transn	Video/Graphics Language 1	File Transn	Video/Graphics Language 1	File Transn	Video/Graphics Language 1	File Transn	Video/Graphics Language 1	File Transn
Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn	Video/Graphics Language 2	File Transn
Video/Graphics Language 3	File Transn	Video/Graphics Language 3	File Transn	Video/Graphics Language 3	File Transn	Video/Graphics Language 3	File Transn	Video/Graphics Language 3	File Transn

Video/Graphics	Video/Graphics	Video/Graphics	Video/Graphics	Video/Graphics
Language 4	Language 4	Language 4	Language 4	Language 4
File Transn	File Transn	File Transn	File Transn	File Transn
File format	File format	File format	File format	File format
Video	Video	Video	Video	Video
Language <i>mn</i>	Language <i>mn</i>	Language <i>mn</i>	Language <i>mn</i>	Language <i>mn</i>
File Transn	File Transn	File Transn	File Transn	File Transn
File format	File format	File format	File format	File format
WAV file	WAV file	WAV file	WAV file	WAV file
File Transn	File Transn	File Transn	File Transn	File Transn
File format	File format	File format	File format	File format
Intel Hex	Intel Hex	Intel Hex	Intel Hex	Intel Hex
File Transn	File Transn	File Transn	File Transn	File Transn
File format	File format	File format	File format	File format

The following Event (EEE) codes
are presently U

EEE is reserved

Nature	Event codes	Advertise	
re		ment (if	
Nature		permitted	
tio		Advertise	
pa		ment	
E		Selected	
m	EAN.	CAP	
er		Broadcast	File Transn
Nature		DXF file,	
tio	NIC	CAD or	
na		map	File Transn
l			

National People	NPT.	EDXL-DE file	File format	File Transn
Regulatory	RMT.	EDXL-DE file, DTV	File format	File Transn
Regulatory Statistics	RWT.	Geograph ic	File format	File Transn
Administrative	ADR.	IEEE 1512 in EDXL-DE	File format	File Transn
Aviation Check	AVW.	Intelligent Highway Sign	File format	
Aviation Business	AVA.	JPG file	File format	File Transn
Broadcast Child	BZW.	MPEG-2 file (+mono audio)	File format	File Transn
Child Civil	CAE.	MPEG-4 file (+mono MPEG-	File format	File Transn
Civil	CDW.	4+HEVC	File format	File Transn

Civil Emergency Coastal Flooding	CEM.	Open Document Presentation File format odp File Tr
Coastal Flooding	CFW.	Open Document Text File format odf File Tra

Coastal Flood Watch	CFA.	Open Document Spreadsheet
Dust Storm Earthquake	DSW.	File format ods File Tr: Open Document Graphics odg File Tr:
	EQW.	Other
		File format

Ev ac ua tio Ex	EVI.	Other, urgent	File format
tre m e var	EWV.	PDF	no macros or web active
Fi re W ar ni	FRV.	Program	File format
Fl as h	FFV.	Q codes ICAO/MM S/ITU-R	Program m Queries or
Fl as h Fl oo d W	FFA.	Rich Text, RTF	File format
			File Transn

Flash Flood State	FFS.	Tactical Situation Object, TSO	File format	File Transn
Flood Warning	FLW.	TSO in EDXL-DE	File format	File Transn
Flood Warning	FLA.	Transmitter Backup On	File format	
Flood State	FLS.	Transmitter Carrier Off	File format	
Hazardous Materials	HMW.	Transmitter Carrier On		
Warning			File format	

High	HWW.	Transmitter	
High	HWA.	Primary On Transmitter Status Query	
High	HUW.	Transmitter Status Response	
High	HUA.	Text, TXT file (also RTF)	
High	HLS.	Video/Graphics Language 1	File Transn
Low	LEW.	Video/Graphics Language 2	File Transn

Local Area Network Media 911 Telephone Outage Event	LAE.	Video/Graphics Language File format ³	File Transn
	NMN.	Video/Graphics Language 4	
		File format	File Transn
	TOE.	Video Language <i>mn</i>	
		File format	File Transn

N uc lea r Po we r Pl an	NUW.
Pr	DMO.
Ra	RHW.
Se	SVR.
Se	SVA.
Se	SVS.
Sh	SPW
Sp	SMW.
Sp	SPS.
St	SSA.
St	SSW.
To	TOR.
To	TOA.
Tr	TRW.
Tr	TRA.
Ts	TSW.
Ts	TSA.
Vo	VOW.
Wi	WSW.
Wi	WSA.

WAV file

File format File Transn
File format Intel Hex File Transn

Se benzis	Hmong Laos. Google Translate Only. Thoob Ntiaj Teb	Used in U	Siv Rau	Zulu. Google Translate Only. Ithemu Elibanzi	Isikhathi esiseduz e	Sebenzis a	Bangla. Bing translate. চওড়া কাল	সংকীর্ণ মোড়ে	জন্য ব্যবহার	Sinhala, Sri Lanka. Google Translate Only. පුළුල් අරාසය	පුටු ඉඩ	භාවිතා කරන්න	Chichewa. Malawi. Google Translate Only. Kutalika Kwambiri
-----------	--	-----------	---------	---	----------------------------	---------------	---	------------------	-----------------	--	---------	-----------------	--

	Number		Number	File	Number	File	Number	File	Number
File format	Codes	File format	Codes	format	Codes	format	Codes	format	Codes
	Flood		Flood	File	Flood	File	Flood	File	Flood
	Map DXF		Map DXF	Transmiss	Map DXF	Transmiss	Map DXF	Transmiss	Map
File format	File	File Transn	File format	File	File	ion	File	ion	DXF File

File format	Flood Map SHP File	File Transn File format	Flood Map SHP File	File Transmiss ion	File format	File Transmiss ion	Flood Map SHP File	File Transmiss ion	File format	File Transmiss ion	Flood Map SHP File	File Transmiss ion	File format	File Transmiss ion	Flood Map SHP File
	Hurricane		Hurricane				Hurricane				Hurricane				Hurricane
File format	Inundatio n SHP Map Hurricane	File Transn File format	Inundatio n SHP Map Hurricane	File Transmiss ion	File format	File Transmiss ion	Inundatio n SHP Map Hurricane	File Transmiss ion	File format	File Transmiss ion	Inundatio n SHP Map Hurricane	File Transmiss ion	File format	File Transmiss ion	Inundatio n SHP Map Hurricane
File format	Inundatio n DXF Map	File Transn File format	Inundatio n DXF Map	File Transmiss ion	File format	File Transmiss ion	Inundatio n DXF Map	File Transmiss ion	File format	File Transmiss ion	Inundatio n DXF Map	File Transmiss ion	File format	File Transmiss ion	Inundatio n DXF Map
File format	Tsunami DXF Map	File Transn File format	Tsunami DXF Map	Transmiss ion	File format	Transmiss ion	Tsunami DXF Map	Transmiss ion	File format	Transmiss ion	Tsunami DXF Map	Transmiss ion	File format	Transmiss ion	Tsunami DXF Map
File format	Tsunami SHP Map	File Transn File format	Tsunami SHP Map	File Transmiss ion	File format	File Transmiss ion	Tsunami SHP Map	File Transmiss ion	File format	File Transmiss ion	Tsunami SHP Map	File Transmiss ion	File format	File Transmiss ion	Tsunami SHP Map
File format	Advertise ment (if permitted)	File format	Advertise ment (if permitted)		File format		Advertise ment (if permitted)		File format		Advertise ment (if permitted)		File format		Advertise ment (if permitted)
File format	Advertise ment Selected	File format	Advertise ment Selected		File format		Advertise ment Selected		File format		Advertise ment Selected		File format		Advertise ment Selected
File format	CAP Broadcast	File Transn File format	CAP Broadcast	Transmiss ion	File format	Transmiss ion	CAP Broadcast	Transmiss ion	File format	Transmiss ion	CAP Broadcast	Transmiss ion	File format	Transmiss ion	CAP Broadcast

File format	DXF file, CAD or map	File Transn File format	DXF file, CAD or map	File Transmiss ion File format	DXF file, CAD or map	File Transmiss ion File format	DXF file, CAD or map	File Transmiss ion File format	DXF file, CAD or map
File format	EDXL-DE file	File Transn File format	EDXL-DE file	File Transmiss ion File format	EDXL-DE file	File Transmiss ion File format	EDXL-DE file	File Transmiss ion File format	EDXL-DE file
File format	EDXL-DE file, DTV only	File Transn File format	EDXL-DE file, DTV only	File Transmiss ion File format	EDXL-DE file, DTV only	File Transmiss ion File format	EDXL-DE file, DTV only	File Transmiss ion File format	EDXL-DE file, DTV only
File format	Geograph ic Informati on SHP file	File Transn File format	Geograph ic Informati on SHP file	File Transmiss ion File format	Geograph ic Informati on SHP file	File Transmiss ion File format	Geograph ic Informati on SHP file	File Transmiss ion File format	Geograp hic Informati on SHP file
File format	IEEE 1512	File Transn File format	IEEE 1512	Transmiss ion File format	IEEE 1512	Transmiss ion File format	IEEE 1512	Transmiss ion File format	IEEE 1512
File format	IEEE 1512 in EDXL-DE	File Transn File format	IEEE 1512 in EDXL-DE	File Transmiss ion File format	IEEE 1512 in EDXL-DE	File Transmiss ion File format	IEEE 1512 in EDXL-DE	File Transmiss ion File format	IEEE 1512 in EDXL-DE
File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligent Highway Sign	File format	Intelligen t Highway Sign
File format	JPG file	File Transn File format	JPG file	File Transmiss ion File format	JPG file	File Transmiss ion File format	JPG file	File Transmiss ion File format	JPG file
File format	MPEG-2 file (+mono audio)	File Transn File format	MPEG-2 file (+mono audio)	File Transmiss ion File format	MPEG-2 file (+mono audio)	File Transmiss ion File format	MPEG-2 file (+mono audio)	File Transmiss ion File format	MPEG-2 file (+mono audio)

File format	MPEG-4 file (+mono audio)	File Transn	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	File format	MPEG-4 file (+mono audio)
File format	MPEG-4+HEVC	File Transn	File format	MPEG-4+HEVC	File Transmiss ion	File format	File format	MPEG-4+HEVC	File Transmiss ion	File format	File format	MPEG-4+HEVC
File format	Open Documen t Presentati on	odp File Tr	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	File format	Open Docume nt Presenta tion
File format	Open Documen t Text	odf File Tr	File format	Open Documen t Text	odf File Transmiss ion	File format	File format	Open Documen t Text	odf File Transmiss ion	File format	File format	Open Docume nt Text
File format	Open Documen t Spreadsh eet	ods File Tr	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	File format	Open Docume nt Spread sheet
File format	Open Documen t Graphics	odg File Tr	File format	Open Documen t Graphics	odg File Transmiss ion	File format	File format	Open Documen t Graphics	odg File Transmiss ion	File format	File format	Open Docume nt Graphics
File format	Other	File format	File format	Other	File format	File format	File format	Other	File format	File format	File format	Other
File format	Other, urgent	File format	File format	Other, urgent	File format	File format	File format	Other, urgent	File format	File format	File format	Other, urgent

File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF
File format	Program	Program n	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program
File format	Q codes ICAO/MM S/ITU-R	Queries or	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R
File format	Rich Text, RTF	File Transn	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF
File format	Tactical Situation Object, TSO	File Transn	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO
File format	TSO in EDXL-DE	File Transn	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE
File format	Transmitter Backup On	File format	Transmitter Backup On	File format	File format	File format	Transmitter Backup On	File format	File format	Transmitter Backup On	File format	File format	Transmitter Backup On
File format	Transmitter Carrier Off	File format	Transmitter Carrier Off	File format	File format	File format	Transmitter Carrier Off	File format	File format	Transmitter Carrier Off	File format	File format	Transmitter Carrier Off

File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On	File format	Transmitter Carrier On
	Transmitter Primary On		File format		Transmitter Primary On		File format		Transmitter Primary On
File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query	File format	Transmitter Status Query
File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response	File format	Transmitter Status Response
File format	Text, TXT file (also RTF)	File format	Text, TXT file (also RTF)	File format	Text, TXT file (also RTF)	File format	Text, TXT file (also RTF)	File format	Text, TXT file (also RTF)
	Video/Graphics Language 1		File format		Video/Graphics Language 1		File format		Video/Graphics Language 1
File format	Video/Graphics Language 2	File format	Video/Graphics Language 2	File format	Video/Graphics Language 2	File format	Video/Graphics Language 2	File format	Video/Graphics Language 2
File format	Video/Graphics Language 3	File format	Video/Graphics Language 3	File format	Video/Graphics Language 3	File format	Video/Graphics Language 3	File format	Video/Graphics Language 3

[illegible]

mission

mission

mission

mission

mission

mission

mission

mission

mission

mission

mission

ansmission

ansmission

ansmission

ansmission

metadata

notes

mission

mission

mission

mission

mission

mission

mission

mission

mission

mission

mission

Nthawi yayitali	Gwiritsan i Ntchito	Hausa, Niger, Nigeria. Google Translate Only. Tsarin lokaci	Nisan lokaci	Yi amfani da	Malagasy . Madagas car. Bing translate.	Mivelatra ny teny Hoe	Teny Hoe tery	Ampiasa o ho An' ny	Persian, Farsi, Dari Bing translate	مدت وسیع	مدت محدود	برای استفاده از	Yoruba. Google Translat e Only. Akoko Ipele	Akoko ipari	Lo Fun
--------------------	------------------------	--	-----------------	--------------------	---	-----------------------------	------------------	---------------------------	---	-------------	--------------	-----------------------	--	----------------	--------

	File format	Number Codes		File format	Number Codes		File format	Number Codes		File format	Number Codes		File format
File Transmis sion	File format	Flood Map DXF File	File Transmis sion	File format	Flood Map DXF File	File Transmis sion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format

File Transmis sion	File format	Flood Map SHP File	File Transmis sion	File format	Flood Map SHP File	File Transmis sion	File format	Flood Map SHP File	File Transmiss ion	File format	Flood Map SHP File	File Transmiss ion	File format
		Hurricane			Hurricane			Hurricane			Hurricane		
File Transmis sion	File format	Inundatio n SHP Map	File Transmis sion	File format	Inundatio n SHP Map	File Transmis sion	File format	Inundatio n SHP Map Hurricane	File Transmiss ion	File format	Inundatio n SHP Map Hurricane	File Transmiss ion	File format
File Transmis sion	File format	Inundatio n DXF Map	File Transmis sion	File format	Inundatio n DXF Map	File Transmis sion	File format	Inundatio n DXF Map	File Transmiss ion	File format	Inundatio n DXF Map	File Transmiss ion	File format
File Transmis sion	File format	Tsunami DXF Map	File Transmis sion	File format	Tsunami DXF Map	File Transmis sion	File format	Tsunami DXF Map	File Transmiss ion	File format	Tsunami DXF Map	File Transmiss ion	File format
File Transmis sion	File format	Tsunami SHP Map	File Transmis sion	File format	Tsunami SHP Map	File Transmis sion	File format	Tsunami SHP Map	File Transmiss ion	File format	Tsunami SHP Map	File Transmiss ion	File format
	File format	Advertis ement (if permitted)		File format	Advertis ement (if permitted)		File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format
	File format	Advertis ement Selected		File format	Advertis ement Selected		File format	Advertise ment Selected		File format	Advertise ment Selected		File format
File Transmis sion	File format	CAP Broadca st	File Transmis sion	File format	CAP Broadca st	File Transmis sion	File format	CAP Broadcast	File Transmiss ion	File format	CAP Broadcast	File Transmiss ion	File format

File Transmis sion	File format	DXF file, CAD or map	File Transmis sion	File format	DXF file, CAD or map	File Transmis sion	File format	DXF file, CAD or map	File Transmiss ion	File format	DXF file, CAD or map	File Transmiss ion	File format
File Transmis sion	File format	EDXL- DE file	File Transmis sion	File format	EDXL- DE file	File Transmis sion	File format	EDXL-DE file	Transmiss ion	File format	EDXL-DE file	Transmiss ion	File format
File Transmis sion	File format	EDXL- DE file, DTV only	File Transmis sion	File format	EDXL- DE file, DTV only	File Transmis sion	File format	EDXL-DE file, DTV only	File Transmiss ion	File format	EDXL-DE file, DTV only	File Transmiss ion	File format
File Transmis sion	File format	Geograp hic Informati on SHP file	File Transmis sion	File format	Geograp hic Informati on SHP file	File Transmis sion	File format	Geograph ic Informati on SHP file	File Transmiss ion	File format	Geograph ic Informati on SHP file	File Transmiss ion	File format
File Transmis sion	File format	IEEE 1512	File Transmis sion	File format	IEEE 1512	File Transmis sion	File format	IEEE 1512	Transmiss ion	File format	IEEE 1512	Transmiss ion	File format
File Transmis sion	File format	IEEE 1512 in EDXL- DE	File Transmis sion	File format	IEEE 1512 in EDXL- DE	File Transmis sion	File format	IEEE 1512 in EDXL-DE	File Transmiss ion	File format	IEEE 1512 in EDXL-DE	File Transmiss ion	File format
	File format	Intelligen t Highway Sign		File format	Intelligen t Highway Sign		File format	Intelligent Highway Sign		File format	Intelligent Highway Sign		File format
File Transmis sion	File format	JPG file	File Transmis sion	File format	JPG file	File Transmis sion	File format	JPG file	File Transmiss ion	File format	JPG file	File Transmiss ion	File format
File Transmis sion	File format	MPEG-2 file (+mono audio)	File Transmis sion	File format	MPEG-2 file (+mono audio)	File Transmis sion	File format	MPEG-2 file (+mono audio)	File Transmiss ion	File format	MPEG-2 file (+mono audio)	File Transmiss ion	File format

File Transmis sion	File format	MPEG-4 file (+mono audio)	File Transmis sion	File format	MPEG-4 file (+mono audio)	File Transmis sion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format
File Transmis sion	File format	MPEG-4+HEVC	File Transmis sion	File format	MPEG-4+HEVC	File Transmis sion	File format	MPEG-4+HEVC	File Transmiss ion	File format	MPEG-4+HEVC	File Transmiss ion	File format
odp File Transmis sion	File format	Open Docume nt Presenta tion	odp File Transmis sion	File format	Open Docume nt Presenta tion	odp File Transmis sion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format
odf File Transmis sion	File format	Open Docume nt Text	odf File Transmis sion	File format	Open Docume nt Text	odf File Transmis sion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format
ods File Transmis sion	File format	Open Docume nt Spreads heet	ods File Transmis sion	File format	Open Docume nt Spreads heet	ods File Transmis sion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format
odg File Transmis sion	File format	Open Docume nt Graphics	odg File Transmis sion	File format	Open Docume nt Graphics	odg File Transmis sion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format
	File format	Other		File format	Other		File format	Other		File format	Other		File format
	File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format

no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format
Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format
Queries or notes	File format	Q codes ICAO/MS/ITU-R	Queries or notes	File format	Q codes ICAO/MS/ITU-R	Queries or notes	File format	Q codes ICAO/MS/ITU-R	Queries or notes	File format	Q codes ICAO/MS/ITU-R	Queries or notes	File format
File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format
File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format
File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format
	File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format
	File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format

		Transmitter Carrier On		File format		Transmitter Carrier On		File format		Transmitter Carrier On		File format	
		Transmitter Primary On		File format		Transmitter Primary On		File format		Transmitter Primary On		File format	
		Transmitter Status Query		File format		Transmitter Status Query		File format		Transmitter Status Query		File format	
		Transmitter Status Response		File format		Transmitter Status Response		File format		Transmitter Status Response		File format	
File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format
File Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission	File format
File Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission	File format
File Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission	File format

File	Video/Graphics	File	Video/Graphics	File	Video/Graphics	File	Video/Graphics	File
Transmis	Language	Transmis	Language	Transmis	Language	Transmiss	Language	Transmiss
sion	e 4	sion	e 4	sion	4	ion	4	ion
File	Video	File	Video	File	Video	File	Video	File
Transmis	Language	Transmis	Language	Transmis	Language	Transmiss	Language	Transmiss
sion	e mn	sion	e mn	sion	<i>mn</i>	ion	<i>mn</i>	ion
File		File		File		File		File
Transmis	WAV file	Transmis	WAV file	Transmis	WAV file	Transmiss	WAV file	Transmiss
sion		sion		sion		ion		ion
File		File		File		File		File
Transmis	Intel Hex	Transmis	Intel Hex	Transmis	Intel Hex	Transmiss	Intel Hex	Transmiss
sion		sion		sion		ion		ion
format		format		format		format		format

Malayalam. India. Google Translate Only.	ഇടയ്ക്കു	ഉപയോഗിക്കുക	Bengali. India. Google Translate Only.	সংকীর্ণ শব্দ	জন্য ব্যবহার করুন	Gujarati. India. Google Translate Only.	બ્રોડ ટર્મ	સંક્ષિપ્ત શબ્દ	માટે ઉપયોગ કરો	Kannada. India. Bing Translate	ಬ್ರಾಡ್ ಮಾರ್ಪಡೆ	ಕಿರಿದಾದ ಪದ	ಇದಕ್ಕಾಗಿ ಬಳಸಿ	Marathi. India. Google Translate Only.	ब्रॉड टर्म	संकीर्ण टर्म
--	----------	-------------	--	--------------	-------------------	---	------------	----------------	----------------	--------------------------------	----------------	------------	---------------	--	------------	--------------

Number Codes			File format			Number Codes			File format			Number Codes			File format		
Flood Map File	DXF	Transmission	Flood Map File	DXF	Transmission	Flood Map File	DXF	Transmission	Flood Map File	DXF	Transmission	Flood Map File	DXF	Transmission			

Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission
Hurricane			Hurricane			Hurricane			Hurricane			Hurricane	
Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission
Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission
Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission
Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission
Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)	
Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected	
CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission

MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion
MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion
Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion
Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion
Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion
Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion
Other		File format	Other		File format	Other		File format	Other		File format	Other	
Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent	

PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata
Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes
Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission
Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission
TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission
Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On	
Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off	

Transmitter Carrier On			File format	Transmitter Carrier On			File format	Transmitter Carrier On			File format	Transmitter Carrier On			File format
Transmitter Primary On			File format	Transmitter Primary On			File format	Transmitter Primary On			File format	Transmitter Primary On			File format
Transmitter Status Query			File format	Transmitter Status Query			File format	Transmitter Status Query			File format	Transmitter Status Query			File format
Transmitter Status Response			File format	Transmitter Status Response			File format	Transmitter Status Response			File format	Transmitter Status Response			File format
Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format	
Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format	
Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format	
Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format	

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

साठी	Punjabi. India. Bing Translate	ਸੰਖੇਪ	Tamil. India, Sri Lanka. Bing translate.	குறு கிய	Telugu.In dia. Bing Translate	ఉప యో గిం చ దం కో సం	Urdu.Indi a, Bing Translate	استعما ل کے	Albanian. Google Translate
वाप रा.	ਬੰਡ ਟਰਮ	ਮਿਆ ਦ	பரந்த த கால	கா டுத் த	బ్రాడ్ టర్మ్	ఇరు కైన టర్మ్	Pakistan. وسیع اصطلاح	تنگ اصطلاح	Only. Term i gjerë

File format	Number Codes	File format	Number Codes	File format	Number Codes	File format	Number Codes	File format	Number Codes
File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format

File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File
	Hurricane			Hurricane			Hurricane			Hurricane			Hurricane
File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane
File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map
File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map
File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map
File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)
File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected
File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast

File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)
File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC
File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation
File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text
File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet
File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics
File format	Other		File format	Other		File format	Other		File format	Other		File format	Other
File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent

File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF
File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program
File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R
File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF
File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO
File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE
File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On
File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off

File format	Transmitter Carrier On			File format			Transmitter Carrier On			File format			Transmitter Carrier On			File format			Transmitter Carrier On											
	Transmitter Primary On			File format			Transmitter Primary On			File format			Transmitter Primary On			File format			Transmitter Primary On											
	Transmitter Status Query			File format			Transmitter Status Query			File format			Transmitter Status Query			File format			Transmitter Status Query											
	Transmitter Status Response			File format			Transmitter Status Response			File format			Transmitter Status Response			File format			Transmitter Status Response											
File format	Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)		
	Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1		
	Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2		
	Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3		

File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics
	Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4
File format	Video	File	File format	Video	File	File format	Video	File	File format	Video	File	File format	Video
	Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>
File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file
		File			File			File			File		
File format	Intel Hex	Transmiss ion	File format	Intel Hex	Transmiss ion	File format	Intel Hex	Transmiss ion	File format	Intel Hex	Transmiss ion	File format	Intel Hex

								Cebuano.					
		Basque.			Catalan.			Philippin			Fijian.		
		Spain.			France.			es.			Bing		
		Google			Spain.			Google			Translate		
		Translate			Bing			Translate			Only.		
		Only.			translate.			Lapad			Only.		
Term i	Përdore	Epealdi	Epe	Erabili	Terme	Terme	Utilitza	nga	Termidad	Paggamit	Vosa	Vosa	Use For.
ngushtë	për.	luzea	luzea	For.	ampli	estret	per a	Termino	sa Term.	Kay.	rabailevu	qiqo.	

	File	Number		File	Number		File	Number		File	Number		File
	format	Codes		format	Codes		format	Codes		format	Codes		format
File	File	Flood	File	File	Flood	File	File	Flood	File	File	Flood	File	File
Transmiss	format	Map DXF	Transmiss	format	Map DXF	Transmiss	format	Map DXF	Transmiss	format	Map DXF	Transmiss	format
ion		File	ion		File	ion		File	ion		File	ion	

File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format
		Hurricane			Hurricane			Hurricane			Hurricane		
File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format
File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format
Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format
File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format
	File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format
	File format	Advertise ment Selected		File format	Advertise ment Selected		File format	Advertise ment Selected		File format	Advertise ment Selected		File format
File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format

File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format
File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format
odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format
odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format
ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format
odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format
	File format	Other		File format	Other		File format	Other		File format	Other		File format
	File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format

no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format
Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format
Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format
File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format
File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format
File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format
	File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format
	File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format

	File format		Transmitter Carrier On		File format		Transmitter Carrier On		File format		Transmitter Carrier On		File format	
	File format		Transmitter Primary On		File format		Transmitter Primary On		File format		Transmitter Primary On		File format	
	File format		Transmitter Status Query		File format		Transmitter Status Query		File format		Transmitter Status Query		File format	
	File format		Transmitter Status Response		File format		Transmitter Status Response		File format		Transmitter Status Response		File format	
File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format	
File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format	
File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format	
File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format	

File		Video/Graphics	File		Video/Graphics	File		Video/Graphics	File		Video/Graphics	File	
Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format
File		Video	File		Video	File		Video	File		Video	File	
Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format
File			File			File			File			File	
Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format
File			File			File			File			File	
Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format
ion			ion			ion			ion			ion	

==

==

Galician.			Irish.			Javanese			Myanmar			Pashtu,		
Spain.			Google			. Google			(Burmes			Pashto.		
Google			Google			. Google			Google			Google		
Translate			Translate			Translate			Translate			translate		
Only.			Only.			Only.			Only.			only.		
Termo	Término	Usar	Téarma	Téarma	Bain	Istilah	Narrow	Gunakak	ကျယ်ပြန့်	ကျင့်မြတ်	သည့်သုံးပါး	پراخه	اوږدې	مودې.
amplo	estreito	para.	Leathan	teoranta	úsaid as.	jembar	Term.	e Kanggo.	Term	Term	Term	موده	مودې.	

Number Codes			File format			Number Codes			File format			Number Codes			File format			Number Codes			File format		
Flood Map DXF File	File	Transmiss ion	File	format		Flood Map DXF File	File	Transmiss ion	File	format		Flood Map DXF File	File	Transmiss ion	File	format		Flood Map DXF File	File	Transmiss ion	File	format	

Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission
Hurricane			Hurricane			Hurricane			Hurricane			Hurricane	
Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission
Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission
Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission
Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission
Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)	
Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected	
CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission

MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion
MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion
Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion
Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion
Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion
Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion
Other		File format	Other		File format	Other		File format	Other		File format	Other	
Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent	

PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata
Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes
Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission
Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission
TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission
Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On	
Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off	

Transmitter Carrier On			File format	Transmitter Carrier On			File format	Transmitter Carrier On			File format	Transmitter Carrier On			File format
Transmitter Primary On			File format	Transmitter Primary On			File format	Transmitter Primary On			File format	Transmitter Primary On			File format
Transmitter Status Query			File format	Transmitter Status Query			File format	Transmitter Status Query			File format	Transmitter Status Query			File format
Transmitter Status Response			File format	Transmitter Status Response			File format	Transmitter Status Response			File format	Transmitter Status Response			File format
Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format	
Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format	
Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format	
Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format	

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

Video/Graphics
Language 4
Video Language
mn
WAV file
Intel Hex

File
Transmission
File format
File
Transmission
File format
File
Transmission
File format
File
Transmission
File format

==

==

Scots Gaelic. Google Translate		Shona. Zimbabwe. Google Translate		Sundane se (Indonesi an). Google Translate		Welsh. U.K. Google Translate		Amharic. Ethiopia. Google Translate					
Only. لپاره	Teirm a			Only. كارول									
Téarma	'Chaolais	Cleachd	Broad	Chidimb	Shandisa	Ilega	Istilah	Paké	Tymor	Cylch	Defnyddi	ሰፈው	
Leathann	.	Airson.	Term.	u Themu	Kwazvo.	Istilah	sempit.	Kanggo.	Eang	Term	wch Ar.	ቃል	

File format	Number Codes		File format	Number Codes		File format	Number Codes		File format	Number Codes		File format	Number Codes
File format	Flood Map DXF File	File Transmission	File format	Flood Map DXF File	File Transmission	File format	Flood Map DXF File	File Transmission	File format	Flood Map DXF File	File Transmission	File format	Flood Map DXF File

File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File
	Hurricane			Hurricane			Hurricane			Hurricane			Hurricane
File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane
File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map
File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map
File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map
File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)
File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected
File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast

File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)
File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC
File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation
File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text
File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet
File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics
File format	Other		File format	Other		File format	Other		File format	Other		File format	Other
File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent

File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF
File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program
File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R
File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF
File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO
File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE
File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On
File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off

File format	Transmitter Carrier On			File format			Transmitter Carrier On			File format			Transmitter Carrier On			File format			Transmitter Carrier On											
	Transmitter Primary On			File format			Transmitter Primary On			File format			Transmitter Primary On			File format			Transmitter Primary On											
	Transmitter Status Query			File format			Transmitter Status Query			File format			Transmitter Status Query			File format			Transmitter Status Query											
	Transmitter Status Response			File format			Transmitter Status Response			File format			Transmitter Status Response			File format			Transmitter Status Response											
File format	Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)		
	Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1		
	Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2		
	Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3		

File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics
	Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4
File format	Video	File	File format	Video	File	File format	Video	File	File format	Video	File	File format	Video
	Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>
File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file
		File			File			File			File		
File format	Intel Hex	Transmiss ion File	File format	Intel Hex	Transmiss ion File	File format	Intel Hex	Transmiss ion File	File format	Intel Hex	Transmiss ion File	File format	Intel Hex
		File			File			File			File		

<p> Georgian . Google Translate Only. ჯარტო ვადა. </p>	<p> Azerbaijani. Google Translate Only. Geniş Müddət </p>	<p> Dar Darşrut </p>	<p> İstifadə etmək üçün. </p>	<p> Some characters are unrecognized. ვიწრო ვადა. </p>	<p> Georgian . Google Translate Only. ჯარტო ვადა. </p>	<p> Odiya (Oriya) Google Translate Only. ଓଡ଼ିଆ ଗ୍ରନ୍ଥ ଅବଧି </p>	<p> Igbo (Nigeria). Google Translate Only. Ogologo </p>	<p> Oge Ogbugbu. </p>	<p> Jiri N'ih. </p>
--	--	--	---	--	--	--	--	---	---

	File format	Number Codes		File format	Number Codes		File format	Number Codes		File format	Number Codes		File format
File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format

File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format
		Hurricane			Hurricane			Hurricane			Hurricane		
File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format
File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format
Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format
File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format
	File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format
	File format	Advertise ment Selected		File format	Advertise ment Selected		File format	Advertise ment Selected		File format	Advertise ment Selected		File format
File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format

File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format
File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format
odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format
odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format
ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format
odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format
	File format	Other		File format	Other		File format	Other		File format	Other		File format
	File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format

no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format
Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format
Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format
File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format
File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format
File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format
	File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format
	File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format

	File format		Transmitter Carrier On		File format		Transmitter Carrier On		File format		Transmitter Carrier On		File format	
	File format		Transmitter Primary On		File format		Transmitter Primary On		File format		Transmitter Primary On		File format	
	File format		Transmitter Status Query		File format		Transmitter Status Query		File format		Transmitter Status Query		File format	
	File format		Transmitter Status Response		File format		Transmitter Status Response		File format		Transmitter Status Response		File format	
File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format	
File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format	
File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format	
File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format	

File		Video/Graphics	File		Video/Graphics	File		Video/Graphics	File		Video/Graphics	File	
Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format
File		Video	File		Video	File		Video	File		Video	File	
Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format
File			File			File			File			File	
Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format
File			File			File			File			File	
Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format
ion			ion			ion			ion			ion	

Kazakh. Google Translate Only. Кеңірек мерзім Cyrillic obsolete	Шектеу мерзімі.	Пайдал аныңыз	Kazakh. Google latin Only. Cyrillic obsolete	Tar merzim	Üşin paydala nıñız	Khmer. Google Translate Only. វ័យ: ពេល ពេញ	វ័យ: ពេល ចង្អៀត។	ប្រើស ម្រាប់។	Kurdish (Kurmanj i). Google Translate Only. Berfirehî Têkilî	Ji bo bikar bînin.	Kyrgyz (Kyrgyzst an) Google Translate Only. Broad мөөнөтү мөөнөтү	Ичке мөөнөт ү.

Number Codes	File format	Number Codes	File format	Number Codes	File format	Number Codes	File format
Flood Map DXF File	File format	Flood Map DXF File	File format	Flood Map DXF File	File format	Flood Map DXF File	File format

Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission
Hurricane			Hurricane			Hurricane			Hurricane	
Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission
Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission
Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission
Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission
Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)	
Advertisement Selected	File	File format	Advertisement Selected	File	File format	Advertisement Selected	File	File format	Advertisement Selected	File
CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission

DXF file, CAD or map	File Transmission File	File format	DXF file, CAD or map	File Transmission File	File format	DXF file, CAD or map	File Transmission File	File format	DXF file, CAD or map	File Transmission File
EDXL-DE file	Transmission	File format	EDXL-DE file	Transmission	File format	EDXL-DE file	Transmission	File format	EDXL-DE file	Transmission
EDXL-DE file, DTV only	File Transmission	File format	EDXL-DE file, DTV only	File Transmission	File format	EDXL-DE file, DTV only	File Transmission	File format	EDXL-DE file, DTV only	File Transmission
Geographic Information SHP file	File Transmission File	File format	Geographic Information SHP file	File Transmission File	File format	Geographic Information SHP file	File Transmission File	File format	Geographic Information SHP file	File Transmission File
IEEE 1512	Transmission	File format	IEEE 1512	Transmission	File format	IEEE 1512	Transmission	File format	IEEE 1512	Transmission
IEEE 1512 in EDXL-DE	File Transmission	File format	IEEE 1512 in EDXL-DE	File Transmission	File format	IEEE 1512 in EDXL-DE	File Transmission	File format	IEEE 1512 in EDXL-DE	File Transmission
Intelligent Highway Sign		File format	Intelligent Highway Sign		File format	Intelligent Highway Sign		File format	Intelligent Highway Sign	
JPG file	File Transmission	File format	JPG file	File Transmission	File format	JPG file	File Transmission	File format	JPG file	File Transmission
MPEG-2 file (+mono audio)	File Transmission	File format	MPEG-2 file (+mono audio)	File Transmission	File format	MPEG-2 file (+mono audio)	File Transmission	File format	MPEG-2 file (+mono audio)	File Transmission

MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion	File format	MPEG-4 file (+mono audio)	File Transmiss ion
MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion	File format	MPEG- 4+HEVC	File Transmiss ion
Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion	File format	Open Documen t Presentati on	odp File Transmiss ion
Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion	File format	Open Documen t Text	odf File Transmiss ion
Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion	File format	Open Documen t Spreadsh eet	ods File Transmiss ion
Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion	File format	Open Documen t Graphics	odg File Transmiss ion
Other		File format	Other		File format	Other		File format	Other	
Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent	

PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata
Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes
Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission
Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission
TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission
Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On		File format	Transmitter Backup On	
Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off		File format	Transmitter Carrier Off	

Transmitter Carrier On		File format	Transmitter Carrier On		File format	Transmitter Carrier On		File format	Transmitter Carrier On	
Transmitter Primary On		File format	Transmitter Primary On		File format	Transmitter Primary On		File format	Transmitter Primary On	
Transmitter Status Query		File format	Transmitter Status Query		File format	Transmitter Status Query		File format	Transmitter Status Query	
Transmitter Status Response		File format	Transmitter Status Response		File format	Transmitter Status Response		File format	Transmitter Status Response	
Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission	File format	Text, TXT file (also RTF)	File Transmission
Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission	File format	Video/Graphics Language 1	File Transmission
Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission	File format	Video/Graphics Language 2	File Transmission
Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission	File format	Video/Graphics Language 3	File Transmission

Video/Graphics	File
Language 4	Transmission
Video Language <i>mn</i>	File Transmission
WAV file	File Transmission
Intel Hex	Transmission

Video/Graphics	File
Language 4	Transmission
Video Language <i>mn</i>	File Transmission
WAV file	File Transmission
Intel Hex	Transmission

Video/Graphics	File
Language 4	Transmission
Video Language <i>mn</i>	File Transmission
WAV file	File Transmission
Intel Hex	Transmission

Video/Graphics	File
Language 4	Transmission
Video Language <i>mn</i>	File Transmission
WAV file	File Transmission
Intel Hex	Transmission

				Mongolia		Tajik.						Uzbek.
				n.		Google						Uzbekist
	Lao.			Google		Translate			Ukrainian			an.
	Google			Translate	Нарийн	Only.	Дароз Барои	. Bing	Вузьк Викор		Google	Translate
Колдон	Only.		ໃຊ້	Өргөн	Нд	Давом	ии	.	ий истову		Only.	
уу	Broad	ໄລຍະ	ສ່າ	цаг	хугаца	хэрэгл	нокии	мӯҳла истиф	Широкий	термін	вати	Keng
үчүн.	Term	ສັບຖ.	ຫລັບ	хүрээтэй	атай	эх.	васеъ	Т.	ода.	термін	для.	davr

File format	Number Codes		File format	Number Codes		File format	Number Codes		File format	Number Codes		File format	Number Codes	
File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	File Transmiss ion	File format	Flood Map DXF File	

File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File
	Hurricane			Hurricane			Hurricane			Hurricane			Hurricane
File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane	File Transmission	File format	Inundation SHP Map Hurricane
File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map	File Transmission	File format	Inundation DXF Map
File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map	File Transmission	File format	Tsunami DXF Map
File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map	File Transmission	File format	Tsunami SHP Map
File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)		File format	Advertisement (if permitted)
File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected		File format	Advertisement Selected
File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast

File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)
File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC
File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation
File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text
File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet
File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics
File format	Other		File format	Other		File format	Other		File format	Other		File format	Other
File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent		File format	Other, urgent

File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF
File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program
File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R
File format	Rich Text, RTF	File Transmiss ion	File format	Rich Text, RTF	File Transmiss ion	File format	Rich Text, RTF	File Transmiss ion	File format	Rich Text, RTF	File Transmiss ion	File format	Rich Text, RTF
File format	Tactical Situation Object, TSO	File Transmiss ion	File format	Tactical Situation Object, TSO	File Transmiss ion	File format	Tactical Situation Object, TSO	File Transmiss ion	File format	Tactical Situation Object, TSO	File Transmiss ion	File format	Tactical Situation Object, TSO
File format	TSO in EDXL-DE	File Transmiss ion	File format	TSO in EDXL-DE	File Transmiss ion	File format	TSO in EDXL-DE	File Transmiss ion	File format	TSO in EDXL-DE	File Transmiss ion	File format	TSO in EDXL-DE
File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format	Transmitt er Backup On
File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off

File format	Transmitter Carrier On			File format			Transmitter Carrier On			File format			Transmitter Carrier On			File format			Transmitter Carrier On											
	Transmitter Primary On			File format			Transmitter Primary On			File format			Transmitter Primary On			File format			Transmitter Primary On											
	Transmitter Status Query			File format			Transmitter Status Query			File format			Transmitter Status Query			File format			Transmitter Status Query											
	Transmitter Status Response			File format			Transmitter Status Response			File format			Transmitter Status Response			File format			Transmitter Status Response											
File format	Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)			File Transmiss ion			File format			Text, TXT file (also RTF)		
	Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1			File Transmiss ion			File format			Video/Graphics Language 1		
	Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2			File Transmiss ion			File format			Video/Graphics Language 2		
	Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3			File Transmiss ion			File format			Video/Graphics Language 3		

File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics	File	File format	Video/Gr aphics
	Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4	Transmiss ion File		Language 4
File format	Video	File	File format	Video	File	File format	Video	File	File format	Video	File	File format	Video
	Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>	Transmiss ion File		Language <i>mn</i>
File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file	Transmiss ion File	File format	WAV file
		File			File			File			File		
File format	Intel Hex	Transmiss ion File	File format	Intel Hex	Transmiss ion File	File format	Intel Hex	Transmiss ion File	File format	Intel Hex	Transmiss ion File	File format	Intel Hex

==

Dar mudda t.	Foydalanish uchun.	Vietnamese. Bing translate. Thuật ngữ rộng hẹp.	Hạn Use For.	Frisian (West?) Netherlands. Google Translate only. Breed Termyn	Narrow Term.	Brûke foar.	Belarusian. Google Translate Only. працяглы тэрмін	Вузкі тэрмін .	Выкарыстоўвайце для.	Kinyarwanda Rwanda. Google Translate Only. Igihe kinini	Igihe gito	Koresha Kuri
--------------	--------------------	---	--------------	--	--------------	-------------	--	----------------	----------------------	---	------------	--------------

File Transmission	File format	Number Codes	File format	Number Codes	File format	Number Codes	File format
Flood Map File	DXF File	Flood Map File	DXF File	Flood Map File	DXF File	Flood Map File	DXF File

File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission	File format	Flood Map SHP File	File Transmission
		Hurricane			Hurricane			Hurricane	
File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission	File format	Inundatio n SHP Map Hurricane	File Transmission
File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File	File format	Inundatio n DXF Map	File Transmission File
Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission	File format	Tsunami DXF Map	Transmission
File Transmission ion	File format	Tsunami SHP Map	File Transmission ion	File format	Tsunami SHP Map	File Transmission ion	File format	Tsunami SHP Map	File Transmission ion
	File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)		File format	Advertise ment (if permitted)	
	File format	Advertise ment Selected		File format	Advertise ment Selected		File format	Advertise ment Selected	
File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission	File format	CAP Broadcast	File Transmission

File Transmission File	File format	DXF file, CAD or map	File Transmission File	File format	DXF file, CAD or map	File Transmission File	File format	DXF file, CAD or map	File Transmission File
Transmission File	format	EDXL-DE file	Transmission File	format	EDXL-DE file	Transmission File	format	EDXL-DE file	Transmission File
File Transmission ion	File format	EDXL-DE file, DTV only	File Transmission ion	File format	EDXL-DE file, DTV only	File Transmission ion	File format	EDXL-DE file, DTV only	File Transmission ion
File Transmission File	File format	Geograph ic Informati on SHP file	File Transmission File	File format	Geograph ic Informati on SHP file	File Transmission File	File format	Geograph ic Informati on SHP file	File Transmission File
Transmission ion	File format	IEEE 1512	Transmission ion	File format	IEEE 1512	Transmission ion	File format	IEEE 1512	Transmission ion
File Transmission ion	File format	IEEE 1512 in EDXL-DE	File Transmission ion	File format	IEEE 1512 in EDXL-DE	File Transmission ion	File format	IEEE 1512 in EDXL-DE	File Transmission ion
	File format	Intelligent Highway Sign		File format	Intelligent Highway Sign		File format	Intelligent Highway Sign	
File Transmission ion	File format	JPG file	File Transmission ion	File format	JPG file	File Transmission ion	File format	JPG file	File Transmission ion
File Transmission ion	File format	MPEG-2 file (+mono audio)	File Transmission ion	File format	MPEG-2 file (+mono audio)	File Transmission ion	File format	MPEG-2 file (+mono audio)	File Transmission ion

File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission	File format	MPEG-4 file (+mono audio)	File Transmission
File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission	File format	MPEG-4+HEVC	File Transmission
odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission	File format	Open Document Presentation	odp File Transmission
odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission	File format	Open Document Text	odf File Transmission
ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission	File format	Open Document Spreadsheet	ods File Transmission
odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission	File format	Open Document Graphics	odg File Transmission
	File format	Other		File format	Other		File format	Other	
	File format	Other, urgent		File format	Other, urgent		File format	Other, urgent	

no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active	File format	PDF	no macros or web active
Program metadata	File format	Program	Program metadata	File format	Program	Program metadata	File format	Program	Program metadata
Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes	File format	Q codes ICAO/MM S/ITU-R	Queries or notes
File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission	File format	Rich Text, RTF	File Transmission
File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission	File format	Tactical Situation Object, TSO	File Transmission
File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission	File format	TSO in EDXL-DE	File Transmission
	File format	Transmitt er Backup On		File format	Transmitt er Backup On		File format	Transmitt er Backup On	
	File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off		File format	Transmitt er Carrier Off	

	File format		Transmitter Carrier On		File format		Transmitter Carrier On		File format		Transmitter Carrier On	
	File format		Transmitter Primary On		File format		Transmitter Primary On		File format		Transmitter Primary On	
	File format		Transmitter Status Query		File format		Transmitter Status Query		File format		Transmitter Status Query	
	File format		Transmitter Status Response		File format		Transmitter Status Response		File format		Transmitter Status Response	
File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission	File format		Text, TXT file (also RTF)	File Transmission
File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission	File format		Video/Graphics Language 1	File Transmission
File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission	File format		Video/Graphics Language 2	File Transmission
File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission	File format		Video/Graphics Language 3	File Transmission

File		Video/Graphics	File		Video/Graphics	File		Video/Graphics	File
Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission	File format	Language 4	Transmission
File		Video	File		Video	File		Video	File
Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission	File format	Language <i>mn</i>	Transmission
File			File			File			File
Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission	File format	WAV file	Transmission
File			File			File			File
Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission	File format	Intel Hex	Transmission
ion			ion		ion			ion	

Uyghur	تار	Yucatec	only.	Término	Búukin	011-688-20013, 20135, 20138, 20409	Cocopa	may be included
Google only.	مۇددەت	Maya	only.	estrec	ta'al	Telecom HF TV Bg	h,	Contact
Broad	for	Bing	amplio	ho	utia'al		contact	Edsel
Term	for	transla	ho	u	Tuvalu		Mike	Pete,
		te					Fila	epete@
		only.					(978)075	navajo-
		Término					0-6612	nsn.gov
		o					mfila@c	+1(928)8
		o					ocopah.	71-7826
		amplio					com.	http://w
		ho					Broad	ww.obs.
		u					Term	navajo-
							Narrow	nsn.gov/
							Term	Term
							Use For.	

File
format

File
format

Number
Codes

Flood
Map DXF
File

File
Transmiss
ion

File format	Flood Map SHP File	File Transmission
	Hurricane	
File format	Inundatio n SHP Map Hurricane	File Transmission
File format	Inundatio n DXF Map	File Transmission
File format	Tsunami DXF Map	File Transmission
File format	Tsunami SHP Map	File Transmission
File format	Advertise ment (if permitted)	
File format	Advertise ment Selected	File
File format	CAP Broadcast	Transmission

File format	DXF file, CAD or map	File Transmission
File format	EDXL-DE file	File Transmission
File format	EDXL-DE file, DTV only	File Transmission
File format	Geographic Information SHP file	File Transmission
File format	IEEE 1512	File Transmission
File format	IEEE 1512 in EDXL-DE	File Transmission
File format	Intelligent Highway Sign	
File format	JPG file	File Transmission
File format	MPEG-2 file (+mono audio)	File Transmission

File format	MPEG-4 file (+mono audio)	File Transmiss ion
File format	MPEG- 4+HEVC	File Transmiss ion
File format	Open Documen t Presentati on	odp File Transmiss ion
File format	Open Documen t Text	odf File Transmiss ion
File format	Open Documen t Spreadsh eet	ods File Transmiss ion
File format	Open Documen t Graphics	odg File Transmiss ion
File format	Other	
File format	Other, urgent	

File format	PDF	no macros or web active
File format	Program	Program metadata
File format	Q codes ICAO/MM S/ITU-R	Queries or notes
File format	Rich Text, RTF	File Transmiss ion
File format	Tactical Situation Object, TSO	File Transmiss ion
File format	TSO in EDXL-DE	File Transmiss ion
File format	Transmitt er Backup On	
File format	Transmitt er Carrier Off	

File format	Transmitter Carrier On	
File format	Transmitter Primary On	
File format	Transmitter Status Query	
File format	Transmitter Status Response	
File format	Text, TXT file (also RTF)	File Transmission
File format	Video/Graphics Language 1	File Transmission
File format	Video/Graphics Language 2	File Transmission
File format	Video/Graphics Language 3	File Transmission

File format	Video/Graphics Language 4	File Transmission
File format	Video Language <i>mn</i>	File Transmission
File format	WAV file	File Transmission
File format	Intel Hex	File Transmission

Use For	Dzongkha. (Broad Term)	(Narrow Term)	(Use For)	Maithili, India Government question चओड़ा पार	अधनठ पार	मैथि नी	Tetum (East Timor, Lomor- Leste). Prazu sira ne 'ebé luan	Tempu limitadu.	Uza Ba. http://translation.tetum.com/ not secure	Faroese	Tok Pisin (Papua New Guinea) Broad Term
------------	------------------------------	------------------	-----------	--	-------------	------------	---	--------------------	--	---------	--



Earthquake

No op
term Yusim
(Narro Bilong
w (Use
Term) For)

Parag
uay
Guara
ni. Pe Po'i Use
ñe'ẽ. ñe'ẽ. For.

Braille
English
level 2
Unicode.
Broad
Term
<https://www.branah.com/braill-terminator> Note an
Narrow Term.
n means
a digit.

Use For

Arbitrar
y Sorting

older
sort
order

Automat
ion
Priority

2

0

0

2

4 L

7 3 R

7 3 R

7 3 R

7 3 R

3 2 S

3 S D CAP

4 A D NO TON

7 A D NO TON

7	L	EDXL D
---	---	--------

7	L	EDXL D
---	---	--------

7	L	EDXL D
---	---	--------

8	L	DTV ONLY
---	---	----------

8	L	EDXL D
---	---	--------

	L	D
--	---	---

	L	EDXL D
--	---	--------

8	L	D
---	---	---

4	L	EDXL D
---	---	--------

7 L EDXL D

10 L EDXL D

4 L EDXL D

7 L EDXL D

1 L EDXL D

1

8

8 L D

8	L	O
---	---	---

8	L	EDXL D
---	---	--------

8	L	DTV ONLY
---	---	----------

8	L	D
---	---	---

8	L	EDXL D
---	---	--------

1	L	D
---	---	---

1	L	EDXL D
---	---	--------

1	E	D
---	---	---

1 E D

1 E D

8 E D

8 E D

E D

L D

L D

L D

L D

L D

L D

L O

L O

Least Originat or Permitted, Decoder	Override / Digital default	WEA	Pix (more are needed)	Use Notes, below left	American Sign Language Broad Term http://fonttranslations.com/sign-language	Narrow Term. These are PNG images which are not used as they are unmanag eable in this environm ent.	Use For
--	----------------------------------	-----	--------------------------------	--------------------------------	--	---	---------

		4 L	D			Number Codes Flood Map DXF	File Transmission
		3 R	D CAP		21, 55	File format File Flood Map SHP	File Transmission
D	D	3 R	D CAP		21, 55	File format File	File Transmission

						Hurricane	
						Inundatio n SHP Map Hurricane	
D CAP	D CAP	3 R	D CAP	21, 55	File format		File Transmission
						Inundatio n DXF Map	
D CAP	D CAP	3 R	D CAP	21, 55	File format		File Transmission
						Tsunami DXF Map	
D CAP	D CAP	2 S	D CAP	21, 55	File format		File Transmission
						Tsunami SHP Map	
D CAP	D CAP	2 S	D CAP	21, 55	File format		
						Advertise ment (if permitted)	
D CAP	D CAP	0 A	D NO TONE	11, 25, 43	File format		
						Advertise ment Selected	
D CAP		0 A	D NO TONE	11, 25, 43	File format		File Transmission
						CAP Broadcast	
D NO TONE		2 L	EDXL D		File format		File Transmission
						DXF file, CAD or map	
D NO TONE		7 L	EDXL D	21	File format		File Transmission

EDXL D	7 L	EDXL D	File format	EDXL-DE file	File Transmission
EDXL D	7 L	DTV ONLY	File format	EDXL-DE file, DTV only	File Transmission
EDXL D	7 L	EDXL D	21 File format	Geograph ic Informati on SHP file	File Transmission
DTV ONLY	3 L	D	51 File format	IEEE 1512	File Transmission
EDXL D	3 L	EDXL D	51 File format	IEEE 1512 in EDXL-DE	
D	4 L	D	51 File format	Intelligent Highway Sign	File Transmission
EDXL D	7 L	EDXL D	File format	JPG file	File Transmission
D	7 L	EDXL D	File format	MPEG-2 file (+mono audio)	File Transmission
EDXL D	7 L	EDXL D	File format	MPEG-4 file (+mono audio)	File Transmission

EDXL D	7 L	EDXL D	File format	MPEG-4+HEVC	odp File Transmission
EDXL D	8 L	EDXL D	File format	Open Document Presentation	odf File Transmission
EDXL D	8 L	EDXL D	File format	Open Document Text	ods File Transmission
EDXL D			File format	Open Document Spreadsheet	odg File Transmission
EDXL D			File format	Open Document Graphics	
	8 L	D	File format	Other	
	4 L	O	File format	Other, urgent	no macros or web active
D	7 L	EDXL D	File format	PDF	Program metadata

O	10 L	DTV ONLY	60	File format	Program	
					Queries or notes	
EDXL D	4 L	D	66	File format	Q codes	
					ICAO/MM	
DTV ONLY	7 L	EDXL D	7	File format	S/ITU-R	
					File Transmission	
D	1 L	D	1	File format	Rich	
					Text, RTF	
EDXL D	1 L	EDXL D	33, 51	File format	Tactical	
					Situation	
D	8 E	D	51, 63	File format	Object,	
					TSO	
EDXL D	8 E	D	51, 63	File format	TSO in	
					EDXL-DE	
D	8 E	D	51, 63	File format	Transmitt	
					er	
EDXL D	8 E	D	51, 63	File format	Backup	
					On	
D	8 E	D	51, 63	File format	Transmitt	
					er Carrier	
D	8 E	D	51, 63	File format	Off	
					Transmitt	
D	8 E	D	51, 63	File format	er Carrier	
					On	

					Transmitter Primary On	
D	8 E	D	51, 63	File format	Transmitter Status Query	
D	8 E	D	51, 63	File format	Transmitter Status Response	File Transmission
D	8 L	D		File format	Text, TXT file (also RTF)	File Transmission
D	1 L	D	48	File format	Video/Graphics Language 1	File Transmission
D	1 L	D	48	File format	Video/Graphics Language 2	File Transmission
D	1 L	D	48	File format	Video/Graphics Language 3	File Transmission
D	1 L	D	48	File format	Video/Graphics Language 4	File Transmission

				Video	
				Language	
D	1 L	D	48	File format <i>mn</i>	File Transmission
D	8 L	O		WAV file	File Transmission
D	8 L	O	65	File format	Intel Hex <i>0</i>
O				<i>0</i>	<i>0</i>
O					

||













||

















||


























































Older notes to right

Use Notes	Priority,
	Decode r, Authori zation

Digital only	2, , L(5)
Digital only	2, , L(5)
Digital only	0, , L(5,11)

X	3, All, L
	6, , L
X	3, , L
Digital Only	0, , L(5,11)
	3, , L
Digital Only	9, , L(5)
	2, , L
	6, All, L

X	1, All, L(34)
	7, All, L(53)
	4, , L(5)
	2, , L(5,34)
CAP Broadca st	3, , R(5,21,5 5)
CAP Broadca st	3, , R(5,21,5 5)
	6, All, L
X	3, All, L(34)
	7, All, L

	8, , L(5,33)
	5, , L(5)
	6, , L(5)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	5, , R(5)
Digital Only	5, , R(5)

	6, , L(5,33)
	2, , L(5,33)
Digital Only	5, , L(5)
	6, All, L
	6, All, L
	6, All, L
	4, , L(5,33)
Digital Only	0, , L(5,11)

Digital Only	9, , L(5)
	6, All, L
X	3, All, L
	3, All, R(5)
	6, All, R
X	3, All, R

X	3, All, R
X	3, All, R ₍₅₎
X	3, All, R ₍₅₎
X	3, All, R ₍₅₎
X	3, All, R ₍₅₎
X	3, All, R ₍₅₎
	7, All, R ₍₅₃₎
CAP Broadca st	3, , R _(5,21,5 5)
Digital Only	5, , L ₍₅₎

	6, , L(5,33)
	5, , L(5)
Digital Only	4, , L(5)
Digital Only	5, , L(5)
Digital Only	6, , L(5)
Digital Only	6, , L(5)

	3, , L(5,33)
	6, All, L(5)

	3, All, L(5)
	3, , L(5)
	8, , L(5)
Digital Only	8, , L(5)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
	6, All, L
X	4, All, L
	6, , L(5)
	4, , L(5)

	6, All, L
	9, , L(5)
Digital Only	4, , L(5)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	5, , L(5)

X	3, , R(5)
Digital Only	3, , R(5)
X	3, , L
Digital Only	3, , R(5)
	4, , L
Digital Only	4, , R(5)
	1, , N(5,59)
	5, , L
	2, , L
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,1)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)

Digital Only	0, , L(5,11)
	6, , L
X	1, , M
X	1, , M(5,11,64)
	1, , L(5,33)
	6, , R
	3, , R
CAP Broadca st	2, , S(5,21)
CAP Broadca	2, , S(5,21)

	4, , S(32,34)
X	1, , S(34)

Digital Only	0, , L(5,11)
Digital Only	6, , L(5)
	6, , R

X	3, , R
Use Notes	Decode r
NATIO NAL REQUI RED	1, ALL, N(30)
NATIO NAL REQUI RED	1, ALL, N
National Require d	1, ALL, N

Digital Only	1, ALL, N(5)
	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital systems only, no	0, , A(5,11,25 ,43)
Digital systems only, no tones	0, , A(5,11,25 ,43)

	5, , R(5)
Digital Only	9, , L(5)
Digital Only	8, , L(5)
Digital Only	4, , R(5)
	7, , L (5,33)
	1, , L(5,33,34)

	4, , R(5,51)
Digital Only	5, , R(5,51)
Digital Only	3, , R(5)

Digital Only	3, , R(5)
Digital Only	8, , L(5)
Digital Only	0, , L(5, 44)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
	6, , L
X	1, , L
Digital Only	0, , R(5, 44)
Digital Only	3, , R(5)
Digital Only	8, , L(5)
Digital Only	3, , R(5)
Digital Only	0, , L(5, 52)
	6, , L(5)
	3, , L(5)

|

Digital Only	3, , L(5,51)
Digital Only	3, , L(5)
	3, , L(5,34)
EDXL digital	2, , L(5)
	3, , L(5,34)
XX	2, , L(44)
X	3, , L(5)
Digital Only	5, , L(5,53)
Digital Only	2, , L(5)
XX	2, , L
XX	3, ALL, I

0, ,
L(5,11)

4, , L(5)


Digital Only	0, , L(5,11)
-----------------	-----------------

Digital
Only

0, ,
L(5,11)

Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Not SPE, SPW	5, , L(5)

Digital Only	5, , L(5)



	5, , L(5)
	1, , L(5,34)
	8, , L(5,33,53)

	5, , L(5,33)
Digital Only	7, , L(5)

Digital Only	3, , L(5)
Digital Only	3, , L(5)

Digital Only	7, , L(5)
	2, , L(5)
Digital Only	7, , L(5)
Digital Only	7, , L(5)
EDXL digital	7, , L(5,21)
Digital Only	, , L(5,36,37)

Digital Only	1, , L(5,36,47 52)
Digital Only	1, , L(5,36,47)
Digital Only	1, , L(5,36,47)
Digital Only	1, , L(5,36,47)
	1, , L(5,36,47)

	1, , L(5,36,47)
	1, , L(5,36,47)
	1, , L(5,36,47)

1, ,
L(5,36,47
)

1, ,
L(5,36,47
)

	7, , L(5,34,47)
Digital Policy	1, , L(5,36,39 ,40,45)


	1, , R(36,39,
EDXL digital	7, , L(5)
Digital TV only	7, , L(5)
	3, ALL, L(5)
X	1, ALL, L
	2, , L(5,34)


Digital Only	8, , L(5)
Digital Only	1, , L(5)
Digital Only	2, , L(5,15,40)
	5, , L(5,40,53)
	1, , L(5,15,40)
	3, , L(34)


	2, , L(5,34)
	8, , L(5,33,34 ,53)
	4, , L(5,34)
	6, , L(5,34)
	7, , L(5,34)
	5, , L(5,34)
	4, , L(5,34)

XX	3, , L(34)
Digital Only <small>(69)</small>	2, , L(5,34)
Digital Only	7, , L(5,51)
Digital Only	2, , L(5,51)
	5, , L(5)
	5, , L(5)

	5, , L(5)
EDXL digital	7, , L(5,21)
X	3, , L(34)
	3, , L(34)
	4, , L(5,34)
Digital Only	7, , L(5)
Digital Only	3, , L(5)
Digital Only	5, , L(5)
Digital Only	7, , L(5)
Digital Only	4, , L(5)







A blank coordinate plane with a horizontal x-axis and a vertical y-axis intersecting at the origin. The axes are represented by solid black lines. There are no tick marks or labels on the axes.

	5, , L(5)
Digital Only	3, , L(5,51)
EDXL digital	3, , L(5,51)
	3, , L(5)
	3, , L(5)
	4, , L(5,51)
EDXL digital	7, , L(5)
Digital Only	6, , L(5)
Digital Only	3, , L(5,20)

XX	3, , L(5)
NOT ON EAS	-
Digital Only	6, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	4, , L(5)
Digital Only	1, , L(5)
Digital Only	1, , L(5,37)
Digital Only	1, , L(5,39,41)
	0, , L(5,11)
Or SIL	0, , L(5,11)
	0, , L(5,11)
EDXL digital	7, , L(5)

EDXL digital	7, , L(5)
EDXL digital	7, , L(5)
XX	4, , L
Digital Only	2, , L(5,49)
Digital Preferred	2, , L(5,49)
Digital Preferred	4, , M(5,49)
	7, , L(5,42,53)
X	2, , L(34)

	8, , L(5,33)
	5, , L(5,33)
EDXL digital	8, , L(5)

EDXL digital	8, , L(5)
Digital Only	8, , L(5)
	4, , L(5)
EDXL digital	7, , L(5,21)
Digital Only	8, , L(5)

	8, , L(5)
	2, , L(5,11)

	4, , L(5,33)
	7, , L(5)

Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital TV only	10, , L(60)
Digital Only	5, , R(5,51)

Digital Only	0, , L(5,11)
Digital Only	4, , L(5)
Digital Only	7, , L(5)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
Digital Only	4, , L(66)
	5, , L(5,33,51)
	4, , L(5,34)
X	3, , L(34)
Digital Only	6, , L(5)
Digital Only	4, , L(5)
Digital Only	6, , L(5)

Digital Only	6, , L(5)
	3, , L(5,19)
	8, , L(5,19,53)
	8, , L(5,18,51 ,53)
EDXL digital	7, , L(5)
Digital, Vehicle s	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5,34)
Digital, Vehicle s	0, , L(5,11)
Digital, Vehicle s	0, , L(5,11)
Digital, Vehicle s	0, , L(5,11)
Digital, Vehicle s	0, , L(5,11,50)

|

Digital, Vehicle s	0, , L(5,11)
Digital, Vehicle s	5, , L(5,50)
	3, , L(5)
Digital Only	0, , L(5,11)
Digital Only	0, , L(5,11)
	0, , M(5,11,2 6,30)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
	1, , L(5)
X	3, , L
	6, , L(5)
	1, , L(5)
	1, , L(5)
	7, , L(5,29,53)
	4, , L(5,29)
	2, , R(5,22)

See TXW	4, , L(5,33)
Digital Only	7, , L(5)
Digital Only	1, , S(5)
XX	1, , S(5,30)
1, , L(5,33,51)	
See SUW	2, , R(5)
EDXL digital	1, , L(5,33,51)
Digital Only	0, , L(5,11)
Digital, Vehicle s	5, , L(5,50)
Digital Only	8, , E(5,51,63)
Digital Only	8, , E(5,51,63)
Digital Only	8, , E(5,51,63)
Digital Only	8, , E(5,51,63)

Digital Only	8, , E _(5,51,63)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	0, , L _(5,11)
Digital Only	1, , L _(5,48)
Digital Only	1, , L _(5,48)
Digital Only	1, , L _(5,48)

Digital Only	1, , L(5,48)
	1, , L(5)
	8, , L(5)
Digital Only	0, , L(5,11)
Digital Only	9, , L(5)
Digital Only	9, , L(5)
	8, , L(5)
	6, , L(5)
Digital Only ⁽⁶⁹⁾	2, , L(5,34)
EDXL digital	7, , L(5)
Digital Only	3, , L(5,52)
Digital Only	9, , L(5)
Use Notes	Decoder
	8, All, N
	8, All, N ⁽⁵⁾
	8, All, N
	8, All, N ⁽⁵⁾
	8, , R ⁽⁵¹⁾
	9, All, L ^(23,51)

Digital Only	5, , L(5,54,60)
-----------------	------------------------

|

REQUI RED, may be digital	3, ALL, S
REQUI RED	0, ALL, M ₍₁₄₎
	1, ALL, E _(5,14)
REQUI RED	1, ALL, N ₍₅₎
	6, , L _(5,51)


	4, , L(5,51)
	8, , L(5,51)
	2, , L(5,51)
Digital Only	4, , L(66)

69) The alerting for WFW Wildfires and FOW Fire Forest Warning, are an alerting problem because the region may be remote and have few roads. So, an alert that is for many people that are not affected, it would result in evacuee road traffic that would be a serious impediment for firefighting and other emergency vehicles. When Emergency Managers have no precise understanding of WEA coverage anticipated, and the current EAS having no location selectivity, neither method may be used, which has resulted in fatalities because of the limitations of other means. The use of Digital Only for Television and DAB, DAB+, DMB and DRM is recommended when these concerns are applicable. Therefor the policy needs determination on a regional basis for the alerting application, and appropriate additional software.

70) The outdoors fire condition MAY correspond to signs that have an indication as follows;

EEE EVENT CODE	eveCode	Color	ASEAN	New Zealand	Canada	USA HDW WFAS	Beaufort/HUN to right	3 to 4
FCS (FW0 to FX3)	fireCondOK	Green	Blue	Green	Blue 0-5	0-50 Green	FCS	FCS
FRS (FW4 to FX5)	fireAdvisory	Green/Yellow stripe (Lt.Grn)		Blue	Green 5-10	50-100 Lt.Green	FRS	FRS
FMA (FW6 to FX6)	fireWeather	Yellow	Green	Yellow	Yellow 10-20	100-150 Yellow	FMA	FMA
FHA (FW7 to FX7)	fireBan	Yellow/Orange stripe (Mustard)	Yellow	Orange	Orange 20-30	150-200 Mustard	FHA	FHA
FRA (FW8 to FX8)	fireDangLvl	Orange				200-300 Orange	FRA	FRA

FXA (FW9 to FX9)	TotalFireBan	Red	Red	Red	Red >30	>300 Red	FXA	FXA
		Backgroud			gray	white		
FW n (see above)	KJS below where n is tens						For FW n and FX n 1	on left above.
FX n (see above)	KJS below where n is tens add 5.						For FW n and FX n 1	on left above.
Below is Korea-Japan Switzerland		color below						



71) SQW is recently added by NOAA Weather Radio. Previous versions of this had WSQ as the code.

Below is a proposal to show raised fire risk with raised wind speed.

5 to 7	8 or 9	10 or 11/HU1	12/HU2	HU3	HU4	HU5	HU6
FCS	FRS	FMA	FHA	FXA	If no rain		
FMA	FHA	FRA	FXA	If no rain			
FHA	FRA	FXA	If no rain				
FRA	FXA	If no rain					
FXA	If no rain						

A
derecho
If no rain may be
Beaufort
9 to HU2

use the equivalent

use the equivalent